



75 Suttle Street  
Durango, CO 81303  
970.247.4220 Phone  
970.247.4227 Fax  
www.greenanalytical.com

07 September 2022

Sabre Beebe  
Simcoe LLC  
1199 Main Ave Suite 101  
Durango, CO 81301  
RE: pH, SAR, EC

Enclosed are the results of analyses for samples received by the laboratory on 09/01/22 11:10. The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink that reads 'Jeremy D. Allen'.

Jeremy D Allen  
Laboratory Director

All accredited analytes contained in this report are denoted by an asterisk (\*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: T104704514-22-15

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: T104704398-22-15



Simcoe LLC  
1199 Main Ave Suite 101  
Durango CO, 81301

Project: pH,SAR,EC  
Project Name / Number: Raymond Koon A1  
Project Manager: Sabre Beebe

**Reported:**  
09/07/22 15:18

**ANALYTICAL REPORT FOR SAMPLES**

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
Point of Release	2209004-01	Solid	09/01/22 09:40	09/01/22 11:10	
North Wall	2209004-02	Solid	09/01/22 09:50	09/01/22 11:10	
South Wall	2209004-03	Solid	09/01/22 10:00	09/01/22 11:10	
East Wall	2209004-04	Solid	09/01/22 10:12	09/01/22 11:10	
West Wall	2209004-05	Solid	09/01/22 10:20	09/01/22 11:10	

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Simcoe LLC 1199 Main Ave Suite 101 Durango CO, 81301	Project: pH,SAR,EC Project Name / Number: Raymond Koon A1 Project Manager: Sabre Beebe	Reported: 09/07/22 15:18
--	--	-----------------------------

**Point of Release**

**2209004-01 (Soil)**

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
<b>Saturated Paste Extraction</b>									
Calcium	9.61	0.200	0.116	mg/L	2	09/02/22 15:33	EPA200.7		AES
Conductivity	1100			umho/cm@25 C	1	09/02/22 08:10	ASA#9 10-3.3		QEB
Magnesium	2.63	0.200	0.131	mg/L	2	09/02/22 15:33	EPA200.7		AES
pH	8.26			pH Units	1	09/02/22 08:10	ASA#9 10-3.2		QEB
SAR	5.23			No Unit	1	09/02/22 15:33	Calculation		AES
Sodium	70.9	2.00	0.159	mg/L	2	09/02/22 15:33	EPA200.7		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



jeremy.allen@greenanalytical.com p: 970.247.4220 f: 970.247.4227 75 Suttle Street Durango, CO 81303

www.GreenAnalytical.com

Simcoe LLC	Project: pH,SAR,EC	Reported:
1199 Main Ave Suite 101	Project Name / Number: Raymond Koon A1	09/07/22 15:18
Durango CO, 81301	Project Manager: Sabre Beebe	

**North Wall**

**2209004-02 (Soil)**

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
<b>Saturated Paste Extraction</b>									
Calcium	27.1	0.200	0.116	mg/L	2	09/02/22 15:35	EPA200.7		AES
Conductivity	1000			umho/cm@25 C	1	09/02/22 08:10	ASA#9 10-3.3		QEB
Magnesium	5.02	0.200	0.131	mg/L	2	09/02/22 15:35	EPA200.7		AES
pH	7.82			pH Units	1	09/02/22 08:10	ASA#9 10-3.2		QEB
SAR	2.13			No Unit	1	09/02/22 15:35	Calculation		AES
Sodium	46.1	2.00	0.159	mg/L	2	09/02/22 15:35	EPA200.7		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Simcoe LLC	Project: pH,SAR,EC	Reported:
1199 Main Ave Suite 101	Project Name / Number: Raymond Koon A1	09/07/22 15:18
Durango CO, 81301	Project Manager: Sabre Beebe	

**South Wall**

**2209004-03 (Soil)**

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
<b>Saturated Paste Extraction</b>									
Calcium	50.3	0.100	0.058	mg/L	1	09/02/22 15:37	EPA200.7		AES
Conductivity	436			umho/cm@25 C	1	09/02/22 08:10	ASA#9 10-3.3		QEB
Magnesium	9.35	0.100	0.065	mg/L	1	09/02/22 15:37	EPA200.7		AES
pH	7.48			pH Units	1	09/02/22 08:10	ASA#9 10-3.2		QEB
SAR	0.45			No Unit	1	09/02/22 15:37	Calculation		AES
Sodium	13.1	1.00	0.079	mg/L	1	09/02/22 15:37	EPA200.7		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Simcoe LLC

1199 Main Ave Suite 101  
Durango CO, 81301

Project: pH,SAR,EC

Project Name / Number: Raymond Koon A1  
Project Manager: Sabre Beebe

Reported:  
09/07/22 15:18

**East Wall**

**2209004-04 (Soil)**

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
<b>Saturated Paste Extraction</b>									
Calcium	132	0.200	0.116	mg/L	2	09/02/22 15:39	EPA200.7		AES
Conductivity	1250			umho/cm@25 C	1	09/02/22 08:10	ASA#9 10-3.3		QEB
Magnesium	22.5	0.200	0.131	mg/L	2	09/02/22 15:39	EPA200.7		AES
pH	7.52			pH Units	1	09/02/22 08:10	ASA#9 10-3.2		QEB
SAR	1.01			No Unit	1	09/02/22 15:39	Calculation		AES
Sodium	47.9	2.00	0.159	mg/L	2	09/02/22 15:39	EPA200.7		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Simcoe LLC	Project: pH,SAR,EC	Reported:
1199 Main Ave Suite 101	Project Name / Number: Raymond Koon A1	09/07/22 15:18
Durango CO, 81301	Project Manager: Sabre Beebe	

**West Wall**

**2209004-05 (Soil)**

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

**Saturated Paste Extraction**

Calcium	34.7	0.100	0.058	mg/L	1	09/02/22 16:54	EPA200.7		AES
Conductivity	302			umho/cm@25 C	1	09/02/22 08:10	ASA#9 10-3.3		QEB
Magnesium	7.53	0.100	0.065	mg/L	1	09/02/22 16:54	EPA200.7		AES
pH	7.48			pH Units	1	09/02/22 08:10	ASA#9 10-3.2		QEB
SAR	1.40			No Unit	1	09/02/22 16:54	Calculation		AES
Sodium	34.8	1.00	0.079	mg/L	1	09/02/22 16:54	EPA200.7		AES

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Simcoe LLC	Project: pH,SAR,EC	Reported:
1199 Main Ave Suite 101	Project Name / Number: Raymond Koon A1	09/07/22 15:18
Durango CO, 81301	Project Manager: Sabre Beebe	

### Saturated Paste Extraction - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC Limits	RPD Limit	Notes
<b>Batch B222402 - Paste Extract</b>								
Prepared: 09/01/22 Analyzed: 09/02/22								
Blank (B222402-BLK1)								
Calcium	ND	0.100	mg/L					
Magnesium	ND	0.100	mg/L					
SAR	0.00		No Unit					
Sodium	ND	1.00	mg/L					
Reference (B222402-SRMI)								
SAR	11.2		No Unit	10.5		106	90-110	
<b>Batch B222404 - Paste Extract</b>								
Reference (B222404-SRMI)								
pH	6.78		pH Units	6.93		97.8	92-108	
<b>Batch B222405 - Paste Extract</b>								
Reference (B222405-SRMI)								
Conductivity	8490		umho/cm@25C	8340		102	90-110	

### Notes and Definitions

- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- \*Results reported on as received basis unless designated as dry.
- RPD Relative Percent Difference
- LCS Laboratory Control Sample (Blank Spike)
- RL Report Limit
- MDL Method Detection Limit

Green Analytical Laboratories

Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.

