

OPERATOR: K.P. Kauffman Company Inc.

WELL: Anderson #1

FIELD: Wattenberg

API # 05-123-10558

LEASE #:

UIC #:

CNTY: Weld

STATE: CO

SPUD: 11/4/1981

COMP: 11/19/1982

STATUS: PR

WBD DATE: 9/22/2022

FTG:

Q-Q: NESW

SEC.: 32

TWS: 4N

RGE: 67W

BY:

PROPOSED WELLBORE DIAGRAM

KBE: 4964 '

KB: 10 '

GLE: 4954 '

TD (ft): 7410 '

PBTD (ft): 7332 '

TOC @ 245 '

12 1/4" Hole
8 5/8" 24# Csg @ 320 '
Cmtd w/ 200 sxs

Pump 111 sxs cmt
Perf @ 700 '

Proposed TOC @ 6700 '

Pump 27 sxs cmt
Perf @ 6828 '
Original TOC @ 6830 '
CBL

Set CIBP @ 6930 '

7 7/8" Hole
4 1/2" 11.6# Csg @ 7410 '
Cmtd w/ 225 sxs

Codell Perfs
7304'-7309'

PBTD (ft): 7332 '

TD (ft): 7410 '

CASING RECORD

HOLE (in)	SIZE (in)	WT (lb/ft)	GRADE	TOP (ft)	BTM (ft)
<u>12 1/4</u>	<u>8 5/8</u>	<u>24</u>		<u>0</u>	<u>320</u>
<u>7 7/8</u>	<u>4 1/2</u>	<u>11.6</u>		<u>0</u>	<u>7410</u>

TUBING RECORD

SIZE (in)	WT (lb/ft)	GRADE	TOP (ft)	TALLY (ft)	JTS

PERFORATION RECORD

ZONE	TOP (ft)	BTM (ft)	HOLES	STAGE	STATUS
<u>Codell</u>	<u>7304</u>	<u>7304</u>	<u>11</u>		

WELLWORK HISTORY

Codell

182,500# 20/40 sand, 15,000# 20/40 bauxite, 1,905 BBLs gel

*Proposing to set CIBP at 6930', above NB top by 50' and below TOC by 100'.

Shoot squeeze holes at 6828' or as close to clean TOC as possible and pump 27 sxs cement for a cement top of 6700'.

Shoot squeeze holes at 700' and pump 111 sxs cement to reach a cement top of 245'