

TABLE 1
FORMER GERRY 3 TANK BATTERY
SOIL ANALYTICAL RESULTS SUMMARY TABLE
ORGANIC COMPOUNDS

Sample ID	Date Sampled	Depth	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Total Xylenes (mg/kg)	1, 2, 4-TMB (mg/kg)	1, 3, 5-TMB (mg/kg)	Naphthalene (mg/kg)	TPH ⁽⁴⁾ (mg/kg)
Residential SSL ^(1,2)			1.2	490	5.8	58	30	27	2	500
Protection of Groundwater SSL ^(1,2,3)			0.0026	0.69	0.78	9.9	0.0081	0.0087	0.0038	500
AST01 @ 0-6"	1/20/2022	0-6 in. bgs	<0.0020	<0.0050	<0.0050	0.020	0.013	0.0058	0.011	73
SEP01-FL @ 4'	1/20/2022	4 ft. bgs	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0050	<50
SEP01-DL @ 4'	1/20/2022	4 ft. bgs	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0050	<50
PWV01-B @ 4'	1/20/2022	4 ft. bgs	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0050	<50
PWV01-N @ 2.5'	1/20/2022	2.5 ft. bgs	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0050	<50
SS01 @ 3'	09/14/2022	3 ft. bgs	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<50
SS02 @ 0.5'	09/14/2022	0.5 feet bgs	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<50
SS03 @ 0.5'	09/14/2022	0.5 feet bgs	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<50
SS04 @ 0.5'	09/14/2022	0.5 feet bgs	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<50
SS05 @ 0.5'	09/14/2022	0.5 feet bgs	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<50

Notes:

- Compounds referenced from the COGCC 2 CCR 404-1, Table 915-1, effective January 15, 2021.
- Soil Screening Levels (SSL) referenced from EPA Regional Screening Levels (EPA RSLs) for Chemical Contaminants at Superfund Sites, effective November 2020.
- SSLs are applicable if a pathway for communication with groundwater is present.
- Value calculated by adding TVPH-GRO, TEPH-DRO, and TEPH-ORO concentrations.

COGCC = Colorado Oil and Gas Conservation Commission

(<) = Analytical result is less than the indicated laboratory reporting limit.

TVPH-GRO = Total volatile petroleum hydrocarbons - gasoline range organics

TEPH-DRO = Total extractable petroleum hydrocarbons - diesel range organics

TEPH-ORO = Total extractable petroleum hydrocarbons - oil range organics

mg/kg = Milligrams per kilogram

TMB = Trimethylbenzene

ft. = Feet

in. = Inches

bgs = Below ground surface

BOLD = Analytical result is in exceedance of applicable standard.

Yellow background = Source material characterization sample, sample material excavated and transported off-site for disposal

TABLE 2
FORMER GERRY 3 TANK BATTERY
SOIL ANALYTICAL RESULTS SUMMARY TABLE
INORGANIC COMPOUNDS

Sample ID	Date Sampled	Depth	pH (units)	EC (mmhos/cm)	SAR (units)	Boron (mg/L)
Soil Suitability for Reclamation Standard ⁽¹⁾			6-8.3	<4	<6	2
AST01 @ 0-6"	1/20/2022	0-6 in. bgs	7.94	0.316	0.0132	0.0567
PWV01-B @ 4'	1/20/2022	4 ft. bgs	7.71	0.962	2.47	0.0918
PWV01-N @ 2.5'	1/20/2022	2.5 ft. bgs	7.89	0.325	0.522	0.0444
SS06 @ 2.5'	09/14/2022	2.5 ft. bgs	8.13	0.399	0.548	0.532
BKG02 @ 2.5'	09/15/2022	2.5 ft. bgs	7.75	0.874	0.980	0.101

Notes:

1. Compounds referenced from the COGCC 2 CCR 404-1, Table 915-1, effective January 15, 2021.

COGCC = Colorado Oil and Gas Conservation Commission

EC = Electrical conductivity

SAR = Sodium adsorption ratio

mmhos/cm = millimhos per centimeter

mg/L = milligram per liter

ft. = Feet

in. = Inches

bgs = Below ground surface

 = Source material characterization sample, sample material excavated and transported off-site for disposal

TABLE 3
FORMER GERRY 3 TANK BATTERY
SOIL ANALYTICAL RESULTS SUMMARY TABLE
ORGANIC COMPOUNDS - PAHs

Sample ID	Date Sampled	Depth	Acenaphthene (mg/kg)	Anthracene (mg/kg)	Benz(a) (mg/kg)	Benzo(a) (mg/kg)	Benzo(b) (mg/kg)	Benzo(k) (mg/kg)	Chrysene (mg/kg)	A,H (mg/kg)	Fluoranthene (mg/kg)	Fluorene (mg/kg)	1,2,3-CD (mg/kg)	Pyrene (mg/kg)	1-M (mg/kg)	2-M (mg/kg)
Residential SSL ^(1,2)			360	1,800	1.1	0.11	1.1	11	110	0.11	240	240	1.1	180	18	24
Protection of Groundwater SSL ^(1,2,3)			0.55	5.8	0.011	0.24	0.3	2.9	9	0.096	8.9	0.54	0.98	1.3	0.006	0.019
AST01 @ 0-6"	1/20/2022	0-6 in. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS01 @ 3'	09/14/2022	3 ft. bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS02 @ 0.5'	09/14/2022	0.5 feet bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS03 @ 0.5'	09/14/2022	0.5 feet bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	0.00540	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS04 @ 0.5'	09/14/2022	0.5 feet bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SS05 @ 0.5'	09/14/2022	0.5 feet bgs	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500

Notes:

1. Compounds referenced from the COGCC 2 CCR 404-1, Table 915-1, effective January 15, 2021.
2. Soil Screening Levels (SSL) referenced from EPA Regional Screening Levels (EPA RSLs) for Chemical Contaminants at Superfund Sites, effective November 2020.
3. SSLs are applicable if a pathway for communication with

COGCC = Colorado Oil and Gas Conservation Commission

(<) = Analytical result is less than the indicated laboratory reporting limit.

PAHs = Polycyclic aromatic hydrocarbons

Benzo(a) = Benzantracene

Benzo(a) = Benzopyrene

Benzo(b) = Benzofluoranthene

Benzo(k) = Benzofluoranthene

A,H = Dibenzoanthracene

1,2,3-CD = Indenopyrene

M = Methylnaphthalene

mg/kg = Milligrams per kilogram

☐ = Source material characterization sample, sample material excavated and transported off-site for disposal

in. = Inches

bgs = Below ground surface

TABLE 4
FORMER GERRY 3 TANK BATTERY
SOIL ANALYTICAL RESULTS SUMMARY TABLE
METALS

Sample ID	Date Sampled	Depth	Arsenic (mg/kg)	Barium (mg/kg)	Cadmium (mg/kg)	Chromium (VI) (mg/kg)	Copper (mg/kg)	Lead (mg/kg)	Nickel (mg/kg)	Selenium (mg/kg)	Silver (mg/kg)	Zinc (mg/kg)
Residential SSL ^(1,2)			0.68	15,000	71	0.3	3,100	400	1,500	390	390	23,000
Protection of Groundwater SSL ^(1,2,3)			0.29	82	0.38	0.00067	46	14	26	0.26	0.8	370
AST01 @ 0-6"	1/20/2022	0-6 in. bgs	4.95	99.8	<0.828 ⁽⁴⁾	<0.30 ⁽⁴⁾	9.15	8.88	11.4	1.05	<0.621	43.4
BKG01 @ 2.5'	1/20/2022	2.5 ft. bgs	7.67	129	<0.895 ⁽⁴⁾	<0.30 ⁽⁴⁾	12.3	10.1	16.4	<0.895 ⁽⁴⁾	<0.671	52.8
BKG01 @ 4'	1/20/2022	4 ft. bgs	6.35	175	<0.798 ⁽⁴⁾	<0.30 ⁽⁴⁾	11.0	9.73	14.9	0.869	<0.599	43.0

Notes:

1. Compounds referenced from the COGCC 2 CCR 404-1, Table 915-1, effective January 15, 2021.
2. Soil Screening Levels (SSL) referenced from EPA Regional Screening Levels (EPA RSLs) for Chemical Contaminants at Superfund Sites, effective November 2020.
3. SSLs are applicable if a pathway for communication with groundwater is present.
4. Compound falls within COGCC Table 915-1 Footnote 9.

COGCC = Colorado Oil and Gas Conservation Commission

(<) = Analytical result is less than the indicated laboratory reporting limit.

mg/kg = Milligrams per kilogram

 = Source material characterization sample, sample material excavated and transported off-site for disposal

ft. = Feet

in. = Inches

bgs = Below ground surface

BOLD = Analytical result is in exceedance of applicable standard.

BOLD = Analytical result is in exceedance of applicable standard, but within 1.25x background concentration.

Metals:

Arsenic and Barium : The source material characterization sample (AST01) arsenic and barium concentrations were below both BKG01 at 2.5 feet and 4 feet arsenic and barium concentrations.

Selenium : The source material characterization sample (AST01) selenium concentration was observed within 1.25x the selenium concentration of BKG01 at 4 feet bgs. (1.25x 0.869 mg/kg = 1.09 mg/kg)

**TABLE 5
FORMER GERRY 3 TANK BATTERY
FIELD DATA SUMMARY TABLE**

Sample ID	Date Sampled	Depth	GPS Data ⁽¹⁾		PDOP Value	VOC Concentration ⁽²⁾ (ppm)
			Latitude	Longitude		
AST01 @ 0-6"	1/20/2022	0-6 in. bgs	40.471552	-104.716302	1.1	4.3
SEP01-FL @ 4'	1/20/2022	4 ft. bgs	40.471764	-104.716318	1.4	0.0
SEP01-DL @ 4'	1/20/2022	4 ft. bgs	40.471765	-104.716273	1.4	0.0
MH01 @ 0-6"	1/20/2022	0-6 in. bgs	40.471787	-104.716287	1.2	0.0
PWV01-B @ 4'	1/20/2022	4 ft. bgs	40.471497	-104.716299	1.0	0.0
PWV01-N @ 2.5'	1/20/2022	2.5 ft. bgs	40.471509	-104.716291	1.0	0.0
PWV01-W @ 2.5'	1/20/2022	2.5 ft. bgs	40.471494	-104.716310	1.0	0.0
PWV01-S @ 2.5'	1/20/2022	2.5 ft. bgs	40.471475	-104.716298	1.0	0.0
PWV01-E @ 2.5'	1/20/2022	2.5 ft. bgs	40.471493	-104.716265	1.0	0.0
BKG01 @ 2.5'	1/20/2022	2.5 ft. bgs	40.471356	-104.716109	1.0	0.0
BKG01 @ 4'	1/20/2022	4 ft. bgs	40.471356	-104.716109	1.0	0.1
SS01 @ 3'	09/14/2022	3 ft. bgs	40.471542	-104.716304	NC	0.1
SS02 @ 0.5'	09/14/2022	0.5 feet bgs	40.471559	-104.716295	0.9	0.0
SS03 @ 0.5'	09/14/2022	0.5 feet bgs	40.471546	-104.716315	0.9	0.0
SS04 @ 0.5'	09/14/2022	0.5 feet bgs	40.471525	-104.716304	0.9	0.0
SS05 @ 0.5'	09/14/2022	0.5 feet bgs	40.471540	-104.716290	0.9	1.5
SS06 @ 2.5'	09/14/2022	2.5 ft. bgs	40.471559	-104.716295	0.9	0.6
BKG02 @ 2.5'	09/15/2022	2.5 ft. bgs	40.471495	-104.716386	1.9	0.0

Notes:

1. Global Positioning System (GPS) data is provided in decimal degrees using World Geodetic System (WGS) 84 UTM Zone 13 North.

2. Volatile organic compound (VOC) concentrations are measured in the field using a photoionization detector (PID).

PDOP = Position Dilution of Precision

ppm = Parts per million

ft. = Feet

in. = Inches

bgs = Below ground surface

 = Source material characterization sample, sample material excavated and transported off-site for disposal

NC = Data not collected

Attachment A

Summit Scientific

4653 Table Mountain Drive, Golden, Colorado 80403

303.277.9310

April 21, 2022

Mark Longhurst

PDC Energy

1775 Sherman St. STE. 3000

Denver, CO 80203

RE: Gerry 3 Tank Battery

Work Order #2201216

Enclosed are the results of analyses for samples received by Summit Scientific on 01/20/22 17:45. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Muri Premer". The signature is written in a cursive style with a large, stylized 'M' and 'P'.

Muri Premer

Project Manager



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]

Project Manager: Mark Longhurst

Reported:
04/21/22 12:14

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
AST01@0-6"	2201216-01	Soil	01/20/22 13:30	01/20/22 17:45
SEP01-FL@4'	2201216-02	Soil	01/20/22 12:55	01/20/22 17:45
SEP01-DL@4'	2201216-03	Soil	01/20/22 13:00	01/20/22 17:45
PWV01-B@4'	2201216-04	Soil	01/20/22 14:35	01/20/22 17:45
PWV01-N@2.5'	2201216-05	Soil	01/20/22 14:40	01/20/22 17:45
BKG01@2.5'	2201216-09	Soil	01/20/22 15:15	01/20/22 17:45
BKG01@4'	2201216-10	Soil	01/20/22 15:17	01/20/22 17:45

Sample ID has been changed from **AST01@10"** to **AST01@6"** per request of BG 04/21/22

MP - 04/21/22

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Summit Scientific

2201216

S₂

4653 Table Mountain Drive ♦ Golden, Colorado 80403
303-277-9310

Page 1 of

Client: PDC / Tasman Project Manager: Mark Longhurst
Address: 6855 W 119th Ave E-Mail: mark.longhurst@PDCE.com
City/State/Zip: Broomfield/ CO/ 80020
Phone: 303-487-1228 Project Name: Gerry 3 Tank Battery
Sampler Name: MATAYA W. Project Number:

ID	Sample Description	Date Sampled	Time Sampled	# of containers	Preservative				Matrix			Analysis Requested							Special Instructions		
					HCl	HNO ₃	None	Other	Water	Soil	Air-Canister #	Other	GBTEXN - 8260B	TPH - (C6 - C36)	pH, EC, SAR	Boron - HWS	VOC - 915	PAH - 915		Metals - 915	
1	ASTOI @ 0-10"	1/20/22	1330	3			X			X			X	X	X						pH, EC, SAR by saturated paste
2	SEPOI-FL @ 4'		1255	3									X	X							X
3	SEPOI-DL @ 4'		1300	3									X	X							X
4	PWV01-B @ 4'		1435	3									X	X	X	X					X
5	PWV01-N @ 2.5'		1440	3									X	X	X	X					X
6	PWV01-N @ 2.5'		1445	3																	X
7	PWV01-S @ 2.5'		1450	3																	X
8	PWV01-E @ 2.5'		1430	3																	X
9	BK601 @ 2.5'		1515	1																	X
10	BK601 @ 4'		1517	1																	X

Relinquished by: <u>MATAYA W.</u>	Date/Time:	Received by: <u>Tasman's Lock Box</u>	Date/Time:	Turn Around Time (Check)	Notes:
Relinquished by: <u>Tasman's Lock Box</u>	Date/Time:	Received by: <u>[Signature]</u>	Date/Time: <u>1/20/22 17:45</u>	Same Day <input type="checkbox"/> 72 hours	
Relinquished by:	Date/Time:	Received by:	Date/Time:	24 hours <input type="checkbox"/> Standard <input checked="" type="checkbox"/>	
				48 hours <input type="checkbox"/>	
				Sample Integrity:	
				Temperature Upon Receipt: <u>40</u>	
				Samples Intact: <input checked="" type="radio"/> Yes <input type="radio"/> No	

S₂

Sample Receipt Checklist

S2 Work Order# 2201216

Client: PDC/Tasman Client Project ID: Gerry 3 Tank Battery

Shipped Via: H.D./P.U./FedEx/UPS/USPS/Other Airbill #: _____

Matrix (check all that apply): Air Soil/Solid Water Other: _____
(Describe)

Temp (°C)	4.0
-----------	-----

Thermometer ID: G86A9201901378

	Yes	No	N/A	Comments (if any)
If samples require cooling, was the temperature at 4°C +/- 2°C ⁽¹⁾ ? NOTE: If samples are delivered the same day of sampling, this requirement is met if there is evidence that cooling has begun.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Were all samples received intact ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Was adequate sample volume provided ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
If custody seals are present, are they intact ⁽¹⁾ ?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Are samples with holding times due within 48 hours sample due within 48 hours present?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Is a chain-of-custody (COC) form present and filled out completely ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Does the COC agree with the number and type of sample bottles received ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Do the sample IDs on the bottle labels match the COC ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Is the COC properly relinquished by the client w/ date and time recorded ⁽¹⁾ ?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
For volatiles in water – is there headspace present? If yes, contact client and note in narrative.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Are samples preserved that require preservation (excluding cooling) ⁽¹⁾ ? Note the type of preservative in the Comments column – HCl, H ₂ SO ₄ , NaOH, HNO ₃ , etc.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	HCl
If samples are acid preserved for metals, is the pH ≤ 2 ⁽¹⁾ ? Record the pH in Comments.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
If dissolved metals are requested, were samples field filtered?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Additional Comments (if any):				

⁽¹⁾ If NO, then contact the client before proceeding with analysis and note in case narrative.

CS
Custodian Printed Name or Initials

1/20/22
Date/Time



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
Project Manager: Mark Longhurst

Reported:
04/21/22 12:14

AST01@0-6"
2201216-01 (Soil)

Summit Scientific

Volatile Organic Compounds by EPA Method 8260B

Date Sampled: **01/20/22 13:30**

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
Benzene	ND	0.0020		mg/kg	1	BFA0398	01/25/22	01/25/22	EPA 8260B	
Toluene	ND	0.0050		"	"	"	"	"	"	
Ethylbenzene	ND	0.0050		"	"	"	"	"	"	
Xylenes (total)	0.020	0.010		"	"	"	"	"	"	
1,2,4-Trimethylbenzene	0.013	0.0050		"	"	"	"	"	"	
1,3,5-Trimethylbenzene	0.0058	0.0050		"	"	"	"	"	"	
Naphthalene	0.011	0.0038		"	"	"	"	"	"	
Gasoline Range Hydrocarbons	ND	0.50		"	"	"	"	"	"	

Date Sampled: **01/20/22 13:30**

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
Surrogate: 1,2-Dichloroethane-d4		136 %		23-173		"	"	"	"	
Surrogate: Toluene-d8		105 %		20-170		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		101 %		21-167		"	"	"	"	

Extractable Petroleum Hydrocarbons by 8015

Date Sampled: **01/20/22 13:30**

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
C10-C28 (DRO)	73	50		mg/kg	1	BFA0397	01/25/22	01/26/22	EPA 8015M	
C28-C36 (ORO)	ND	50		"	"	"	"	"	"	

Date Sampled: **01/20/22 13:30**

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
Surrogate: o-Terphenyl		64.1 %		30-150		"	"	"	"	

PAH by EPA Method 8270D SIM

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
Project Manager: Mark Longhurst

Reported:
04/21/22 12:14

AST01@0-6"
2201216-01 (Soil)

Summit Scientific

PAH by EPA Method 8270D SIM

Date Sampled: **01/20/22 13:30**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Acenaphthene	ND	0.00500	mg/kg	1	BFB0049	02/07/22	02/08/22	EPA 8270D SIM	
Anthracene	ND	0.00500	"	"	"	"	"	"	
Benzo (a) anthracene	ND	0.00500	"	"	"	"	"	"	
Benzo (a) pyrene	ND	0.00500	"	"	"	"	"	"	
Benzo (b) fluoranthene	ND	0.00500	"	"	"	"	"	"	
Benzo (k) fluoranthene	ND	0.00500	"	"	"	"	"	"	
Chrysene	ND	0.00500	"	"	"	"	"	"	
Dibenz (a,h) anthracene	ND	0.00500	"	"	"	"	"	"	
Fluoranthene	ND	0.00500	"	"	"	"	"	"	
Fluorene	ND	0.00500	"	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	ND	0.00500	"	"	"	"	"	"	
Pyrene	ND	0.00500	"	"	"	"	"	"	
1-Methylnaphthalene	ND	0.00500	"	"	"	"	"	"	
2-Methylnaphthalene	ND	0.00500	"	"	"	"	"	"	

Date Sampled: **01/20/22 13:30**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Surrogate: 2-Methylnaphthalene-d10		63.7 %	40-150		"	"	"	"	
Surrogate: Fluoranthene-d10		50.8 %	40-150		"	"	"	"	

Total Metals by EPA 6020B Hot Water Soluble Extraction

Date Sampled: **01/20/22 13:30**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Boron	0.0567	0.0100	mg/L	1	BFC0460	03/22/22	03/25/22	EPA 6020B	

Hexavalent Chromium by EPA Method 7196

Date Sampled: **01/20/22 13:30**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery
Project Number: [none]
Project Manager: Mark Longhurst

Reported:
04/21/22 12:14

AST01@0-6"
2201216-01 (Soil)

Summit Scientific

Hexavalent Chromium by EPA Method 7196

Chromium, Hexavalent	ND	0.30	mg/kg dry	1	BFB0070	02/08/22	02/08/22	EPA 7196A
----------------------	----	------	-----------	---	---------	----------	----------	-----------

Soluble Nutrients by EPA 6020/USDA60 6(2) - Saturated Paste Extraction

Date Sampled: **01/20/22 13:30**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Calcium	5.46	0.0585	mg/L dry	1	BFC0448	03/21/22	03/23/22	EPA 6020B	
Magnesium	1.00	0.0585	"	"	"	"	"	"	
Sodium	0.128	0.0585	"	"	"	"	"	"	

Calculated Analysis

Date Sampled: **01/20/22 13:30**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Sodium Adsorption Ratio	0.0132	0.00100	units	1	BFC0559	03/24/22	03/24/22	Calculation	

Physical Parameters by APHA/ASTM/EPA Methods

Date Sampled: **01/20/22 13:30**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
% Solids	85.5		%	1	BFB0057	02/07/22	02/07/22	Calculation	

Specific Conductance by EPA Method 120.1, Saturated Paste Extraction

Date Sampled: **01/20/22 13:30**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Specific Conductance (EC)	0.316	0.0100	mmhos/cm	1	BFC0450	03/21/22	03/21/22	EPA 120.1	

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction

Date Sampled: **01/20/22 13:30**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]

Project Manager: Mark Longhurst

Reported:

04/21/22 12:14

AST01@0-6"
2201216-01 (Soil)

Summit Scientific

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction

pH	7.94	pH Units	1	BFC0449	03/21/22	03/21/22	EPA 9045D
----	------	----------	---	---------	----------	----------	-----------

Summit Scientific



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
Project Manager: Mark Longhurst

Reported:
04/21/22 12:14

SEP01-FL@4'
2201216-02 (Soil)

Summit Scientific

Volatile Organic Compounds by EPA Method 8260B

Date Sampled: **01/20/22 12:55**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.0020	mg/kg	1	BFA0398	01/25/22	01/25/22	EPA 8260B	
Toluene	ND	0.0050	"	"	"	"	"	"	
Ethylbenzene	ND	0.0050	"	"	"	"	"	"	
Xylenes (total)	ND	0.010	"	"	"	"	"	"	
1,2,4-Trimethylbenzene	ND	0.0050	"	"	"	"	"	"	
1,3,5-Trimethylbenzene	ND	0.0050	"	"	"	"	"	"	
Naphthalene	ND	0.0038	"	"	"	"	"	"	
Gasoline Range Hydrocarbons	ND	0.50	"	"	"	"	"	"	

Date Sampled: **01/20/22 12:55**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Surrogate: 1,2-Dichloroethane-d4		137 %	23-173		"	"	"	"	
Surrogate: Toluene-d8		106 %	20-170		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		104 %	21-167		"	"	"	"	

Extractable Petroleum Hydrocarbons by 8015

Date Sampled: **01/20/22 12:55**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
C10-C28 (DRO)	ND	50	mg/kg	1	BFA0397	01/25/22	01/26/22	EPA 8015M	
C28-C36 (ORO)	ND	50	"	"	"	"	"	"	

Date Sampled: **01/20/22 12:55**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Surrogate: o-Terphenyl		52.0 %	30-150		"	"	"	"	

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
Project Manager: Mark Longhurst

Reported:
04/21/22 12:14

SEP01-DL@4'
2201216-03 (Soil)

Summit Scientific

Volatile Organic Compounds by EPA Method 8260B

Date Sampled: **01/20/22 13:00**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.0020	mg/kg	1	BFA0398	01/25/22	01/25/22	EPA 8260B	
Toluene	ND	0.0050	"	"	"	"	"	"	
Ethylbenzene	ND	0.0050	"	"	"	"	"	"	
Xylenes (total)	ND	0.010	"	"	"	"	"	"	
1,2,4-Trimethylbenzene	ND	0.0050	"	"	"	"	"	"	
1,3,5-Trimethylbenzene	ND	0.0050	"	"	"	"	"	"	
Naphthalene	ND	0.0038	"	"	"	"	"	"	
Gasoline Range Hydrocarbons	ND	0.50	"	"	"	"	"	"	

Date Sampled: **01/20/22 13:00**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Surrogate: 1,2-Dichloroethane-d4		130 %	23-173		"	"	"	"	
Surrogate: Toluene-d8		104 %	20-170		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		102 %	21-167		"	"	"	"	

Extractable Petroleum Hydrocarbons by 8015

Date Sampled: **01/20/22 13:00**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
C10-C28 (DRO)	ND	50	mg/kg	1	BFA0397	01/25/22	01/26/22	EPA 8015M	
C28-C36 (ORO)	ND	50	"	"	"	"	"	"	

Date Sampled: **01/20/22 13:00**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Surrogate: o-Terphenyl		39.8 %	30-150		"	"	"	"	

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
Project Manager: Mark Longhurst

Reported:
04/21/22 12:14

PWV01-B@4'
2201216-04 (Soil)

Summit Scientific

Volatile Organic Compounds by EPA Method 8260B

Date Sampled: **01/20/22 14:35**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.0020	mg/kg	1	BFA0398	01/25/22	01/25/22	EPA 8260B	
Toluene	ND	0.0050	"	"	"	"	"	"	
Ethylbenzene	ND	0.0050	"	"	"	"	"	"	
Xylenes (total)	ND	0.010	"	"	"	"	"	"	
1,2,4-Trimethylbenzene	ND	0.0050	"	"	"	"	"	"	
1,3,5-Trimethylbenzene	ND	0.0050	"	"	"	"	"	"	
Naphthalene	ND	0.0038	"	"	"	"	"	"	
Gasoline Range Hydrocarbons	ND	0.50	"	"	"	"	"	"	

Date Sampled: **01/20/22 14:35**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Surrogate: 1,2-Dichloroethane-d4		135 %	23-173		"	"	"	"	
Surrogate: Toluene-d8		104 %	20-170		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		104 %	21-167		"	"	"	"	

Extractable Petroleum Hydrocarbons by 8015

Date Sampled: **01/20/22 14:35**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
C10-C28 (DRO)	ND	50	mg/kg	1	BFA0397	01/25/22	01/26/22	EPA 8015M	
C28-C36 (ORO)	ND	50	"	"	"	"	"	"	

Date Sampled: **01/20/22 14:35**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Surrogate: o-Terphenyl		69.5 %	30-150		"	"	"	"	

Total Metals by EPA 6020B Hot Water Soluble Extraction

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery
Project Number: [none]
Project Manager: Mark Longhurst

Reported:
04/21/22 12:14

PWV01-B@4'
2201216-04 (Soil)

Summit Scientific

Total Metals by EPA 6020B Hot Water Soluble Extraction

Date Sampled: **01/20/22 14:35**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Boron	0.0918	0.0100	mg/L	1	BFA0364	01/24/22	02/08/22	EPA 6020B	

Soluble Nutrients by EPA 6020/USDA60 6(2) - Saturated Paste Extraction

Date Sampled: **01/20/22 14:35**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Calcium	51.2	0.0565	mg/L dry	1	BFA0357	01/21/22	01/28/22	EPA 6020B	
Magnesium	16.4	0.0565	"	"	"	"	"	"	
Sodium	79.5	0.0565	"	"	"	"	"	"	

Calculated Analysis

Date Sampled: **01/20/22 14:35**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Sodium Adsorption Ratio	2.47	0.00100	units	1	BFA0457	01/28/22	01/28/22	Calculation	

Physical Parameters by APHA/ASTM/EPA Methods

Date Sampled: **01/20/22 14:35**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
% Solids	88.6		%	1	BFA0380	01/24/22	01/24/22	Calculation	

Specific Conductance by EPA Method 120.1, Saturated Paste Extraction

Date Sampled: **01/20/22 14:35**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Specific Conductance (EC)	0.962	0.0100	mmhos/cm	1	BFA0377	01/24/22	01/24/22	EPA 120.1	

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]

Project Manager: Mark Longhurst

Reported:
 04/21/22 12:14

PWV01-B@4'
2201216-04 (Soil)

Summit Scientific

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction

Date Sampled: **01/20/22 14:35**

Analyte	Result	Reporting		Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit	Units						
pH	7.71		pH Units	1	BFA0376	01/24/22	01/24/22	EPA 9045D	

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
Project Manager: Mark Longhurst

Reported:
04/21/22 12:14

PWV01-N@2.5'
2201216-05 (Soil)

Summit Scientific

Volatile Organic Compounds by EPA Method 8260B

Date Sampled: **01/20/22 14:40**

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
Benzene	ND	0.0020		mg/kg	1	BFA0398	01/25/22	01/25/22	EPA 8260B	
Toluene	ND	0.0050		"	"	"	"	"	"	
Ethylbenzene	ND	0.0050		"	"	"	"	"	"	
Xylenes (total)	ND	0.010		"	"	"	"	"	"	
1,2,4-Trimethylbenzene	ND	0.0050		"	"	"	"	"	"	
1,3,5-Trimethylbenzene	ND	0.0050		"	"	"	"	"	"	
Naphthalene	ND	0.0038		"	"	"	"	"	"	
Gasoline Range Hydrocarbons	ND	0.50		"	"	"	"	"	"	

Date Sampled: **01/20/22 14:40**

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
Surrogate: 1,2-Dichloroethane-d4		133 %		23-173		"	"	"	"	
Surrogate: Toluene-d8		103 %		20-170		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		104 %		21-167		"	"	"	"	

Extractable Petroleum Hydrocarbons by 8015

Date Sampled: **01/20/22 14:40**

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
C10-C28 (DRO)	ND	50		mg/kg	1	BFA0397	01/25/22	01/26/22	EPA 8015M	
C28-C36 (ORO)	ND	50		"	"	"	"	"	"	

Date Sampled: **01/20/22 14:40**

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
Surrogate: o-Terphenyl		60.5 %		30-150		"	"	"	"	

Total Metals by EPA 6020B Hot Water Soluble Extraction

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery
Project Number: [none]
Project Manager: Mark Longhurst

Reported:
04/21/22 12:14

PWV01-N@2.5'
2201216-05 (Soil)

Summit Scientific

Total Metals by EPA 6020B Hot Water Soluble Extraction

Date Sampled: **01/20/22 14:40**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Boron	0.0444	0.0100	mg/L	1	BFA0364	01/24/22	02/08/22	EPA 6020B	

Soluble Nutrients by EPA 6020/USDA60 6(2) - Saturated Paste Extraction

Date Sampled: **01/20/22 14:40**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Calcium	34.9	0.0553	mg/L dry	1	BFA0357	01/21/22	01/28/22	EPA 6020B	
Magnesium	8.66	0.0553	"	"	"	"	"	"	
Sodium	13.3	0.0553	"	"	"	"	"	"	

Calculated Analysis

Date Sampled: **01/20/22 14:40**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Sodium Adsorption Ratio	0.522	0.00100	units	1	BFA0457	01/28/22	01/28/22	Calculation	

Physical Parameters by APHA/ASTM/EPA Methods

Date Sampled: **01/20/22 14:40**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
% Solids	90.4		%	1	BFA0380	01/24/22	01/24/22	Calculation	

Specific Conductance by EPA Method 120.1, Saturated Paste Extraction

Date Sampled: **01/20/22 14:40**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Specific Conductance (EC)	0.325	0.0100	mmhos/cm	1	BFA0377	01/24/22	01/24/22	EPA 120.1	

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]

Project Manager: Mark Longhurst

Reported:
 04/21/22 12:14

PWV01-N@2.5'
2201216-05 (Soil)

Summit Scientific

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction

Date Sampled: **01/20/22 14:40**

Analyte	Result	Reporting		Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit	Units						
pH	7.89		pH Units	1	BFA0376	01/24/22	01/24/22	EPA 9045D	

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]

Project Manager: Mark Longhurst

Reported:
 04/21/22 12:14

BKG01@2.5'
2201216-09 (Soil)

Summit Scientific

Hexavalent Chromium by EPA Method 7196

Date Sampled: **01/20/22 15:15**

Analyte	Result	Reporting		Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit	Units						
Chromium, Hexavalent	ND	0.30	mg/kg dry	1	BFB0070	02/08/22	02/08/22	EPA 7196A	

Physical Parameters by APHA/ASTM/EPA Methods

Date Sampled: **01/20/22 15:15**

Analyte	Result	Reporting		Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit	Units						
% Solids	87.6		%	1	BFB0057	02/07/22	02/07/22	Calculation	

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]

Project Manager: Mark Longhurst

Reported:
 04/21/22 12:14

BKG01@4'
2201216-10 (Soil)

Summit Scientific

Hexavalent Chromium by EPA Method 7196

Date Sampled: **01/20/22 15:17**

Analyte	Result	Reporting		Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit	Units						
Chromium, Hexavalent	ND	0.30	mg/kg dry	1	BFB0070	02/08/22	02/08/22	EPA 7196A	

Physical Parameters by APHA/ASTM/EPA Methods

Date Sampled: **01/20/22 15:17**

Analyte	Result	Reporting		Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit	Units						
% Solids	88.7		%	1	BFB0057	02/07/22	02/07/22	Calculation	

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
Project Manager: Mark Longhurst

Reported:
04/21/22 12:14

Volatile Organic Compounds by EPA Method 8260B - Quality Control

Summit Scientific

Analyte	Result	Reporting		Spike Level	Source		%REC		RPD		Notes
		Limit	Units		Result	%REC	Limits	RPD	Limit		

Batch BFA0398 - EPA 5030 Soil MS

Blank (BFA0398-BLK1)

Prepared & Analyzed: 01/25/22

Benzene	ND	0.0020	mg/kg								
Toluene	ND	0.0050	"								
Ethylbenzene	ND	0.0050	"								
Xylenes (total)	ND	0.010	"								
1,2,4-Trimethylbenzene	ND	0.0050	"								
1,3,5-Trimethylbenzene	ND	0.0050	"								
Naphthalene	ND	0.0038	"								
Gasoline Range Hydrocarbons	ND	0.50	"								
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>0.0554</i>		<i>"</i>	<i>0.0400</i>		<i>139</i>	<i>23-173</i>				
<i>Surrogate: Toluene-d8</i>	<i>0.0446</i>		<i>"</i>	<i>0.0400</i>		<i>111</i>	<i>20-170</i>				
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>0.0413</i>		<i>"</i>	<i>0.0400</i>		<i>103</i>	<i>21-167</i>				

LCS (BFA0398-BS1)

Prepared & Analyzed: 01/25/22

Benzene	0.0855	0.0020	mg/kg	0.100		85.5	70-130				
Toluene	0.0926	0.0050	"	0.100		92.6	70-130				
Ethylbenzene	0.0827	0.0050	"	0.100		82.7	70-130				
m,p-Xylene	0.164	0.010	"	0.200		82.0	70-130				
o-Xylene	0.0824	0.0050	"	0.100		82.4	70-130				
1,2,4-Trimethylbenzene	0.0908	0.0050	"	0.100		90.8	70-130				
1,3,5-Trimethylbenzene	0.0912	0.0050	"	0.100		91.2	70-130				
Naphthalene	0.109	0.0038	"	0.100		109	70-130				
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>0.0538</i>		<i>"</i>	<i>0.0400</i>		<i>135</i>	<i>23-173</i>				
<i>Surrogate: Toluene-d8</i>	<i>0.0439</i>		<i>"</i>	<i>0.0400</i>		<i>110</i>	<i>20-170</i>				
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>0.0429</i>		<i>"</i>	<i>0.0400</i>		<i>107</i>	<i>21-167</i>				

Matrix Spike (BFA0398-MS1)

Source: 2201213-01

Prepared & Analyzed: 01/25/22

Benzene	0.0739	0.0020	mg/kg	0.100	ND	73.9	70-130				
Toluene	0.0776	0.0050	"	0.100	ND	77.6	70-130				
Ethylbenzene	0.0713	0.0050	"	0.100	ND	71.3	70-130				
m,p-Xylene	0.141	0.010	"	0.200	ND	70.3	70-130				
o-Xylene	0.0725	0.0050	"	0.100	ND	72.5	70-130				
1,2,4-Trimethylbenzene	0.0788	0.0050	"	0.100	ND	78.8	70-130				
1,3,5-Trimethylbenzene	0.0773	0.0050	"	0.100	ND	77.3	70-130				
Naphthalene	0.115	0.0038	"	0.100	ND	115	70-130				
<i>Surrogate: 1,2-Dichloroethane-d4</i>	<i>0.0516</i>		<i>"</i>	<i>0.0400</i>		<i>129</i>	<i>23-173</i>				
<i>Surrogate: Toluene-d8</i>	<i>0.0437</i>		<i>"</i>	<i>0.0400</i>		<i>109</i>	<i>20-170</i>				
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>0.0426</i>		<i>"</i>	<i>0.0400</i>		<i>106</i>	<i>21-167</i>				

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
 Project Manager: Mark Longhurst

Reported:
 04/21/22 12:14

Volatile Organic Compounds by EPA Method 8260B - Quality Control

Summit Scientific

Analyte	Result	Reporting		Spike Level	Source		%REC		RPD		Notes
		Limit	Units		Result	%REC	Limits	RPD	Limit		

Batch BFA0398 - EPA 5030 Soil MS

Matrix Spike Dup (BFA0398-MSD1)	Source: 2201213-01			Prepared & Analyzed: 01/25/22							
Benzene	0.0850	0.0020	mg/kg	0.100	ND	85.0	70-130	14.0	30		
Toluene	0.0910	0.0050	"	0.100	ND	91.0	70-130	15.9	30		
Ethylbenzene	0.0847	0.0050	"	0.100	ND	84.7	70-130	17.2	30		
m,p-Xylene	0.167	0.010	"	0.200	ND	83.6	70-130	17.3	30		
o-Xylene	0.0853	0.0050	"	0.100	ND	85.3	70-130	16.2	30		
1,2,4-Trimethylbenzene	0.0931	0.0050	"	0.100	ND	93.1	70-130	16.7	30		
1,3,5-Trimethylbenzene	0.0937	0.0050	"	0.100	ND	93.7	70-130	19.1	30		
Naphthalene	0.101	0.0038	"	0.100	ND	101	70-130	12.2	30		
Surrogate: 1,2-Dichloroethane-d4	0.0528		"	0.0400		132	23-173				
Surrogate: Toluene-d8	0.0432		"	0.0400		108	20-170				
Surrogate: 4-Bromofluorobenzene	0.0436		"	0.0400		109	21-167				

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
 Project Manager: Mark Longhurst

Reported:
 04/21/22 12:14

Extractable Petroleum Hydrocarbons by 8015 - Quality Control
Summit Scientific

Analyte	Result	Reporting		Spike	Source		%REC		RPD		Notes
		Limit	Units	Level	Result	%REC	Limits	RPD	Limit		

Batch BFA0397 - EPA 3550A

Blank (BFA0397-BLK1)

Prepared: 01/25/22 Analyzed: 01/26/22

C10-C28 (DRO)	ND	50	mg/kg							
C28-C36 (ORO)	ND	50	"							

LCS (BFA0397-BS1)

Prepared: 01/25/22 Analyzed: 01/26/22

C10-C28 (DRO)	451	50	mg/kg	500	90.2	70-130				
---------------	-----	----	-------	-----	------	--------	--	--	--	--

Matrix Spike (BFA0397-MS1)

Source: 2201213-01

Prepared: 01/25/22 Analyzed: 01/26/22

C10-C28 (DRO)	482	50	mg/kg	500	11.0	94.2	70-130			
---------------	-----	----	-------	-----	------	------	--------	--	--	--

Matrix Spike Dup (BFA0397-MSD1)

Source: 2201213-01

Prepared: 01/25/22 Analyzed: 01/26/22

C10-C28 (DRO)	431	50	mg/kg	500	11.0	84.1	70-130	11.0	20	
---------------	-----	----	-------	-----	------	------	--------	------	----	--

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
Project Manager: Mark Longhurst

Reported:
04/21/22 12:14

PAH by EPA Method 8270D SIM - Quality Control

Summit Scientific

Analyte	Reporting			Spike	Source	%REC		RPD		Notes
	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	

Batch BFB0049 - EPA 5030 Soil MS

Blank (BFB0049-BLK1)

Prepared & Analyzed: 02/07/22

Acenaphthene	ND	0.00500	mg/kg							
Anthracene	ND	0.00500	"							
Benzo (a) anthracene	ND	0.00500	"							
Benzo (a) pyrene	ND	0.00500	"							
Benzo (b) fluoranthene	ND	0.00500	"							
Benzo (k) fluoranthene	ND	0.00500	"							
Chrysene	ND	0.00500	"							
Dibenz (a,h) anthracene	ND	0.00500	"							
Fluoranthene	ND	0.00500	"							
Fluorene	ND	0.00500	"							
Indeno (1,2,3-cd) pyrene	ND	0.00500	"							
Pyrene	ND	0.00500	"							
1-Methylnaphthalene	ND	0.00500	"							
2-Methylnaphthalene	ND	0.00500	"							
<i>Surrogate: 2-Methylnaphthalene-d10</i>	<i>0.0156</i>		<i>"</i>	<i>0.0333</i>		<i>46.9</i>	<i>40-150</i>			
<i>Surrogate: Fluoranthene-d10</i>	<i>0.0173</i>		<i>"</i>	<i>0.0333</i>		<i>51.9</i>	<i>40-150</i>			

LCS (BFB0049-BS1)

Prepared: 02/07/22 Analyzed: 02/08/22

Acenaphthene	0.0233	0.00500	mg/kg	0.0333	70.0	31-137
Anthracene	0.0252	0.00500	"	0.0333	75.6	30-120
Benzo (a) anthracene	0.0250	0.00500	"	0.0333	74.9	30-120
Benzo (a) pyrene	0.0250	0.00500	"	0.0333	75.1	30-120
Benzo (b) fluoranthene	0.0269	0.00500	"	0.0333	80.7	30-120
Benzo (k) fluoranthene	0.0276	0.00500	"	0.0333	82.9	30-120
Chrysene	0.0265	0.00500	"	0.0333	79.4	30-120
Dibenz (a,h) anthracene	0.0207	0.00500	"	0.0333	62.1	30-120
Fluoranthene	0.0269	0.00500	"	0.0333	80.6	30-120
Fluorene	0.0257	0.00500	"	0.0333	77.2	30-120
Indeno (1,2,3-cd) pyrene	0.0235	0.00500	"	0.0333	70.4	30-120
Pyrene	0.0233	0.00500	"	0.0333	69.9	35-142
1-Methylnaphthalene	0.0258	0.00500	"	0.0333	77.3	35-142
2-Methylnaphthalene	0.0242	0.00500	"	0.0333	72.6	35-142
<i>Surrogate: 2-Methylnaphthalene-d10</i>	<i>0.0245</i>		<i>"</i>	<i>0.0333</i>	<i>73.5</i>	<i>40-150</i>
<i>Surrogate: Fluoranthene-d10</i>	<i>0.0255</i>		<i>"</i>	<i>0.0333</i>	<i>76.5</i>	<i>40-150</i>

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
Project Manager: Mark Longhurst

Reported:
04/21/22 12:14

PAH by EPA Method 8270D SIM - Quality Control

Summit Scientific

Analyte	Reporting			Spike	Source	%REC		RPD		Notes
	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	

Batch BFB0049 - EPA 5030 Soil MS

Matrix Spike (BFB0049-MS1)

Source: 2201125-02

Prepared: 02/07/22 Analyzed: 02/08/22

Acenaphthene	0.0200	0.00500	mg/kg	0.0333	ND	60.1	31-137			
Anthracene	0.0221	0.00500	"	0.0333	ND	66.3	30-120			
Benzo (a) anthracene	0.0230	0.00500	"	0.0333	ND	68.9	30-120			
Benzo (a) pyrene	0.0243	0.00500	"	0.0333	ND	73.0	30-120			
Benzo (b) fluoranthene	0.0264	0.00500	"	0.0333	ND	79.3	30-120			
Benzo (k) fluoranthene	0.0333	0.00500	"	0.0333	ND	100	30-120			
Chrysene	0.0251	0.00500	"	0.0333	ND	75.4	30-120			
Dibenz (a,h) anthracene	0.0216	0.00500	"	0.0333	ND	64.7	30-120			
Fluoranthene	0.0258	0.00500	"	0.0333	ND	77.5	30-120			
Fluorene	0.0217	0.00500	"	0.0333	ND	65.2	30-120			
Indeno (1,2,3-cd) pyrene	0.0252	0.00500	"	0.0333	ND	75.6	30-120			
Pyrene	0.0277	0.00500	"	0.0333	ND	83.2	35-142			
1-Methylnaphthalene	0.0226	0.00500	"	0.0333	ND	67.7	15-130			
2-Methylnaphthalene	0.0218	0.00500	"	0.0333	ND	65.5	15-130			
Surrogate: 2-Methylnaphthalene-d10	0.0231		"	0.0333		69.4	40-150			
Surrogate: Fluoranthene-d10	0.0214		"	0.0333		64.3	40-150			

Matrix Spike Dup (BFB0049-MSD1)

Source: 2201125-02

Prepared: 02/07/22 Analyzed: 02/08/22

Acenaphthene	0.0234	0.00500	mg/kg	0.0333	ND	70.2	31-137	15.6	30	
Anthracene	0.0237	0.00500	"	0.0333	ND	71.0	30-120	6.88	30	
Benzo (a) anthracene	0.0246	0.00500	"	0.0333	ND	73.8	30-120	6.86	30	
Benzo (a) pyrene	0.0252	0.00500	"	0.0333	ND	75.7	30-120	3.65	30	
Benzo (b) fluoranthene	0.0262	0.00500	"	0.0333	ND	78.6	30-120	0.931	30	
Benzo (k) fluoranthene	0.0302	0.00500	"	0.0333	ND	90.7	30-120	9.77	30	
Chrysene	0.0264	0.00500	"	0.0333	ND	79.2	30-120	4.92	30	
Dibenz (a,h) anthracene	0.0208	0.00500	"	0.0333	ND	62.5	30-120	3.43	30	
Fluoranthene	0.0268	0.00500	"	0.0333	ND	80.3	30-120	3.60	30	
Fluorene	0.0242	0.00500	"	0.0333	ND	72.6	30-120	10.8	30	
Indeno (1,2,3-cd) pyrene	0.0243	0.00500	"	0.0333	ND	72.9	30-120	3.71	30	
Pyrene	0.0300	0.00500	"	0.0333	ND	90.0	35-142	7.84	30	
1-Methylnaphthalene	0.0284	0.00500	"	0.0333	ND	85.2	15-130	22.8	50	
2-Methylnaphthalene	0.0289	0.00500	"	0.0333	ND	86.6	15-130	27.8	50	
Surrogate: 2-Methylnaphthalene-d10	0.0279		"	0.0333		83.8	40-150			
Surrogate: Fluoranthene-d10	0.0239		"	0.0333		71.8	40-150			

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
Project Manager: Mark Longhurst

Reported:
04/21/22 12:14

Total Metals by EPA 6020B Hot Water Soluble Extraction - Quality Control

Summit Scientific

Analyte	Reporting			Spike	Source		%REC		RPD		Notes
	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit		

Batch BFA0364 - EPA 3050B

Blank (BFA0364-BLK1)

Prepared: 01/24/22 Analyzed: 02/08/22

Boron ND 0.0100 mg/L

LCS (BFA0364-BS1)

Prepared: 01/24/22 Analyzed: 02/08/22

Boron 4.43 0.0100 mg/L 5.00 88.6 80-120

Duplicate (BFA0364-DUP1)

Source: 2201215-01

Prepared: 01/24/22 Analyzed: 02/08/22

Boron 0.0195 0.0100 mg/L 0.0208 6.45 20

Matrix Spike (BFA0364-MS1)

Source: 2201215-01

Prepared: 01/24/22 Analyzed: 02/08/22

Boron 1.74 0.0100 mg/L 5.00 0.0208 34.4 75-125 QM-05

Matrix Spike Dup (BFA0364-MSD1)

Source: 2201215-01

Prepared: 01/24/22 Analyzed: 02/08/22

Boron 1.78 0.0100 mg/L 5.00 0.0208 35.2 75-125 2.27 25 QM-05

Batch BFC0460 - EPA 3050B

Blank (BFC0460-BLK1)

Prepared: 03/22/22 Analyzed: 03/25/22

Boron ND 0.0100 mg/L

LCS (BFC0460-BS1)

Prepared: 03/22/22 Analyzed: 03/25/22

Boron 4.68 0.0100 mg/L 5.00 93.7 80-120

Duplicate (BFC0460-DUP1)

Source: 2201185-01

Prepared: 03/22/22 Analyzed: 03/25/22

Boron 0.0905 0.0100 mg/L 0.103 12.8 20

Matrix Spike (BFC0460-MS1)

Source: 2201185-01

Prepared: 03/22/22 Analyzed: 03/25/22

Boron 4.65 0.0100 mg/L 5.00 0.103 91.0 75-125

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]

Project Manager: Mark Longhurst

Reported:
 04/21/22 12:14

Total Metals by EPA 6020B Hot Water Soluble Extraction - Quality Control

Summit Scientific

Analyte	Result	Reporting		Spike Level	Source		%REC		RPD		Notes
		Limit	Units		Result	%REC	Limits	RPD	Limit		

Batch BFC0460 - EPA 3050B

Matrix Spike Dup (BFC0460-MSD1)

Source: 2201185-01

Prepared: 03/22/22 Analyzed: 03/25/22

Boron	4.64	0.0100	mg/L	5.00	0.103	90.7	75-125	0.348	25	
-------	------	--------	------	------	-------	------	--------	-------	----	--

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
 Project Manager: Mark Longhurst

Reported:
 04/21/22 12:14

Hexavalent Chromium by EPA Method 7196 - Quality Control
Summit Scientific

Analyte	Result	Reporting		Spike Level	Source		%REC		RPD		Notes
		Limit	Units		Result	%REC	Limits	RPD	Limit		

Batch BFB0070 - 3060A Mod

Blank (BFB0070-BLK1)

Prepared & Analyzed: 02/08/22

Chromium, Hexavalent ND 0.30 mg/kg wet

LCS (BFB0070-BS1)

Prepared & Analyzed: 02/08/22

Chromium, Hexavalent 27.9 0.30 mg/kg wet 25.0 112 80-120

Duplicate (BFB0070-DUP1)

Source: 2201215-01

Prepared & Analyzed: 02/08/22

Chromium, Hexavalent ND 0.30 mg/kg dry ND 20

Matrix Spike (BFB0070-MS1)

Source: 2201215-01

Prepared & Analyzed: 02/08/22

Chromium, Hexavalent 33.9 0.30 mg/kg dry 31.2 ND 109 75-125

Matrix Spike Dup (BFB0070-MSD1)

Source: 2201215-01

Prepared & Analyzed: 02/08/22

Chromium, Hexavalent 31.7 0.30 mg/kg dry 31.2 ND 102 75-125 6.46 20

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.





PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
 Project Manager: Mark Longhurst

Reported:
 04/21/22 12:14

Soluble Nutrients by EPA 6020/USDA60 6(2) - Saturated Paste Extraction - Quality Control

Summit Scientific

Analyte	Result	Reporting		Spike Level	Source Result	%REC		RPD		Notes
		Limit	Units			Limit	RPD	Limit	RPD	

Batch BFA0357 - General Preparation

Blank (BFA0357-BLK1)

Prepared: 01/21/22 Analyzed: 01/28/22

Calcium	ND	0.0500	mg/L wet
Magnesium	ND	0.0500	"
Sodium	ND	0.0500	"

LCS (BFA0357-BS1)

Prepared: 01/21/22 Analyzed: 01/28/22

Calcium	6.00	0.0500	mg/L wet	5.00	120	70-130
Magnesium	5.31	0.0500	"	5.00	106	70-130
Sodium	5.30	0.0500	"	5.00	106	70-130

Batch BFC0448 - General Preparation

Blank (BFC0448-BLK1)

Prepared: 03/21/22 Analyzed: 03/23/22

Calcium	ND	0.0500	mg/L wet
Magnesium	ND	0.0500	"
Sodium	ND	0.0500	"

LCS (BFC0448-BS1)

Prepared: 03/21/22 Analyzed: 03/23/22

Calcium	5.56	0.0500	mg/L wet	5.00	111	70-130
Magnesium	5.84	0.0500	"	5.00	117	70-130
Sodium	5.74	0.0500	"	5.00	115	70-130

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]

Project Manager: Mark Longhurst

Reported:
 04/21/22 12:14

Physical Parameters by APHA/ASTM/EPA Methods - Quality Control

Summit Scientific

Analyte	Result	Reporting		Spike Level	Source		%REC		RPD		Notes
		Limit	Units		Result	%REC	Limits	RPD	Limit		

Batch BFA0380 - General Preparation

Duplicate (BFA0380-DUP1)		Source: 2201216-04			Prepared & Analyzed: 01/24/22			
% Solids	89.2		%		88.6		0.675	20

Batch BFB0057 - General Preparation

Duplicate (BFB0057-DUP1)		Source: 2201151-02			Prepared & Analyzed: 02/07/22			
% Solids	86.0		%		86.5		0.596	20

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
 Project Manager: Mark Longhurst

Reported:
 04/21/22 12:14

Specific Conductance by EPA Method 120.1, Saturated Paste Extraction - Quality Control

Summit Scientific

Analyte	Result	Reporting		Spike Level	Source		%REC		RPD		Notes
		Limit	Units		Result	%REC	Limits	RPD	Limit		

Batch BFA0377 - General Preparation

Blank (BFA0377-BLK1)

Prepared & Analyzed: 01/24/22

Specific Conductance (EC) ND 0.0100 mmhos/cm

LCS (BFA0377-BS1)

Prepared & Analyzed: 01/24/22

Specific Conductance (EC) 0.151 0.0100 mmhos/cm 0.150 100 95-105

Duplicate (BFA0377-DUP1)

Source: 2112425-03

Prepared & Analyzed: 01/24/22

Specific Conductance (EC) 5.66 0.0100 mmhos/cm 5.67 0.194 20

Batch BFC0450 - General Preparation

Blank (BFC0450-BLK1)

Prepared & Analyzed: 03/21/22

Specific Conductance (EC) ND 0.0100 mmhos/cm

LCS (BFC0450-BS1)

Prepared & Analyzed: 03/21/22

Specific Conductance (EC) 0.151 0.0100 mmhos/cm 0.150 101 95-105

Duplicate (BFC0450-DUP1)

Source: 2201122-02

Prepared & Analyzed: 03/21/22

Specific Conductance (EC) 4.31 0.0100 mmhos/cm 4.39 1.72 20

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
 Project Manager: Mark Longhurst

Reported:
 04/21/22 12:14

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction - Quality Control

Summit Scientific

Analyte	Reporting			Spike	Source	%REC			RPD	Notes
	Result	Limit	Units	Level	Result	%REC	Limits	RPD		

Batch BFA0376 - General Preparation

LCS (BFA0376-BS1)										
					Prepared & Analyzed: 01/24/22					
pH	9.00		pH Units	9.18	98.0	95-105				
Duplicate (BFA0376-DUP1)										
					Source: 2201189-10					
					Prepared & Analyzed: 01/24/22					
pH	7.05		pH Units	6.82	3.32	20				

Batch BFC0449 - General Preparation

LCS (BFC0449-BS1)										
					Prepared & Analyzed: 03/21/22					
pH	9.12		pH Units	9.18	99.3	95-105				
Duplicate (BFC0449-DUP1)										
					Source: 2201125-02					
					Prepared & Analyzed: 03/21/22					
pH	7.69		pH Units	7.65	0.522	20				

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Summit Scientific
Paul Shrewsbury
4653 Table Mountain Dr
Golden, CO 80403

RE: 2201216
Work Order Number: 2203074

March 19, 2022

Attention Paul Shrewsbury:

Fremont Analytical, Inc. received 3 sample(s) on 2/28/2022 for the analyses presented in the following report.

Sample Moisture (Percent Moisture)
Total Metals by EPA Method 6020B

This report consists of the following:

- Case Narrative
- Analytical Results
- Applicable Quality Control Summary Reports
- Chain of Custody

All analyses were performed consistent with the Quality Assurance program of Fremont Analytical, Inc. Please contact the laboratory if you should have any questions about the results.

Thank you for using Fremont Analytical.

Sincerely,

Brianna Barnes
Project Manager

CC:
Muri Premer



Date: 03/19/2022

CLIENT: Summit Scientific
Project: 2201216
Work Order: 2203074

Work Order Sample Summary

Lab Sample ID	Client Sample ID	Date/Time Collected	Date/Time Received
2203074-001	2201216-01	01/20/2022 1:30 PM	02/28/2022 9:09 AM
2203074-001	2201216-01	01/20/2022 1:30 PM	02/28/2022 9:09 AM
2203074-002	2201216-09	01/20/2022 3:15 PM	02/28/2022 9:09 AM
2203074-003	2201216-10	01/20/2022 3:17 PM	02/28/2022 9:09 AM

Note: If no "Time Collected" is supplied, a default of 12:00AM is assigned

Original

CLIENT: Summit Scientific

Project: 2201216

I. SAMPLE RECEIPT:

Samples receipt information is recorded on the attached Sample Receipt Checklist.

II. GENERAL REPORTING COMMENTS:

Results are reported on a wet weight basis unless dry-weight correction is denoted in the units field on the analytical report ("mg/kg-dry" or "ug/kg-dry").

Matrix Spike (MS) and MS Duplicate (MSD) samples are tested from an analytical batch of "like" matrix to check for possible matrix effect. The MS and MSD will provide site specific matrix data only for those samples which are spiked by the laboratory. The sample chosen for spike purposes may or may not have been a sample submitted in this sample delivery group. The validity of the analytical procedures for which data is reported in this analytical report is determined by the Laboratory Control Sample (LCS) and the Method Blank (MB). The LCS and the MB are processed with the samples and the MS/MSD to ensure method criteria are achieved throughout the entire analytical process.

III. ANALYSES AND EXCEPTIONS:

Exceptions associated with this report will be footnoted in the analytical results page(s) or the quality control summary page(s) and/or noted below.

Metals by EPA Method 6020 data is presented in this report. Boron by the Hot Water Soluble prep as well as the remaining analyses have been placed on hold and will be analyzed by Summit Scientific.

Qualifiers:

- * - Flagged value is not within established control limits
- B - Analyte detected in the associated Method Blank
- D - Dilution was required
- E - Value above quantitation range
- H - Holding times for preparation or analysis exceeded
- I - Analyte with an internal standard that does not meet established acceptance criteria
- J - Analyte detected below Reporting Limit
- N - Tentatively Identified Compound (TIC)
- Q - Analyte with an initial or continuing calibration that does not meet established acceptance criteria
- S - Spike recovery outside accepted recovery limits
- ND - Not detected at the Reporting Limit
- R - High relative percent difference observed

Acronyms:

- %Rec - Percent Recovery
- CCB - Continued Calibration Blank
- CCV - Continued Calibration Verification
- DF - Dilution Factor
- DUP - Sample Duplicate
- HEM - Hexane Extractable Material
- ICV - Initial Calibration Verification
- LCS/LCSD - Laboratory Control Sample / Laboratory Control Sample Duplicate
- MCL - Maximum Contaminant Level
- MB or MBLANK - Method Blank
- MDL - Method Detection Limit
- MS/MSD - Matrix Spike / Matrix Spike Duplicate
- PDS - Post Digestion Spike
- Ref Val - Reference Value
- REP - Sample Replicate
- RL - Reporting Limit
- RPD - Relative Percent Difference
- SD - Serial Dilution
- SGT - Silica Gel Treatment
- SPK - Spike
- Surr - Surrogate



CLIENT: Summit Scientific
Project: 2201216

Lab ID: 2203074-001

Collection Date: 1/20/2022 1:30:00 PM

Client Sample ID: 2201216-01

Matrix: Soil

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Total Metals by EPA Method 6020B

Batch ID: 35681

Analyst: EH

Arsenic	4.95	0.497	D	mg/Kg-dry	5	3/11/2022 3:06:28 PM
Barium	99.8	2.48	D	mg/Kg-dry	5	3/11/2022 3:06:28 PM
Cadmium	ND	0.828	D	mg/Kg-dry	5	3/11/2022 3:06:28 PM
Copper	9.15	4.14	D	mg/Kg-dry	5	3/11/2022 3:06:28 PM
Lead	8.88	0.828	D	mg/Kg-dry	5	3/11/2022 3:06:28 PM
Nickel	11.4	2.07	D	mg/Kg-dry	5	3/11/2022 3:06:28 PM
Selenium	1.05	0.828	D	mg/Kg-dry	5	3/11/2022 3:06:28 PM
Silver	ND	0.621	D	mg/Kg-dry	5	3/11/2022 3:06:28 PM
Zinc	43.4	7.24	D	mg/Kg-dry	5	3/11/2022 3:06:28 PM

NOTES:

Diluted due to matrix.

Sample Moisture (Percent Moisture)

Batch ID: R73899

Analyst: KJ

Percent Moisture	11.2	0.500		wt%	1	3/10/2022 3:38:36 PM
------------------	------	-------	--	-----	---	----------------------



CLIENT: Summit Scientific
Project: 2201216

Lab ID: 2203074-002

Collection Date: 1/20/2022 3:15:00 PM

Client Sample ID: 2201216-09

Matrix: Soil

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Total Metals by EPA Method 6020B

Batch ID: 35681

Analyst: EH

Arsenic	7.67	0.537	D	mg/Kg-dry	5	3/11/2022 3:15:52 PM
Barium	129	2.69	D	mg/Kg-dry	5	3/11/2022 3:15:52 PM
Cadmium	ND	0.895	D	mg/Kg-dry	5	3/11/2022 3:15:52 PM
Copper	12.3	4.48	D	mg/Kg-dry	5	3/11/2022 3:15:52 PM
Lead	10.1	0.895	D	mg/Kg-dry	5	3/11/2022 3:15:52 PM
Nickel	16.4	2.24	D	mg/Kg-dry	5	3/11/2022 3:15:52 PM
Selenium	ND	0.895	D	mg/Kg-dry	5	3/11/2022 3:15:52 PM
Silver	ND	0.671	D	mg/Kg-dry	5	3/11/2022 3:15:52 PM
Zinc	52.8	7.83	D	mg/Kg-dry	5	3/11/2022 3:15:52 PM

NOTES:

Diluted due to matrix.

Sample Moisture (Percent Moisture)

Batch ID: R73899

Analyst: KJ

Percent Moisture	14.7	0.500		wt%	1	3/10/2022 3:38:36 PM
------------------	------	-------	--	-----	---	----------------------



CLIENT: Summit Scientific
Project: 2201216

Lab ID: 2203074-003

Collection Date: 1/20/2022 3:17:00 PM

Client Sample ID: 2201216-10

Matrix: Soil

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
----------	--------	----	------	-------	----	---------------

Total Metals by EPA Method 6020B

Batch ID: 35681

Analyst: EH

Arsenic	6.35	0.479	D	mg/Kg-dry	5	3/11/2022 3:18:36 PM
Barium	175	2.40	D	mg/Kg-dry	5	3/11/2022 3:18:36 PM
Cadmium	ND	0.798	D	mg/Kg-dry	5	3/11/2022 3:18:36 PM
Copper	11.0	3.99	D	mg/Kg-dry	5	3/11/2022 3:18:36 PM
Lead	9.73	0.798	D	mg/Kg-dry	5	3/11/2022 3:18:36 PM
Nickel	14.9	2.00	D	mg/Kg-dry	5	3/11/2022 3:18:36 PM
Selenium	0.869	0.798	DQ	mg/Kg-dry	5	3/11/2022 3:18:36 PM
Silver	ND	0.599	D	mg/Kg-dry	5	3/11/2022 3:18:36 PM
Zinc	43.0	6.99	D	mg/Kg-dry	5	3/11/2022 3:18:36 PM

NOTES:

Diluted due to matrix.

Q - Associated calibration verification is above acceptance criteria. Result may be high-biased.

Sample Moisture (Percent Moisture)

Batch ID: R73899

Analyst: KJ

Percent Moisture	13.0	0.500		wt%	1	3/10/2022 3:38:36 PM
------------------	------	-------	--	-----	---	----------------------

Work Order: 2203074
 CLIENT: Summit Scientific
 Project: 2201216

QC SUMMARY REPORT
Total Metals by EPA Method 6020B

Sample ID: MB-35681	SampType: MBLK	Units: mg/Kg		Prep Date: 3/11/2022	RunNo: 73920						
Client ID: MBLKS	Batch ID: 35681			Analysis Date: 3/11/2022	SeqNo: 1514370						
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	ND	0.0960									
Barium	ND	0.480									
Cadmium	ND	0.160									
Copper	ND	0.800									
Lead	ND	0.160									
Nickel	ND	0.400									
Selenium	ND	0.160									
Silver	ND	0.120									
Zinc	ND	1.40									

Sample ID: LCS-35681	SampType: LCS	Units: mg/Kg		Prep Date: 3/11/2022	RunNo: 73920						
Client ID: LCSS	Batch ID: 35681			Analysis Date: 3/11/2022	SeqNo: 1514371						
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	38.5	0.0960	40.00	0	96.2	80	120				
Barium	42.5	0.480	40.00	0	106	80	120				
Cadmium	2.07	0.160	2.000	0	103	80	120				
Copper	39.1	0.800	40.00	0	97.7	80	120				
Lead	19.7	0.160	20.00	0	98.5	80	120				
Nickel	39.2	0.400	40.00	0	98.1	80	120				
Selenium	3.86	0.160	4.000	0	96.4	80	120				
Silver	1.96	0.120	2.000	0	97.9	80	120				
Zinc	38.8	1.40	40.00	0	96.9	80	120				

Sample ID: 2203218-002AMS	SampType: MS	Units: mg/Kg-dry		Prep Date: 3/11/2022	RunNo: 73920						
Client ID: BATCH	Batch ID: 35681			Analysis Date: 3/11/2022	SeqNo: 1514374						
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	45.3	0.103	42.84	2.348	100	75	125				

Work Order: 2203074
 CLIENT: Summit Scientific
 Project: 2201216

QC SUMMARY REPORT
Total Metals by EPA Method 6020B

Sample ID: 2203218-002AMS	SampType: MS	Units: mg/Kg-dry				Prep Date: 3/11/2022	RunNo: 73920				
Client ID: BATCH	Batch ID: 35681					Analysis Date: 3/11/2022	SeqNo: 1514374				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Barium	100	0.514	42.84	59.38	95.2	75	125				
Cadmium	2.21	0.171	2.142	0.06220	100	75	125				
Copper	53.4	0.857	42.84	13.14	94.0	75	125				
Lead	21.3	0.171	21.42	1.862	90.8	75	125				
Nickel	81.7	0.428	42.84	43.97	88.0	75	125				
Selenium	4.86	0.171	4.284	0.5611	100	75	125				
Silver	1.94	0.129	2.142	0	90.7	75	125				
Zinc	73.4	1.50	42.84	31.49	97.8	75	125				

Sample ID: 2203218-002AMSD	SampType: MSD	Units: mg/Kg-dry				Prep Date: 3/11/2022	RunNo: 73920				
Client ID: BATCH	Batch ID: 35681					Analysis Date: 3/11/2022	SeqNo: 1514375				
Analyte	Result	RL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Arsenic	47.1	0.103	42.84	2.348	104	75	125	45.34	3.70	20	
Barium	101	0.514	42.84	59.38	96.4	75	125	100.2	0.489	20	
Cadmium	2.32	0.171	2.142	0.06220	105	75	125	2.214	4.63	20	
Copper	55.5	0.857	42.84	13.14	98.8	75	125	53.40	3.77	20	
Lead	21.8	0.171	21.42	1.862	93.0	75	125	21.31	2.18	20	
Nickel	85.4	0.428	42.84	43.97	96.7	75	125	81.65	4.48	20	
Selenium	5.05	0.171	4.284	0.5611	105	75	125	4.864	3.85	20	
Silver	2.02	0.129	2.142	0	94.1	75	125	1.942	3.67	20	
Zinc	74.4	1.50	42.84	31.49	100	75	125	73.39	1.31	20	

Client Name: SUMSCI	Work Order Number: 2203074
Logged by: Clare Griggs	Date Received: 2/28/2022 9:09:00 AM

Chain of Custody

1. Is Chain of Custody complete? Yes No Not Present
2. How was the sample delivered? FedEx

Log In

3. Coolers are present? Yes No NA
4. Shipping container/cooler in good condition? Yes No
5. Custody Seals present on shipping container/cooler?
(Refer to comments for Custody Seals not intact) Yes No Not Present
6. Was an attempt made to cool the samples? Yes No NA
7. Were all items received at a temperature of >2°C to 6°C * Unknown prior to receipt. Yes No NA
8. Sample(s) in proper container(s)? Yes No
9. Sufficient sample volume for indicated test(s)? Yes No
10. Are samples properly preserved? Yes No
11. Was preservative added to bottles? Yes No NA
12. Is there headspace in the VOA vials? Yes No NA
13. Did all samples containers arrive in good condition(unbroken)? Yes No
14. Does paperwork match bottle labels? Yes No
15. Are matrices correctly identified on Chain of Custody? Yes No
16. Is it clear what analyses were requested? Yes No
17. Were all holding times able to be met? Yes No

Special Handling (if applicable)

18. Was client notified of all discrepancies with this order? Yes No NA

Person Notified:	<input type="text" value="Muri Premer"/>	Date:	<input type="text" value="3/2/2022"/>
By Whom:	<input type="text" value="Clare Griggs"/>	Via:	<input checked="" type="checkbox"/> eMail <input type="checkbox"/> Phone <input type="checkbox"/> Fax <input type="checkbox"/> In Person
Regarding:	<input type="text" value="Confirming metals list."/>		
Client Instructions:	<input type="text" value="Include CU."/>		

19. Additional remarks:

Item Information

Item #	Temp °C
Sample	10.5

* Note: DoD/ELAP and TNI require items to be received at 4°C +/- 2°C



Fremont
ANALYTICAL

3600 Fremont Ave N.
Seattle, WA 98103
Tel: 206-352-3790
Fax: 206-352-7178

Chain of Custody Record & Laboratory Services Agreement

Date: 2/25/22 Page: 1 of 1
Laboratory Project No (Internal): 2203074

Special Remarks:

Client: Summit Scientific

Address: 4653 Table Mountain Drive

City, State, Zip: Golden, CO. 80403

Telephone: 303-277-9310

Sample Disposal: Return to client Disposal by lab (after 30 days)

PM Email: mpremer@s2scientific.com, pshrewsbury@s2scientific.com

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)*	SA, EC, PH	BORON	Metals	Comments
22012116-01	1/20/22	13:30	S	X	X	X	SA, EC, PH by saturated paste.
22012116-09	↓	15:15	↓	X			Boron by hot water soluble.
22012116-10	↓	15:17	↓	X			Metals - As, Ba, Cd, Pb, Ni, Se, Ag, Zn

*Matrix: A = Air, AQ = Aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water

Individual: Nitrate Nitrite Chloride Sulfate Bromide Phosphate Fluoride Nitrate-Nitrite

I represent that I am authorized to enter into this Agreement with Fremont Analytical on behalf of the Client named above and that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Relinquished Date/Time: 2/28/22 9:09
 Relinquished Date/Time: 2/28/22 9:09

Turn-around Time: Standard 3 Day 2 Day Next Day Same Day (specify)

www.fremontanalytical.com



3600 Fremont Ave N.
Seattle, WA 98103
Tel: 206-352-3790
Fax: 206-352-7178

Chain of Custody Record & Laboratory Services Agreement

Date: 2/25/22 Page: 1 of 1
Laboratory Project No (Internal): 2203074

Special Remarks:

Report metals only per P.S. 3/17/22 -BB

Client: Summit Scientific

Address: 4653 Table Mountain Drive

City, State, Zip: Golden, CO. 80403

Telephone: 303-277-9310

Fax:

Project Name: 2201210

Project No:

Collected by:

Location:

Report To (PM):

PM Email: mpremer@s2scientific.com, pshrewsbury@s2scientific.com

Sample Disposal: Return to client Disposal by lab (after 30 days)

Sample Name	Sample Date	Sample Time	Sample Type (Matrix)*	SA, EC, PH	BO, RD	PH	Comments
2201210-01	1/20/22	13:30	S	X	X	X	SA, EC, PH by saturated paste.
2201210-09	↓	15:15	↓	X			Boron by hot water soluble.
2201210-10	↓	15:17	↓	X			Metals - As, Ba, Cd, Pb, Ni, Se, Ag, Zn

*Matrix: A = Air, AQ = Aqueous, B = Bulk, O = Other, P = Product, S = Soil, SD = Sediment, SL = Solid, W = Water, DW = Drinking Water, GW = Ground Water, SW = Storm Water, WW = Waste Water
 **Metals (Circle): Nitrate Nitrite Chloride Sulfate Bromide Phosphate Fluoride Nitrate-Nitrite
 ***Anions (Circle): Nitrate Nitrite Chloride Sulfate Bromide Phosphate Fluoride Nitrate-Nitrite

Turn-around Time:
 Standard
 3 Day
 2 Day
 Next Day
 Same Day (specify)

I represent that I am authorized to enter into this Agreement with Fremont Analytical on behalf of the Client named above and that I have verified Client's agreement to each of the terms on the front and backside of this Agreement.

Relinquished: *Sheree Barber* Date/Time: _____
 Received: *Sheree Barber* Date/Time: 2/28/22 9:09
 Relinquished: _____ Date/Time: _____
 Received: _____ Date/Time: _____



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]

Project Manager: Mark Longhurst

Reported:
04/21/22 12:14

Notes and Definitions

- QM-05 The spike recovery was outside acceptance limits for the MS and/or MSD due to matrix interference. The associated LCS and/or LCSD were within acceptance limits, therefore the data are considered valid.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

Summit Scientific

4653 Table Mountain Drive, Golden, Colorado 80403

303.277.9310

September 19, 2022

Mark Longhurst
PDC Energy
1775 Sherman St. STE. 3000
Denver, CO 80203

RE: Gerry 3 Tank Battery

Work Order #2209271

Enclosed are the results of analyses for samples received by Summit Scientific on 09/14/22 17:30. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Mikayla Axtell For Paul Shrewsbury
President



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]

Project Manager: Mark Longhurst

Reported:
09/19/22 15:13

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
SS01@3'	2209271-01	Soil	09/14/22 13:00	09/14/22 17:30
SS02@0.5'	2209271-02	Soil	09/14/22 13:05	09/14/22 17:30
SS03@0.5'	2209271-03	Soil	09/14/22 13:10	09/14/22 17:30
SS04@0.5'	2209271-04	Soil	09/14/22 13:15	09/14/22 17:30
SS05@0.5'	2209271-05	Soil	09/14/22 13:20	09/14/22 17:30

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Summit Scientific

S₂

2209271

4653 Table Mountain Drive ♦ Golden, Colorado 80403
303-277-9310

Page 1 of 1

Client: PDC / Tasman Project Manager: Mark Longhurst
 Address: 6855 W 119th Ave E-Mail: mark.longhurst@PDCE.com
 City/State/Zip: Broomfield/ CO/ 80020
 Phone: 303-487-1228 Project Name: Garry 3 Tank Battery
 Sampler Name: Emilia Wozniak Project Number:

ID	Sample Description	Date Sampled	Time Sampled	# of containers	Preservative				Matrix				Analysis Requested						Special Instructions	
					HCl	HNO3	None	Other	Water	Soil	Air-Canister #	Other	BTEXN - 8260B	TPH - (C6 - C36)	1,2,4 & 1,3,5-TMB	Boron - HWS	pH, EC, SAR	PAH - 915		
1	SS01 (A) 3'	9/14/22	1300	3			X			X				X	X	X			X	pH, EC, SAR by saturated paste
2	SS02 (A) 0.5'	↓	1305	↓										↓	↓	↓			↓	
3	SS03 (A) 0.5'	↓	1310	↓										↓	↓	↓			↓	
4	SS04 (A) 0.5'	↓	1315	↓										↓	↓	↓			↓	
5	SS05 (A) 0.5'	↓	1320	↓										↓	↓	↓			↓	
6																				
7																				
8																				
9																				
10																				

Relinquished by: <i>Emilia Wozniak</i> Date/Time: 9/14/22 1557	Received by: <i>Tasman's Lock Box</i> Date/Time: 9/14/22 1557	Turn Around Time (Check) Same Day <input checked="" type="checkbox"/> 72 hours ___ 24 hours ___ Standard ___ 48 hours ___ Sample Integrity: Temperature Upon Receipt: 9.9 Samples Intact: <input checked="" type="checkbox"/> Yes No	Notes:
Relinquished by: <i>Tasman's Lock Box</i> Date/Time: 9/14/22 1730	Received by: <i>[Signature]</i> Date/Time: 9/14/22 1730		
Relinquished by:	Received by:		

S₂

Sample Receipt Checklist

S2 Work Order# 2209271

Client: Poc/Tasman Client Project ID: gerry 3 Tank Battuf

Shipped Via: H.D./P.U./FedEx/UPS/USPS/Other [] Airbill #: []

[] [] [] [] []


Matrix (Check all that apply) Air [] Soil/Solid [] Water [] Other []

Temp (°C) 9.9 Thermometer # 1

	Yes	No	N/A	Comments (if any)
If samples require cooling, is the temperature < 6°C? (1) NOTE: If samples are delivered the same day of sampling, this requirement is met if there is evidence that cooling has begun.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
If custody seals are present, are they intact? (1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Are samples due within 48 hours present?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	same day
Are water samples with short hold times present? Note the short hold analysis in the comments column - pH, Nitrate/Nitrite, Ferrous Iron (Fe ²⁺), Hexavalent Chromium (Cr ⁶⁺ , Cr VI), COD/BOD, Total Coliform, E. Coli, Total Residual Chlorine (TRC), Dissolved Oxygen	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Is a chain-of-custody (COC) form present and filled out Completely? (1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Is the COC properly relinquished by the client w/ date and time recorded? (1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Were all samples received intact? (1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Was adequate sample volume provided? (1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Does the COC agree with the number and type of sample bottles received? (1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Do the sample IDs on the bottle labels match the COC? (1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
For volatiles in water – is there headspace present? If yes, contact client and note in narrative.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Are samples preserved that require preservation (excluding cooling)? (1) Note the type of preservative in the comments column – HCl, H ₂ SO ₄ , NaOH, HNO ₃ , etc.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
If samples are acid preserved for metals, is the pH ≤ 2? (1) Record the pH in Comments.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
If dissolved metals are requested, were samples field filtered?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

Additional Comments (if any):

(1) If NO, then contact the client before proceeding with analysis and note in case narrative.


Custodian Printed Name

9.14.22
Date/Time

19:30



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
Project Manager: Mark Longhurst

Reported:
09/19/22 15:13

SS01@3'
2209271-01 (Soil)

Summit Scientific

Volatile Organic Compounds by EPA Method 8260B

Date Sampled: **09/14/22 13:00**

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
Benzene	ND	0.0020		mg/kg	1	BFI0358	09/14/22	09/14/22	EPA 8260B	
Toluene	ND	0.0050		"	"	"	"	"	"	
Ethylbenzene	ND	0.0050		"	"	"	"	"	"	
Xylenes (total)	ND	0.010		"	"	"	"	"	"	
1,2,4-Trimethylbenzene	ND	0.0050		"	"	"	"	"	"	
1,3,5-Trimethylbenzene	ND	0.0050		"	"	"	"	"	"	
Naphthalene	ND	0.0038		"	"	"	"	"	"	
Gasoline Range Hydrocarbons	ND	0.50		"	"	"	"	"	"	

Date Sampled: **09/14/22 13:00**

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
Surrogate: 1,2-Dichloroethane-d4		87.2 %		50-150		"	"	"	"	
Surrogate: Toluene-d8		94.4 %		50-150		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		101 %		50-150		"	"	"	"	

Extractable Petroleum Hydrocarbons by 8015

Date Sampled: **09/14/22 13:00**

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
C10-C28 (DRO)	ND	50		mg/kg	1	BFI0359	09/14/22	09/14/22	EPA 8015M	
C28-C36 (ORO)	ND	50		"	"	"	"	"	"	

Date Sampled: **09/14/22 13:00**

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
Surrogate: o-Terphenyl		82.8 %		30-150		"	"	"	"	

PAH by EPA Method 8270D SIM

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
 Project Manager: Mark Longhurst

Reported:
 09/19/22 15:13

SS01@3'
2209271-01 (Soil)

Summit Scientific

PAH by EPA Method 8270D SIM

Date Sampled: **09/14/22 13:00**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Acenaphthene	ND	0.00500	mg/kg	1	BFI0361	09/15/22	09/16/22	EPA 8270D SIM	
Anthracene	ND	0.00500	"	"	"	"	"	"	
Benzo (a) anthracene	ND	0.00500	"	"	"	"	"	"	
Benzo (a) pyrene	ND	0.00500	"	"	"	"	"	"	
Benzo (b) fluoranthene	ND	0.00500	"	"	"	"	"	"	
Benzo (k) fluoranthene	ND	0.00500	"	"	"	"	"	"	
Chrysene	ND	0.00500	"	"	"	"	"	"	
Dibenz (a,h) anthracene	ND	0.00500	"	"	"	"	"	"	
Fluoranthene	ND	0.00500	"	"	"	"	"	"	
Fluorene	ND	0.00500	"	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	ND	0.00500	"	"	"	"	"	"	
Pyrene	ND	0.00500	"	"	"	"	"	"	
1-Methylnaphthalene	ND	0.00500	"	"	"	"	"	"	
2-Methylnaphthalene	ND	0.00500	"	"	"	"	"	"	

Date Sampled: **09/14/22 13:00**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Surrogate: 2-Methylnaphthalene-d10		61.6 %	40-150		"	"	"	"	
Surrogate: Fluoranthene-d10		72.0 %	40-150		"	"	"	"	

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
Project Manager: Mark Longhurst

Reported:
09/19/22 15:13

SS02@0.5'
2209271-02 (Soil)

Summit Scientific

Volatile Organic Compounds by EPA Method 8260B

Date Sampled: **09/14/22 13:05**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.0020	mg/kg	1	BFI0358	09/14/22	09/14/22	EPA 8260B	
Toluene	ND	0.0050	"	"	"	"	"	"	
Ethylbenzene	ND	0.0050	"	"	"	"	"	"	
Xylenes (total)	ND	0.010	"	"	"	"	"	"	
1,2,4-Trimethylbenzene	ND	0.0050	"	"	"	"	"	"	
1,3,5-Trimethylbenzene	ND	0.0050	"	"	"	"	"	"	
Naphthalene	ND	0.0038	"	"	"	"	"	"	
Gasoline Range Hydrocarbons	ND	0.50	"	"	"	"	"	"	

Date Sampled: **09/14/22 13:05**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Surrogate: 1,2-Dichloroethane-d4		92.1 %	50-150		"	"	"	"	
Surrogate: Toluene-d8		93.4 %	50-150		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		106 %	50-150		"	"	"	"	

Extractable Petroleum Hydrocarbons by 8015

Date Sampled: **09/14/22 13:05**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
C10-C28 (DRO)	ND	50	mg/kg	1	BFI0359	09/14/22	09/14/22	EPA 8015M	
C28-C36 (ORO)	ND	50	"	"	"	"	"	"	

Date Sampled: **09/14/22 13:05**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Surrogate: o-Terphenyl		95.3 %	30-150		"	"	"	"	

PAH by EPA Method 8270D SIM

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
 Project Manager: Mark Longhurst

Reported:
 09/19/22 15:13

SS02@0.5'
2209271-02 (Soil)

Summit Scientific

PAH by EPA Method 8270D SIM

Date Sampled: **09/14/22 13:05**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Acenaphthene	ND	0.00500	mg/kg	1	BFI0361	09/15/22	09/16/22	EPA 8270D SIM	
Anthracene	ND	0.00500	"	"	"	"	"	"	
Benzo (a) anthracene	ND	0.00500	"	"	"	"	"	"	
Benzo (a) pyrene	ND	0.00500	"	"	"	"	"	"	
Benzo (b) fluoranthene	ND	0.00500	"	"	"	"	"	"	
Benzo (k) fluoranthene	ND	0.00500	"	"	"	"	"	"	
Chrysene	ND	0.00500	"	"	"	"	"	"	
Dibenz (a,h) anthracene	ND	0.00500	"	"	"	"	"	"	
Fluoranthene	ND	0.00500	"	"	"	"	"	"	
Fluorene	ND	0.00500	"	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	ND	0.00500	"	"	"	"	"	"	
Pyrene	ND	0.00500	"	"	"	"	"	"	
1-Methylnaphthalene	ND	0.00500	"	"	"	"	"	"	
2-Methylnaphthalene	ND	0.00500	"	"	"	"	"	"	

Date Sampled: **09/14/22 13:05**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Surrogate: 2-Methylnaphthalene-d10		56.3 %	40-150		"	"	"	"	
Surrogate: Fluoranthene-d10		74.9 %	40-150		"	"	"	"	

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
Project Manager: Mark Longhurst

Reported:
09/19/22 15:13

SS03@0.5'
2209271-03 (Soil)

Summit Scientific

Volatile Organic Compounds by EPA Method 8260B

Date Sampled: **09/14/22 13:10**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.0020	mg/kg	1	BFI0358	09/14/22	09/14/22	EPA 8260B	
Toluene	ND	0.0050	"	"	"	"	"	"	
Ethylbenzene	ND	0.0050	"	"	"	"	"	"	
Xylenes (total)	ND	0.010	"	"	"	"	"	"	
1,2,4-Trimethylbenzene	ND	0.0050	"	"	"	"	"	"	
1,3,5-Trimethylbenzene	ND	0.0050	"	"	"	"	"	"	
Naphthalene	ND	0.0038	"	"	"	"	"	"	
Gasoline Range Hydrocarbons	ND	0.50	"	"	"	"	"	"	

Date Sampled: **09/14/22 13:10**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Surrogate: 1,2-Dichloroethane-d4		83.8 %	50-150		"	"	"	"	
Surrogate: Toluene-d8		93.5 %	50-150		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		103 %	50-150		"	"	"	"	

Extractable Petroleum Hydrocarbons by 8015

Date Sampled: **09/14/22 13:10**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
C10-C28 (DRO)	ND	50	mg/kg	1	BFI0359	09/14/22	09/14/22	EPA 8015M	
C28-C36 (ORO)	ND	50	"	"	"	"	"	"	

Date Sampled: **09/14/22 13:10**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Surrogate: o-Terphenyl		60.7 %	30-150		"	"	"	"	

PAH by EPA Method 8270D SIM

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
 Project Manager: Mark Longhurst

Reported:
 09/19/22 15:13

SS03@0.5'
2209271-03 (Soil)

Summit Scientific

PAH by EPA Method 8270D SIM

Date Sampled: **09/14/22 13:10**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Acenaphthene	ND	0.00500	mg/kg	1	BFI0361	09/15/22	09/16/22	EPA 8270D SIM	
Anthracene	ND	0.00500	"	"	"	"	"	"	
Benzo (a) anthracene	ND	0.00500	"	"	"	"	"	"	
Benzo (a) pyrene	ND	0.00500	"	"	"	"	"	"	
Benzo (b) fluoranthene	ND	0.00500	"	"	"	"	"	"	
Benzo (k) fluoranthene	ND	0.00500	"	"	"	"	"	"	
Chrysene	ND	0.00500	"	"	"	"	"	"	
Dibenz (a,h) anthracene	ND	0.00500	"	"	"	"	"	"	
Fluoranthene	0.00540	0.00500	"	"	"	"	"	"	
Fluorene	ND	0.00500	"	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	ND	0.00500	"	"	"	"	"	"	
Pyrene	ND	0.00500	"	"	"	"	"	"	
1-Methylnaphthalene	ND	0.00500	"	"	"	"	"	"	
2-Methylnaphthalene	ND	0.00500	"	"	"	"	"	"	

Date Sampled: **09/14/22 13:10**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Surrogate: 2-Methylnaphthalene-d10		48.2 %	40-150		"	"	"	"	
Surrogate: Fluoranthene-d10		69.2 %	40-150		"	"	"	"	

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
Project Manager: Mark Longhurst

Reported:
09/19/22 15:13

SS04@0.5'
2209271-04 (Soil)

Summit Scientific

Volatile Organic Compounds by EPA Method 8260B

Date Sampled: **09/14/22 13:15**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.0020	mg/kg	1	BFI0358	09/14/22	09/14/22	EPA 8260B	
Toluene	ND	0.0050	"	"	"	"	"	"	
Ethylbenzene	ND	0.0050	"	"	"	"	"	"	
Xylenes (total)	ND	0.010	"	"	"	"	"	"	
1,2,4-Trimethylbenzene	ND	0.0050	"	"	"	"	"	"	
1,3,5-Trimethylbenzene	ND	0.0050	"	"	"	"	"	"	
Naphthalene	ND	0.0038	"	"	"	"	"	"	
Gasoline Range Hydrocarbons	ND	0.50	"	"	"	"	"	"	

Date Sampled: **09/14/22 13:15**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Surrogate: 1,2-Dichloroethane-d4		94.9 %	50-150		"	"	"	"	
Surrogate: Toluene-d8		93.2 %	50-150		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		99.8 %	50-150		"	"	"	"	

Extractable Petroleum Hydrocarbons by 8015

Date Sampled: **09/14/22 13:15**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
C10-C28 (DRO)	ND	50	mg/kg	1	BFI0359	09/14/22	09/14/22	EPA 8015M	
C28-C36 (ORO)	ND	50	"	"	"	"	"	"	

Date Sampled: **09/14/22 13:15**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Surrogate: o-Terphenyl		76.2 %	30-150		"	"	"	"	

PAH by EPA Method 8270D SIM

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
 Project Manager: Mark Longhurst

Reported:
 09/19/22 15:13

SS04@0.5'
2209271-04 (Soil)

Summit Scientific

PAH by EPA Method 8270D SIM

Date Sampled: **09/14/22 13:15**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Acenaphthene	ND	0.00500	mg/kg	1	BFI0361	09/15/22	09/16/22	EPA 8270D SIM	
Anthracene	ND	0.00500	"	"	"	"	"	"	
Benzo (a) anthracene	ND	0.00500	"	"	"	"	"	"	
Benzo (a) pyrene	ND	0.00500	"	"	"	"	"	"	
Benzo (b) fluoranthene	ND	0.00500	"	"	"	"	"	"	
Benzo (k) fluoranthene	ND	0.00500	"	"	"	"	"	"	
Chrysene	ND	0.00500	"	"	"	"	"	"	
Dibenz (a,h) anthracene	ND	0.00500	"	"	"	"	"	"	
Fluoranthene	ND	0.00500	"	"	"	"	"	"	
Fluorene	ND	0.00500	"	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	ND	0.00500	"	"	"	"	"	"	
Pyrene	ND	0.00500	"	"	"	"	"	"	
1-Methylnaphthalene	ND	0.00500	"	"	"	"	"	"	
2-Methylnaphthalene	ND	0.00500	"	"	"	"	"	"	

Date Sampled: **09/14/22 13:15**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Surrogate: 2-Methylnaphthalene-d10		56.1 %	40-150		"	"	"	"	
Surrogate: Fluoranthene-d10		71.8 %	40-150		"	"	"	"	

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
Project Manager: Mark Longhurst

Reported:
09/19/22 15:13

SS05@0.5'
2209271-05 (Soil)

Summit Scientific

Volatile Organic Compounds by EPA Method 8260B

Date Sampled: **09/14/22 13:20**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Benzene	ND	0.0020	mg/kg	1	BFI0358	09/14/22	09/14/22	EPA 8260B	
Toluene	ND	0.0050	"	"	"	"	"	"	
Ethylbenzene	ND	0.0050	"	"	"	"	"	"	
Xylenes (total)	ND	0.010	"	"	"	"	"	"	
1,2,4-Trimethylbenzene	ND	0.0050	"	"	"	"	"	"	
1,3,5-Trimethylbenzene	ND	0.0050	"	"	"	"	"	"	
Naphthalene	ND	0.0038	"	"	"	"	"	"	
Gasoline Range Hydrocarbons	ND	0.50	"	"	"	"	"	"	

Date Sampled: **09/14/22 13:20**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Surrogate: 1,2-Dichloroethane-d4		86.6 %	50-150		"	"	"	"	
Surrogate: Toluene-d8		93.3 %	50-150		"	"	"	"	
Surrogate: 4-Bromofluorobenzene		100 %	50-150		"	"	"	"	

Extractable Petroleum Hydrocarbons by 8015

Date Sampled: **09/14/22 13:20**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
C10-C28 (DRO)	ND	50	mg/kg	1	BFI0359	09/14/22	09/14/22	EPA 8015M	
C28-C36 (ORO)	ND	50	"	"	"	"	"	"	

Date Sampled: **09/14/22 13:20**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Surrogate: o-Terphenyl		74.9 %	30-150		"	"	"	"	

PAH by EPA Method 8270D SIM

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
 Project Manager: Mark Longhurst

Reported:
 09/19/22 15:13

SS05@0.5'
2209271-05 (Soil)

Summit Scientific

PAH by EPA Method 8270D SIM

Date Sampled: **09/14/22 13:20**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Acenaphthene	ND	0.00500	mg/kg	1	BFI0361	09/15/22	09/16/22	EPA 8270D SIM	
Anthracene	ND	0.00500	"	"	"	"	"	"	
Benzo (a) anthracene	ND	0.00500	"	"	"	"	"	"	
Benzo (a) pyrene	ND	0.00500	"	"	"	"	"	"	
Benzo (b) fluoranthene	ND	0.00500	"	"	"	"	"	"	
Benzo (k) fluoranthene	ND	0.00500	"	"	"	"	"	"	
Chrysene	ND	0.00500	"	"	"	"	"	"	
Dibenz (a,h) anthracene	ND	0.00500	"	"	"	"	"	"	
Fluoranthene	ND	0.00500	"	"	"	"	"	"	
Fluorene	ND	0.00500	"	"	"	"	"	"	
Indeno (1,2,3-cd) pyrene	ND	0.00500	"	"	"	"	"	"	
Pyrene	ND	0.00500	"	"	"	"	"	"	
1-Methylnaphthalene	ND	0.00500	"	"	"	"	"	"	
2-Methylnaphthalene	ND	0.00500	"	"	"	"	"	"	

Date Sampled: **09/14/22 13:20**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Surrogate: 2-Methylnaphthalene-d10		59.0 %	40-150		"	"	"	"	
Surrogate: Fluoranthene-d10		75.0 %	40-150		"	"	"	"	

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
Project Manager: Mark Longhurst

Reported:
09/19/22 15:13

Volatile Organic Compounds by EPA Method 8260B - Quality Control

Summit Scientific

Analyte	Reporting			Spike	Source	%REC		RPD		Notes
	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	

Batch BFI0358 - EPA 5030 Soil MS

Blank (BFI0358-BLK1)

Prepared: 09/14/22 Analyzed: 09/15/22

Benzene	ND	0.0020	mg/kg							
Toluene	ND	0.0050	"							
Ethylbenzene	ND	0.0050	"							
Xylenes (total)	ND	0.010	"							
1,2,4-Trimethylbenzene	ND	0.0050	"							
1,3,5-Trimethylbenzene	ND	0.0050	"							
Naphthalene	ND	0.0038	"							
Gasoline Range Hydrocarbons	ND	0.50	"							
<i>Surrogate: 1,2-Dichloroethane-d4</i>	0.0324		"	0.0400		80.9	50-150			
<i>Surrogate: Toluene-d8</i>	0.0385		"	0.0400		96.2	50-150			
<i>Surrogate: 4-Bromofluorobenzene</i>	0.0389		"	0.0400		97.4	50-150			

LCS (BFI0358-BS1)

Prepared: 09/14/22 Analyzed: 09/15/22

Benzene	0.0718	0.0020	mg/kg	0.0750		95.8	70-130			
Toluene	0.0654	0.0050	"	0.0750		87.2	70-130			
Ethylbenzene	0.0722	0.0050	"	0.0750		96.3	70-130			
m,p-Xylene	0.139	0.010	"	0.150		92.5	70-130			
o-Xylene	0.0668	0.0050	"	0.0750		89.0	70-130			
1,2,4-Trimethylbenzene	0.0598	0.0050	"	0.0750		79.8	70-130			
1,3,5-Trimethylbenzene	0.0609	0.0050	"	0.0750		81.2	70-130			
Naphthalene	0.0813	0.0038	"	0.0750		108	70-130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	0.0315		"	0.0400		78.8	50-150			
<i>Surrogate: Toluene-d8</i>	0.0361		"	0.0400		90.3	50-150			
<i>Surrogate: 4-Bromofluorobenzene</i>	0.0352		"	0.0400		88.0	50-150			

Matrix Spike (BFI0358-MS1)

Source: 2209270-01

Prepared: 09/14/22 Analyzed: 09/15/22

Benzene	0.0590	0.0020	mg/kg	0.0750	ND	78.7	70-130			
Toluene	0.0608	0.0050	"	0.0750	ND	81.0	70-130			
Ethylbenzene	0.0656	0.0050	"	0.0750	ND	87.5	70-130			
m,p-Xylene	0.131	0.010	"	0.150	ND	87.4	70-130			
o-Xylene	0.0659	0.0050	"	0.0750	ND	87.9	70-130			
1,2,4-Trimethylbenzene	0.0616	0.0050	"	0.0750	ND	82.1	70-130			
1,3,5-Trimethylbenzene	0.0608	0.0050	"	0.0750	ND	81.0	70-130			
Naphthalene	0.0569	0.0038	"	0.0750	ND	75.9	70-130			
<i>Surrogate: 1,2-Dichloroethane-d4</i>	0.0248		"	0.0400		62.0	50-150			
<i>Surrogate: Toluene-d8</i>	0.0374		"	0.0400		93.6	50-150			
<i>Surrogate: 4-Bromofluorobenzene</i>	0.0369		"	0.0400		92.2	50-150			

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]

Project Manager: Mark Longhurst

Reported:
 09/19/22 15:13

Volatile Organic Compounds by EPA Method 8260B - Quality Control

Summit Scientific

Analyte	Reporting			Spike	Source	%REC			RPD	Notes
	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	

Batch BFI0358 - EPA 5030 Soil MS

Matrix Spike Dup (BFI0358-MSD1)	Source: 2209270-01			Prepared: 09/14/22 Analyzed: 09/15/22						
Benzene	0.0574	0.0020	mg/kg	0.0750	ND	76.6	70-130	2.73	30	
Toluene	0.0613	0.0050	"	0.0750	ND	81.7	70-130	0.787	30	
Ethylbenzene	0.0653	0.0050	"	0.0750	ND	87.1	70-130	0.458	30	
m,p-Xylene	0.129	0.010	"	0.150	ND	86.0	70-130	1.57	30	
o-Xylene	0.0655	0.0050	"	0.0750	ND	87.3	70-130	0.685	30	
1,2,4-Trimethylbenzene	0.0622	0.0050	"	0.0750	ND	83.0	70-130	1.11	30	
1,3,5-Trimethylbenzene	0.0613	0.0050	"	0.0750	ND	81.7	70-130	0.885	30	
Naphthalene	0.0598	0.0038	"	0.0750	ND	79.7	70-130	4.83	30	
Surrogate: 1,2-Dichloroethane-d4	0.0252		"	0.0400		63.0	50-150			
Surrogate: Toluene-d8	0.0373		"	0.0400		93.2	50-150			
Surrogate: 4-Bromofluorobenzene	0.0365		"	0.0400		91.3	50-150			

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
 Project Manager: Mark Longhurst

Reported:
 09/19/22 15:13

Extractable Petroleum Hydrocarbons by 8015 - Quality Control
Summit Scientific

Analyte	Result	Reporting		Spike Level	Source		%REC		RPD		Notes
		Limit	Units		Result	%REC	Limits	RPD	Limit		

Batch BFI0359 - EPA 3550A

Blank (BFI0359-BLK1)

Prepared: 09/14/22 Analyzed: 09/15/22

C10-C28 (DRO)	ND	50	mg/kg								
C28-C36 (ORO)	ND	50	"								

LCS (BFI0359-BS1)

Prepared: 09/14/22 Analyzed: 09/15/22

C10-C28 (DRO)	564	50	mg/kg	500	113	70-130					
---------------	-----	----	-------	-----	-----	--------	--	--	--	--	--

Matrix Spike (BFI0359-MS1)

Source: 2209271-01

Prepared: 09/14/22 Analyzed: 09/15/22

C10-C28 (DRO)	501	50	mg/kg	500	13.5	97.5	70-130				
---------------	-----	----	-------	-----	------	------	--------	--	--	--	--

Matrix Spike Dup (BFI0359-MSD1)

Source: 2209271-01

Prepared: 09/14/22 Analyzed: 09/15/22

C10-C28 (DRO)	579	50	mg/kg	500	13.5	113	70-130	14.4	20		
---------------	-----	----	-------	-----	------	-----	--------	------	----	--	--

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
Project Manager: Mark Longhurst

Reported:
09/19/22 15:13

PAH by EPA Method 8270D SIM - Quality Control

Summit Scientific

Analyte	Reporting			Spike	Source	%REC		RPD		Notes
	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	

Batch BFI0361 - EPA 5030 Soil MS

Blank (BFI0361-BLK1)

Prepared & Analyzed: 09/15/22

Acenaphthene	ND	0.00500	mg/kg							
Anthracene	ND	0.00500	"							
Benzo (a) anthracene	ND	0.00500	"							
Benzo (a) pyrene	ND	0.00500	"							
Benzo (b) fluoranthene	ND	0.00500	"							
Benzo (k) fluoranthene	ND	0.00500	"							
Chrysene	ND	0.00500	"							
Dibenz (a,h) anthracene	ND	0.00500	"							
Fluoranthene	ND	0.00500	"							
Fluorene	ND	0.00500	"							
Indeno (1,2,3-cd) pyrene	ND	0.00500	"							
Pyrene	ND	0.00500	"							
1-Methylnaphthalene	ND	0.00500	"							
2-Methylnaphthalene	ND	0.00500	"							
<i>Surrogate: 2-Methylnaphthalene-d10</i>	0.0222		"	0.0333		66.7	40-150			
<i>Surrogate: Fluoranthene-d10</i>	0.0279		"	0.0333		83.8	40-150			

LCS (BFI0361-BS1)

Prepared & Analyzed: 09/15/22

Acenaphthene	0.0379	0.00500	mg/kg	0.0333		114	31-137			
Anthracene	0.0254	0.00500	"	0.0333		76.1	30-120			
Benzo (a) anthracene	0.0345	0.00500	"	0.0333		103	30-120			
Benzo (a) pyrene	0.0170	0.00500	"	0.0333		50.9	30-120			
Benzo (b) fluoranthene	0.0136	0.00500	"	0.0333		40.8	30-120			
Benzo (k) fluoranthene	0.0134	0.00500	"	0.0333		40.1	30-120			
Chrysene	0.0371	0.00500	"	0.0333		111	30-120			
Dibenz (a,h) anthracene	0.0143	0.00500	"	0.0333		43.0	30-120			
Fluoranthene	0.0238	0.00500	"	0.0333		71.3	30-120			
Fluorene	0.0325	0.00500	"	0.0333		97.5	30-120			
Indeno (1,2,3-cd) pyrene	0.0191	0.00500	"	0.0333		57.2	30-120			
Pyrene	0.0369	0.00500	"	0.0333		111	35-142			
1-Methylnaphthalene	0.0189	0.00500	"	0.0333		56.8	35-142			
2-Methylnaphthalene	0.0240	0.00500	"	0.0333		71.9	35-142			
<i>Surrogate: 2-Methylnaphthalene-d10</i>	0.0196		"	0.0333		58.9	40-150			
<i>Surrogate: Fluoranthene-d10</i>	0.0205		"	0.0333		61.5	40-150			

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
Project Manager: Mark Longhurst

Reported:
09/19/22 15:13

PAH by EPA Method 8270D SIM - Quality Control

Summit Scientific

Analyte	Reporting			Spike	Source	%REC		RPD		Notes
	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	

Batch BFI0361 - EPA 5030 Soil MS

Matrix Spike (BFI0361-MS1)	Source: 2209230-01			Prepared & Analyzed: 09/15/22							
Acenaphthene	0.0253	0.00500	mg/kg	0.0333	ND	75.8	31-137				
Anthracene	0.0150	0.00500	"	0.0333	ND	45.0	30-120				
Benzo (a) anthracene	0.0185	0.00500	"	0.0333	ND	55.4	30-120				
Benzo (a) pyrene	0.0201	0.00500	"	0.0333	ND	60.2	30-120				
Benzo (b) fluoranthene	0.0136	0.00500	"	0.0333	ND	40.8	30-120				
Benzo (k) fluoranthene	0.0165	0.00500	"	0.0333	ND	49.6	30-120				
Chrysene	0.0168	0.00500	"	0.0333	ND	50.5	30-120				
Dibenz (a,h) anthracene	0.0159	0.00500	"	0.0333	ND	47.6	30-120				
Fluoranthene	0.0145	0.00500	"	0.0333	ND	43.4	30-120				
Fluorene	0.0162	0.00500	"	0.0333	ND	48.5	30-120				
Indeno (1,2,3-cd) pyrene	0.0144	0.00500	"	0.0333	ND	43.1	30-120				
Pyrene	0.0156	0.00500	"	0.0333	ND	46.8	35-142				
1-Methylnaphthalene	0.0137	0.00500	"	0.0333	ND	41.2	15-130				
2-Methylnaphthalene	0.0206	0.00500	"	0.0333	ND	61.8	15-130				
<i>Surrogate: 2-Methylnaphthalene-d10</i>	<i>0.0136</i>		<i>"</i>	<i>0.0333</i>		<i>40.7</i>	<i>40-150</i>				
<i>Surrogate: Fluoranthene-d10</i>	<i>0.0147</i>		<i>"</i>	<i>0.0333</i>		<i>44.0</i>	<i>40-150</i>				

Matrix Spike Dup (BFI0361-MSD1)	Source: 2209230-01			Prepared & Analyzed: 09/15/22							
Acenaphthene	0.0226	0.00500	mg/kg	0.0333	ND	67.7	31-137	11.2	30		
Anthracene	0.0136	0.00500	"	0.0333	ND	40.9	30-120	9.47	30		
Benzo (a) anthracene	0.0156	0.00500	"	0.0333	ND	46.8	30-120	16.9	30		
Benzo (a) pyrene	0.0193	0.00500	"	0.0333	ND	57.8	30-120	4.01	30		
Benzo (b) fluoranthene	0.0137	0.00500	"	0.0333	ND	41.0	30-120	0.440	30		
Benzo (k) fluoranthene	0.0140	0.00500	"	0.0333	ND	41.9	30-120	16.8	30		
Chrysene	0.0144	0.00500	"	0.0333	ND	43.3	30-120	15.5	30		
Dibenz (a,h) anthracene	0.0134	0.00500	"	0.0333	ND	40.1	30-120	17.1	30		
Fluoranthene	0.0184	0.00500	"	0.0333	ND	55.3	30-120	24.1	30		
Fluorene	0.0149	0.00500	"	0.0333	ND	44.6	30-120	8.47	30		
Indeno (1,2,3-cd) pyrene	0.0163	0.00500	"	0.0333	ND	49.0	30-120	13.0	30		
Pyrene	0.0139	0.00500	"	0.0333	ND	41.8	35-142	11.2	30		
1-Methylnaphthalene	0.0146	0.00500	"	0.0333	ND	43.9	15-130	6.45	50		
2-Methylnaphthalene	0.0181	0.00500	"	0.0333	ND	54.3	15-130	13.0	50		
<i>Surrogate: 2-Methylnaphthalene-d10</i>	<i>0.0135</i>		<i>"</i>	<i>0.0333</i>		<i>40.5</i>	<i>40-150</i>				
<i>Surrogate: Fluoranthene-d10</i>	<i>0.0142</i>		<i>"</i>	<i>0.0333</i>		<i>42.6</i>	<i>40-150</i>				

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery
Project Number: [none]
Project Manager: Mark Longhurst

Reported:
09/19/22 15:13

Notes and Definitions

DET Analyte DETECTED
ND Analyte NOT DETECTED at or above the reporting limit
NR Not Reported
dry Sample results reported on a dry weight basis
RPD Relative Percent Difference

Summit Scientific

4653 Table Mountain Drive, Golden, Colorado 80403

303.277.9310

September 26, 2022

Mark Longhurst

PDC Energy

1775 Sherman St. STE. 3000

Denver, CO 80203

RE: Gerry 3 Tank Battery

Work Order #2209281

Enclosed are the results of analyses for samples received by Summit Scientific on 09/14/22 17:30. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Mikayla Axtell For Paul Shrewsbury

President



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]

Project Manager: Mark Longhurst

Reported:
09/26/22 15:45

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
SS06@2.5'	2209281-01	Soil	09/14/22 13:25	09/14/22 17:30

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Summit Scientific

2209281

4653 Table Mountain Drive ♦ Golden, Colorado 80403
303-277-9310

Page 1 of 1

Client: PDC / Tasman Project Manager: Mark Longhurst
Address: 6855 W 119th Ave E-Mail: mark.longhurst@PDCE.com
City/State/Zip: Broomfield/ CO/ 80020
Phone: 303-487-1228 Project Name: Jerry 3 Tank Battery
Sampler Name: Emilia Wozniak Project Number:

ID	Sample Description	Date Sampled	Time Sampled	# of containers	Preservative				Matrix			Analysis Requested					Special Instructions	
					HCl	HNO3	None	Other	Water	Soil	Air-Canister #	Other	BTEXN - 8260B	TPH - (C6 - C36)	pH, EC, SAR	Boron - HWS		on Hold
1	SS06 @ 2.5'	9/14/22	1325	1			X			X				X	X			pH, EC, SAR by saturated paste
2	SS07 @ 2.5'		1330	1			X			X						X		
3	SS08 @ 2.5'		1335	1			X			X						X		
4	SS09 @ 2.5'		1340	1			X			X						X		
5																		
6																		
7																		
8																		
9																		
10																		

Relinquished by: <i>Luwa Wan</i> Date/Time: 9/14/22 1557	Received by: <i>Tasman's Lock Box</i> Date/Time: 9/14/22 1557	Turn Around Time (Check) Same Day _____ 72 hours _____ 24 hours _____ Standard <input checked="" type="checkbox"/> 48 hours _____ Sample Integrity: Temperature Upon Receipt: 9.9 Samples Intact: <input checked="" type="checkbox"/> Yes No	Notes:
Relinquished by: <i>Tasman's Lock Box</i> Date/Time: 9/14/22 1730	Received by: <i>[Signature]</i> Date/Time: 9/14/22 1730		
Relinquished by:	Received by:		

S₂

Sample Receipt Checklist

S2 Work Order# 2209381

Client: Pactosman Client Project ID: erry 3 Tank Battery

Shipped Via: H.D./P.U./FedEx/UPS/USPS/Other Airbill #: _____


Matrix (Check all that apply) Air Soil/Solid Water Other

Temp (°C) Thermometer #

	Yes	No	N/A	Comments (if any)
If samples require cooling, is the temperature < 6°C? ⁽¹⁾ NOTE: If samples are delivered the same day of sampling, this requirement is met if there is evidence that cooling has begun.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
If custody seals are present, are they intact? ⁽¹⁾	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Are samples due within 48 hours present?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Are water samples with short hold times present? Note the short hold analysis in the comments column - pH, Nitrate/Nitrite, Ferrous Iron (Fe ²⁺), Hexavalent Chromium (Cr ⁶⁺ , Cr VI), COD/BOD, Total Coliform, E. Coli, Total Residual Chlorine (TRC), Dissolved Oxygen	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Is a chain-of-custody (COC) form present and filled out Completely? ⁽¹⁾	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Is the COC properly relinquished by the client w/ date and time recorded? ⁽¹⁾	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Were all samples received intact? ⁽¹⁾	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Was adequate sample volume provided? ⁽¹⁾	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Does the COC agree with the number and type of sample bottles received? ⁽¹⁾	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Do the sample IDs on the bottle labels match the COC? ⁽¹⁾	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
For volatiles in water – is there headspace present? If yes, contact client and note in narrative.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Are samples preserved that require preservation (excluding cooling)? ⁽¹⁾ Note the type of preservative in the comments column – HCl, H ₂ SO ₄ , NaOH, HNO ₃ , etc.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
If samples are acid preserved for metals, is the pH ≤ 2? ⁽¹⁾ Record the pH in Comments.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
If dissolved metals are requested, were samples field filtered?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

Additional Comments (if any):

⁽¹⁾ If NO, then contact the client before proceeding with analysis and note in case narrative.


Custodian Printed Name

9.14.22
Date/Time

19:30



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
Project Manager: Mark Longhurst

Reported:
09/26/22 15:45

SS06@2.5'
2209281-01 (Soil)

Summit Scientific

Total Metals by EPA 6020B Hot Water Soluble Extraction

Date Sampled: **09/14/22 13:25**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Boron	0.532	0.0100	mg/L	1	BF10452	09/19/22	09/20/22	EPA 6020B	

Soluble Nutrients by EPA 6020/USDA60 6(2) - Saturated Paste Extraction

Date Sampled: **09/14/22 13:25**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Calcium	37.2	0.0582	mg/L dry	1	BF10549	09/21/22	09/23/22	EPA 6020B	
Magnesium	12.3	0.0582	"	"	"	"	"	"	
Sodium	15.1	0.0582	"	"	"	"	"	"	

Calculated Analysis

Date Sampled: **09/14/22 13:25**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Sodium Adsorption Ratio	0.548	0.00100	units	1	BF10631	09/23/22	09/23/22	Calculation	

Physical Parameters by APHA/ASTM/EPA Methods

Date Sampled: **09/14/22 13:25**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
% Solids	85.9		%	1	BF10449	09/19/22	09/20/22	Calculation	

Specific Conductance by EPA Method 120.1, Saturated Paste Extraction

Date Sampled: **09/14/22 13:25**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Specific Conductance (EC)	0.399	0.0100	mmhos/cm	1	BF10594	09/21/22	09/23/22	EPA 120.1	

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]

Project Manager: Mark Longhurst

Reported:
 09/26/22 15:45

SS06@2.5'
2209281-01 (Soil)

Summit Scientific

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction

Date Sampled: **09/14/22 13:25**

Analyte	Result	Reporting		Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit								
pH	8.13			pH Units	1	BFI0595	09/21/22	09/23/22	EPA 9045D	

Summit Scientific



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
 Project Manager: Mark Longhurst

Reported:
 09/26/22 15:45

Total Metals by EPA 6020B Hot Water Soluble Extraction - Quality Control

Summit Scientific

Analyte	Result	Reporting		Spike Level	Source		%REC		RPD		Notes
		Limit	Units		Result	%REC	Limits	RPD	Limit		

Batch BFI0452 - EPA 3050B

Blank (BFI0452-BLK1)

Prepared: 09/19/22 Analyzed: 09/20/22

Boron ND 0.0100 mg/L

LCS (BFI0452-BS1)

Prepared: 09/19/22 Analyzed: 09/20/22

Boron 4.21 0.0100 mg/L 5.00 84.3 80-120

Duplicate (BFI0452-DUP1)

Source: 2209218-01

Prepared: 09/19/22 Analyzed: 09/20/22

Boron 4.21 0.0100 mg/L 4.24 0.631 20

Matrix Spike (BFI0452-MS1)

Source: 2209218-01

Prepared: 09/19/22 Analyzed: 09/20/22

Boron 9.30 0.0100 mg/L 5.00 4.24 101 75-125

Matrix Spike Dup (BFI0452-MSD1)

Source: 2209218-01

Prepared: 09/19/22 Analyzed: 09/20/22

Boron 9.68 0.0100 mg/L 5.00 4.24 109 75-125 3.94 25

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]

Project Manager: Mark Longhurst

Reported:
 09/26/22 15:45

Soluble Nutrients by EPA 6020/USDA60 6(2) - Saturated Paste Extraction - Quality Control

Summit Scientific

Analyte	Result	Reporting		Spike Level	Source Result	%REC		RPD		Notes
		Limit	Units			%REC	Limits	RPD	Limit	

Batch BFI0549 - General Preparation

Blank (BFI0549-BLK1)

Prepared: 09/21/22 Analyzed: 09/23/22

Calcium	ND	0.0500	mg/L wet							
Magnesium	ND	0.0500	"							
Sodium	ND	0.0500	"							

LCS (BFI0549-BS1)

Prepared: 09/21/22 Analyzed: 09/23/22

Calcium	5.71	0.0500	mg/L wet	5.00	114	70-130				
Magnesium	5.62	0.0500	"	5.00	112	70-130				
Sodium	5.35	0.0500	"	5.00	107	70-130				

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]

Project Manager: Mark Longhurst

Reported:
 09/26/22 15:45

Physical Parameters by APHA/ASTM/EPA Methods - Quality Control

Summit Scientific

Analyte	Result	Reporting		Spike Level	Source		%REC		RPD		Notes
		Limit	Units		Result	%REC	Limits	RPD	Limit		

Batch BFI0449 - General Preparation

Duplicate (BFI0449-DUP1)

Source: 2209269-01

Prepared: 09/19/22 Analyzed: 09/20/22

% Solids	93.6		%		94.3			0.662		20	
----------	------	--	---	--	------	--	--	-------	--	----	--

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]

Project Manager: Mark Longhurst

Reported:
 09/26/22 15:45

Specific Conductance by EPA Method 120.1, Saturated Paste Extraction - Quality Control

Summit Scientific

Analyte	Result	Reporting		Spike Level	Source		%REC		RPD		Notes
		Limit	Units		Result	%REC	Limits	RPD	Limit		

Batch BFI0594 - General Preparation

Blank (BFI0594-BLK1)

Prepared: 09/21/22 Analyzed: 09/23/22

Specific Conductance (EC) ND 0.0100 mmhos/cm

LCS (BFI0594-BS1)

Prepared: 09/21/22 Analyzed: 09/23/22

Specific Conductance (EC) 0.156 0.0100 mmhos/cm 0.150 104 95-105

Duplicate (BFI0594-DUP1)

Source: 2209281-01

Prepared: 09/21/22 Analyzed: 09/23/22

Specific Conductance (EC) 0.402 0.0100 mmhos/cm 0.399 0.924 20

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]

Project Manager: Mark Longhurst

Reported:
 09/26/22 15:45

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction - Quality Control

Summit Scientific

Analyte	Result	Reporting		Spike	Source	%REC		RPD		Notes
		Limit	Units	Level	Result	%REC	Limits	RPD	Limit	

Batch BFI0595 - General Preparation

LCS (BFI0595-BS1)

Prepared: 09/21/22 Analyzed: 09/23/22

pH	9.00		pH Units	9.18		98.0	95-105		
----	------	--	----------	------	--	------	--------	--	--

Duplicate (BFI0595-DUP1)

Source: 2209281-01

Prepared: 09/21/22 Analyzed: 09/23/22

pH	8.33		pH Units	8.13		2.43	20		
----	------	--	----------	------	--	------	----	--	--

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
Project Manager: Mark Longhurst

Reported:
09/26/22 15:45

Notes and Definitions

DET Analyte DETECTED
ND Analyte NOT DETECTED at or above the reporting limit
NR Not Reported
dry Sample results reported on a dry weight basis
RPD Relative Percent Difference

Summit Scientific

4653 Table Mountain Drive, Golden, Colorado 80403

303.277.9310

September 28, 2022

Mark Longhurst

PDC Energy

1775 Sherman St. STE. 3000

Denver, CO 80203

RE: Gerry 3 Tank Battery

Work Order #2209299

Enclosed are the results of analyses for samples received by Summit Scientific on 09/15/22 17:08. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Mikayla Axtell For Paul Shrewsbury

President



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]

Project Manager: Mark Longhurst

Reported:
09/28/22 12:02

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
BKG02@2.5'	2209299-01	Soil	09/15/22 10:27	09/15/22 17:08

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Summit Scientific

2209299

4653 Table Mountain Drive ♦ Golden, Colorado 80403
303-277-9310

Page 1 of 1

Client: PDC / Tasman Project Manager: Mark Longhurst
Address: 6855 W 119th Ave E-Mail: mark.longhurst@PDCE.com
City/State/Zip: Broomfield/ CO/ 80020
Phone: 303-487-1228 Project Name: Gerry 3 Tank Battery
Sampler Name: Emily Wozniak Project Number:

ID	Sample Description	Date Sampled	Time Sampled	# of containers	Preservative				Matrix			Analysis Requested					Special Instructions	
					HCl	HNO3	None	Other	Water	Soil	Air-Canister #	Other	BTEXN - 8260B	TPH - (C6 - C36)	pH, EC, SAR	Boron - HWS		
1	BKG02 @ 2.5'	9/15/22	1027	1			X			X				X	X			pH, EC, SAR by saturated paste
2																		
3																		
4																		
5																		
6																		
7																		
8																		
9																		
10																		

Relinquished by: <u>Anna Wan</u>	Date/Time: <u>9/15/22 1405</u>	Received by: <u>Tasman's Lock Box</u>	Date/Time: <u>9/15/22 1405</u>	Turn Around Time (Check)	Notes:
Relinquished by: <u>Tasman's Lock Box</u>	Date/Time: <u>9/15/22 1708</u>	Received by: <u>[Signature]</u>	Date/Time: <u>9/15/22 1708</u>	Same Day <input type="checkbox"/>	
Relinquished by:	Date/Time:	Received by:	Date/Time:	24 hours <input type="checkbox"/>	
				48 hours <input type="checkbox"/>	
				Standard <input checked="" type="checkbox"/>	
				Sample Integrity:	
				Temperature Upon Receipt: <u>10.4</u>	
				Samples Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	

S₂

Sample Receipt Checklist

S2 Work Order# 2209289

Client: Profferman Client Project ID: Jerry 3 Tank Battery

Shipped Via: H.D./P.U./FedEx/UPS/USPS/Other [] Airbill #: []

Matrix (Check all that apply) Air [] Soil/Solid [] Water [] Other []

Temp (°C) 10.4 Thermometer # 1

	Yes	No	N/A	Comments (if any)
If samples require cooling, is the temperature < 6°C? (1) NOTE: If samples are delivered the same day of sampling, this requirement is met if there is evidence that cooling has begun.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	outside
If custody seals are present, are they intact? (1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Are samples due within 48 hours present?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Are water samples with short hold times present? Note the short hold analysis in the comments column - pH, Nitrate/Nitrite, Ferrous Iron (Fe ²⁺), Hexavalent Chromium (Cr ⁶⁺ , Cr VI), COD/BOD, Total Coliform, E. Coli, Total Residual Chlorine (TRC), Dissolved Oxygen	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Is a chain-of-custody (COC) form present and filled out Completely? (1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Is the COC properly relinquished by the client w/ date and time recorded? (1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Were all samples received intact? (1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Was adequate sample volume provided? (1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Does the COC agree with the number and type of sample bottles received? (1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Do the sample IDs on the bottle labels match the COC?(1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
For volatiles in water – is there headspace present? If yes, contact client and note in narrative.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Are samples preserved that require preservation (excluding cooling)? (1) Note the type of preservative in the comments column – HCl, H ₂ SO ₄ , NaOH, HNO ₃ , etc.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
If samples are acid preserved for metals, is the pH ≤ 2? (1) Record the pH in Comments.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
If dissolved metals are requested, were samples field filtered?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	

Additional Comments (if any):

(1) If NO, then contact the client before proceeding with analysis and note in case narrative.

[Signature] Custodian Printed Name

7.15.22 19:18 Date/Time



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
Project Manager: Mark Longhurst

Reported:
09/28/22 12:02

BKG02@2.5'
2209299-01 (Soil)

Summit Scientific

Total Metals by EPA 6020B Hot Water Soluble Extraction

Date Sampled: **09/15/22 10:27**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Boron	0.101	0.0100	mg/L	1	BF10529	09/21/22	09/27/22	EPA 6020B	

Soluble Nutrients by EPA 6020/USDA60 6(2) - Saturated Paste Extraction

Date Sampled: **09/15/22 10:27**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Calcium	93.0	0.0535	mg/L dry	1	BF10548	09/21/22	09/23/22	EPA 6020B	
Magnesium	34.5	0.0535	"	"	"	"	"	"	
Sodium	25.8	0.0535	"	"	"	"	"	"	

Calculated Analysis

Date Sampled: **09/15/22 10:27**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Sodium Adsorption Ratio	0.980	0.00100	units	1	BF10630	09/23/22	09/23/22	Calculation	

Physical Parameters by APHA/ASTM/EPA Methods

Date Sampled: **09/15/22 10:27**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
% Solids	93.4		%	1	BF10470	09/19/22	09/20/22	Calculation	

Specific Conductance by EPA Method 120.1, Saturated Paste Extraction

Date Sampled: **09/15/22 10:27**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Specific Conductance (EC)	0.874	0.0100	mmhos/cm	1	BF10597	09/21/22	09/23/22	EPA 120.1	

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]

Project Manager: Mark Longhurst

Reported:
 09/28/22 12:02

BKG02@2.5'
2209299-01 (Soil)

Summit Scientific

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction

Date Sampled: **09/15/22 10:27**

Analyte	Result	Reporting		Dilution	Batch	Prepared	Analyzed	Method	Notes
		Limit	Units						
pH	7.75		pH Units	1	BFI0596	09/21/22	09/23/22	EPA 9045D	

Summit Scientific



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
 Project Manager: Mark Longhurst

Reported:
 09/28/22 12:02

Total Metals by EPA 6020B Hot Water Soluble Extraction - Quality Control

Summit Scientific

Analyte	Result	Reporting		Spike Level	Source		%REC		RPD		Notes
		Limit	Units		Result	%REC	Limits	RPD	Limit		

Batch BFI0529 - EPA 3050B

Blank (BFI0529-BLK1)

Prepared: 09/21/22 Analyzed: 09/27/22

Boron ND 0.0100 mg/L

LCS (BFI0529-BS1)

Prepared: 09/21/22 Analyzed: 09/27/22

Boron 5.19 0.0100 mg/L 5.00 104 80-120

Duplicate (BFI0529-DUP1)

Source: 2209290-01

Prepared: 09/21/22 Analyzed: 09/27/22

Boron 0.136 0.0100 mg/L 0.145 6.60 20

Matrix Spike (BFI0529-MS1)

Source: 2209290-01

Prepared: 09/21/22 Analyzed: 09/27/22

Boron 5.05 0.0100 mg/L 5.00 0.145 98.1 75-125

Matrix Spike Dup (BFI0529-MSD1)

Source: 2209290-01

Prepared: 09/21/22 Analyzed: 09/27/22

Boron 5.19 0.0100 mg/L 5.00 0.145 101 75-125 2.75 25

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]

Project Manager: Mark Longhurst

Reported:
 09/28/22 12:02

Soluble Nutrients by EPA 6020/USDA60 6(2) - Saturated Paste Extraction - Quality Control

Summit Scientific

Analyte	Result	Reporting		Spike Level	Source Result	%REC		RPD		Notes
		Limit	Units			%REC	Limits	RPD	Limit	

Batch BFI0548 - General Preparation

Blank (BFI0548-BLK1)

Prepared: 09/21/22 Analyzed: 09/23/22

Calcium	ND	0.0500	mg/L wet							
Magnesium	ND	0.0500	"							
Sodium	ND	0.0500	"							

LCS (BFI0548-BS1)

Prepared: 09/21/22 Analyzed: 09/23/22

Calcium	5.79	0.0500	mg/L wet	5.00	116	70-130				
Magnesium	5.66	0.0500	"	5.00	113	70-130				
Sodium	5.41	0.0500	"	5.00	108	70-130				

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]

Project Manager: Mark Longhurst

Reported:
 09/28/22 12:02

Physical Parameters by APHA/ASTM/EPA Methods - Quality Control

Summit Scientific

Analyte	Result	Reporting		Spike Level	Source		%REC		RPD		Notes
		Limit	Units		Result	%REC	Limits	RPD	Limit		

Batch BFI0470 - General Preparation

Duplicate (BFI0470-DUP1)

Source: 2209290-01

Prepared: 09/19/22 Analyzed: 09/20/22

% Solids	84.8		%		84.3			0.626		20	
----------	------	--	---	--	------	--	--	-------	--	----	--

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]

Project Manager: Mark Longhurst

Reported:
 09/28/22 12:02

Specific Conductance by EPA Method 120.1, Saturated Paste Extraction - Quality Control

Summit Scientific

Analyte	Result	Reporting		Spike Level	Source		%REC		RPD		Notes
		Limit	Units		Result	%REC	Limits	RPD	Limit		

Batch BFI0597 - General Preparation

Blank (BFI0597-BLK1)

Prepared: 09/21/22 Analyzed: 09/23/22

Specific Conductance (EC) ND 0.0100 mmhos/cm

LCS (BFI0597-BS1)

Prepared: 09/21/22 Analyzed: 09/23/22

Specific Conductance (EC) 0.155 0.0100 mmhos/cm 0.150 103 95-105

Duplicate (BFI0597-DUP1)

Source: 2209295-01

Prepared: 09/21/22 Analyzed: 09/23/22

Specific Conductance (EC) 0.327 0.0100 mmhos/cm 0.320 2.04 20

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
 1775 Sherman St. STE. 3000
 Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]

Project Manager: Mark Longhurst

Reported:
 09/28/22 12:02

Physical Parameters by APHA/ASTM/EPA Methods, Saturated Paste Extraction - Quality Control

Summit Scientific

Analyte	Result	Reporting		Spike	Source	%REC		RPD		Notes
		Limit	Units	Level	Result	%REC	Limits	RPD	Limit	

Batch BFI0596 - General Preparation

LCS (BFI0596-BS1)

Prepared: 09/21/22 Analyzed: 09/23/22

pH	9.14		pH Units	9.18		99.6	95-105			
----	------	--	----------	------	--	------	--------	--	--	--

Duplicate (BFI0596-DUP1)

Source: 2209295-01

Prepared: 09/21/22 Analyzed: 09/23/22

pH	7.06		pH Units	7.11		0.706	20			
----	------	--	----------	------	--	-------	----	--	--	--

Summit Scientific

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



PDC Energy
1775 Sherman St. STE. 3000
Denver CO, 80203

Project: Gerry 3 Tank Battery

Project Number: [none]
Project Manager: Mark Longhurst

Reported:
09/28/22 12:02

Notes and Definitions

DET Analyte DETECTED
ND Analyte NOT DETECTED at or above the reporting limit
NR Not Reported
dry Sample results reported on a dry weight basis
RPD Relative Percent Difference