

CLAY 21-8

CLAY 21-8

CBM Well

PRD

Sample Date	Matrix	Constituent		Concentration	Unit	Sample Code	Data Validation
6/16/2004	Water	Alkalinity, Total Unfilt.		1470	mg/L as CaCO3	SA	
6/16/2004	Water	Arsenic (As) Total	<	50	ug/L	SA	
6/16/2004	Water	Benzene	<	0.5	ug/L	SA	
6/16/2004	Water	Bicarbonate (HCO3) Unfilt.		1204.91784	mg/L as CaCO3	SA	
6/16/2004	Water	Boron (B) Total		0.17	mg/L	SA	
6/16/2004	Water	Bromide (Br)		3.7	mg/L	SA	
6/16/2004	Water	Calcium (Ca) Total		10.2	mg/L	SA	
6/16/2004	Water	Carbonate (CO3) Unfilt.	<	8.33335	mg/L as CaCO3	SA	
6/16/2004	Water	Chloride Unfilt.		680	mg/L	SA	
6/16/2004	Water	Chromium (Cr) Total		11	ug/L	SA	
6/16/2004	Water	Copper (Cu) Total	<	10	ug/L	SA	
6/16/2004	Water	Ethylbenzene	<	0.5	ug/L	SA	
6/16/2004	Water	Hydroxide (OH) Unfilt.	<	14.70588	mg/L as CaCO3	SA	
6/16/2004	Water	Iron (Fe) Total		5.7	mg/L	SA	
6/16/2004	Water	Magnesium (Mg) Total		2.8	mg/L	SA	
6/16/2004	Water	Manganese (Mn) Total		0.069	mg/L	SA	
6/16/2004	Water	pH (lab)		8	No Units	SA	
6/16/2004	Water	Potassium (K) Total	<	5	mg/L	SA	
6/16/2004	Water	Resistivity Unfilt.		2.1	ohm-m	SA	
6/16/2004	Water	Selenium (Se) Total	<	15	ug/L	SA	
6/16/2004	Water	Sodium (Na) Total		1080	mg/L	SA	
6/16/2004	Water	Solids Total Dissolved (TDS)		2750	mg/L	SA	
6/16/2004	Water	Solids Total Suspended (TSS)		6.8	mg/L	SA	
6/16/2004	Water	Specific Gravity Unfilt.		1	25C/25C	SA	
6/16/2004	Water	Sulfate (SO4) Unfilt.	<	10	mg/L	SA	
6/16/2004	Water	Sulfide, Total		0.11	mg/L	SA	
6/16/2004	Water	Toluene	<	0.5	ug/L	SA	
6/16/2004	Water	Xylenes, Total	<	0.5	ug/L	SA	