

FORM
2

Rev
05/22

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

403213142

(SUBMITTED)

Date Received:

11/04/2022

APPLICATION FOR PERMIT TO

☒ Drill ☐ Deepen ☐ Re-enter ☐ Recomplete and Operate

Amend ☒

TYPE OF WELL OIL ☒ GAS ☐ COALBED ☐ OTHER: _____

Refill ☐

ZONE TYPE SINGLE ZONE ☒ MULTIPLE ZONES ☐ COMMINGLE ZONES ☐

Sidetrack ☐

Well Name: Sarcee Well Number: 7-67-3-34C
Name of Operator: ENERPLUS RESOURCES (USA) CORPORATION COGCC Operator Number: 10177
Address: 950 17TH STREET #2200
City: DENVER State: CO Zip: 80202
Contact Name: Jacob Everhart Phone: (720)2796743 Fax: ()
Email: jeverhart@enerplus.com

FINANCIAL ASSURANCE FOR PLUGGING, ABANDONMENT, AND RECLAMATION

COGCC Financial Assurance

☒ The Operator has provided or will provide Financial Assurance to the COGCC for this Well.

Surety ID Number (if applicable): 20170023

Federal Financial Assurance

☐ In checking this box, the Operator certifies that it has provided or will provide at least this amount of Financial Assurance to the federal government for this Well. (Per Rule702.a.)

Amount of Federal Financial Assurance \$ _____

WELL LOCATION INFORMATION

Surface Location

QtrQtr: SWSW Sec: 26 Twp: 8N Rng: 67W Meridian: 6

Footage at Surface: 345 Feet FSL 297 Feet FWL

Latitude: 40.626263 Longitude: -104.868455

GPS Data: GPS Quality Value: 1.6 Type of GPS Quality Value: PDOP Date of Measurement: 10/04/2022

Ground Elevation: 5155

Field Name: DJ HORIZONTAL NBRR-FTHYS-CODL Field Number: 16953

Well Plan: is ☐ Directional ☒ Horizontal (highly deviated) ☐ Vertical

If Well plan is Directional or Horizontal attach Deviated Drilling Plan and Directional Data.

Subsurface Locations

Top of Productive Zone (TPZ)

Sec: 34 Twp: 8N Rng: 67W Footage at TPZ: 660 FNL 1993 FEL

Measured Depth of TPZ: 8155 True Vertical Depth of TPZ: 7305 FNL/FWL FEL/FWL

Base of Productive Zone (BPZ)Sec: 3 Twp: 7N Rng: 67WFootage at BPZ: 660 FSL 1993 FELMeasured Depth of BPZ: 17569True Vertical Depth of BPZ: 7305 FNL/FSL FEL/FWL**Bottom Hole Location (BHL)**Sec: 3 Twp: 7N Rng: 67WFootage at BHL: 660 FSL 1993 FEL

FNL/FSL

FEL/FWL

LOCAL GOVERNMENT PERMITTING INFORMATIONCounty: WELDMunicipality: N/A

Is the Surface Location of this Well in an area designated as one of State interest and subject to the requirements of § 24-65.1-108 C.R.S.? Yes

Per § 34-60-106(1)(f)(I)(A) C.R.S., the following questions pertain to the Relevant Local Government approval of the siting of the proposed Oil and Gas Location.

SB 19-181 provides that when "applying for a permit to drill," operators must include proof that they sought a local government siting permit and the disposition of that permit application, or that the local government does not have siting regulations. § 34-60-106(1)(f)(I) (A) C.R.S.

Does the Relevant Local Government regulate the siting of Oil and Gas Locations, with respect to this Location? ☒ Yes ☐ No

☒ If yes, in checking this box, I hereby certify that an application has been filed with the local government with jurisdiction to approve the siting of the proposed oil and gas location.

The disposition of the application filed with the Relevant Local Government is: Approved Date of Final Disposition: 07/23/2020

Comments: 1041WOGLA20-0050 approved on 7/23/2020

SURFACE AND MINERAL OWNERSHIP AT WELL'S OIL & GAS LOCATION

Surface Owner of the land at this Well's Oil and Gas Location: ☒ Fee ☐ State ☐ Federal ☐ Indian

Mineral Owner beneath this Well's Oil and Gas Location: ☒ Fee ☐ State ☐ Federal ☐ Indian

Surface Owner Protection Bond (if applicable):

Surety ID Number (if applicable):

MINERALS DEVELOPED BY WELL

The ownership of all the minerals that will be developed by this Well is (check all that apply):

☒ Fee☐ State☐ Federal☐ Indian☐ N/A**LEASE INFORMATION**

Using standard QtrQtr, Section, Township, Range format describe one entire mineral lease as follows:

* If this Well is within a unit, describe a lease that will be developed by the Well.

* If this Well is not subject to a unit, describe the lease that will be produced by the Well.

(Attach a Lease Map or Lease Description or Lease if necessary.)

E2SW SEC 34 T8N R67W

Total Acres in Described Lease: 73

Described Mineral Lease is: ☐ Fee ☐ State ☒ Federal ☐ Indian

Federal or State Lease # COC 079377

SAFETY SETBACK INFORMATION

Distance from Well to nearest:

Building: 5280 Feet
Building Unit: 5280 Feet
Public Road: 4961 Feet
Above Ground Utility: 4928 Feet
Railroad: 5280 Feet
Property Line: 297 Feet

INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

OBJECTIVE FORMATIONS

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
CODELL	CODL	407-2359	1280	3-7-67 & 34-8-67: ALL

Federal or State Unit Name (if appl):

Unit Number:

SUBSURFACE MINERAL SETBACKS

Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? Yes

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: 660 Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: 286 Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: Feet

Exception Location

☐ If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers.

SPACING & FORMATIONS COMMENTS

DRILLING PROGRAMProposed Total Measured Depth: 17569 FeetTVD at Proposed Total Measured Depth 7305 Feet

Distance from the proposed wellbore to nearest existing or proposed wellbore belonging to another operator, including plugged wells:

Enter distance if less than or equal to 1,500 feet: 1134 Feet ☐ No well belonging to another operator within 1,500 feetWill a closed-loop drilling system be used? YesIs H₂S gas reasonably expected to be encountered during drilling operations at concentrations greater thanor equal to 100 ppm? No If yes, attach an H₂S Drilling Plan unless a plan was already submitted with the Form 2A per Rule 304.c.(10).Will there be hydraulic fracture treatment at a depth less than 2,000 feet in this well? NoWill salt sections be encountered during drilling? NoWill salt based (>15,000 ppm Cl) drilling fluids be used? NoWill oil based drilling fluids be used? YesBOP Equipment Type: ☒ Annular Preventor ☒ Double Ram ☒ Rotating Head ☐ None

Beneficial reuse or land application plan submitted? _____

Reuse Facility ID: 475549 or Document Number: _____**CASING PROGRAM**

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
CONDUCTOR	24	16	J-55	65	0	80	179	80	0
SURF	13+1/2	9+5/8	J-55	36	0	1500	304	1500	0
1ST	8+1/2	5+1/2	P-110	20	0	17569	2648	17569	0

☐ Conductor Casing is NOT planned**POTENTIAL FLOW AND CONFINING FORMATIONS**

Zone Type	Formation /Hazard	Top M.D.	Top T.V.D.	Bottom M.D.	Bottom T.V.D.	TDS (mg/L)	Data Source	Comment
Groundwater	Fox Hills	0	0	1297	1297	501-1000	USGS	
Confining Layer	Pierre Shale	1297	1297	3552	3537			
Groundwater	Parkman	3552	3537	3850	3817	1001-10000	Other	DWLS formation water catalog
Confining Layer	Pierre Shale	3850	3817	4831	4692			
Groundwater	Shannon	4831	4692	4900	4782	1001-10000	Other	DWLS formation water catalog
Confining Layer	Pierre Shale	4900	4782	7485	6957			
Confining Layer	Sharon Springs	7485	6957	7529	6995			
Hydrocarbon	Niobrara	7529	6995	7985	7279			
Confining Layer	Fort Hays	7985	7279	8073	7299			
Hydrocarbon	Codell	8073	7299	17569	7305			Bottom TVD is bottom of the well and not bottom of the formation; the formation is not planned to be exited.

OPERATOR COMMENTS AND SUBMITTAL

Comments

This Form 2 is being submitted as an amendment of API: 05-123-51360.

No wells have been drilled. The well names/numbers, SHL/TPZ/BHZ/BHL/TMD/TVD, cultural distances, spacing, formation, casing grades, nearest well, and PFZ table information are being confirmed or amended for the following wells:

Glenmore Trail 7-67-3-34C (API:05-123-51358)

Crowchild 7-67-3-34C (API:05-123-51359)

Sarcee 7-67-3-34C (API:05-123-51360)

McKnight 7-67-3-34C (API:05-123-51361)

The remaining 4 well slots are being submitted along with the above amended Form 2s for the following wells:

Macleod Trail 7-67-3-34

Deerfoot Trail 7-67-3-34

Memorial 7-67-3-34

Bow Trail 7-67-3-34

There have been no new buildings constructed and no changes to the surrounding land use, mineral lease descriptions from the previously approved APD. The well site has been constructed. There are no proposed changes to the location disturbance or equipment. All previously submitted notices and letters are also still valid.

The nearest well in unit per anti-collision is the proposed Deerfoot Trail 7-67-3-34 @ 286'.

The nearest outside operated well per 2-D calculation is the Blehm 1X-HC-10-07-67 (API: 05-123-51481) AP status at 1134'.

This application is in a Comprehensive Area Plan No CAP #: _____

Oil and Gas Development Plan Name _____ OGDID ID#: _____

Location ID: 478120

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Jordan Lukasik

Title: Regulatory Analyst Date: 11/4/2022 Email: regulatory@ascentgeomatics.c

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules, applicable orders, and SB 19-181 and is hereby approved.

COGCC Approved: _____ Director of COGCC Date: _____

Expiration Date: _____

API NUMBER

05 123 51360 00

Conditions Of Approval

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

COA Type

Description

0 COA	
-------	--

Best Management Practices

<u>No</u>	<u>BMP/COA Type</u>	<u>Description</u>
1	Drilling/Completion Operations	One of the first wells drilled on the pad during the first rig occupation will be logged with open-hole resistivity log with gamma-ray log from the kick-off point into the surface casing for one of the stratigraphically deepest wells on the pad. All wells on the pad will have a cement bond log with gamma-ray run on production casing (or on intermediate casing if production liner is run) into the surface casing. The horizontal portion of every well will be logged with a measured-while-drilling gamma-ray log. The Form 5, Completion Report, for each well on the pad will list all logs run and have those logs attached. The Form 5 for a well without open-hole logs will state "Alternative Logging Program - No open-hole logs were run" and will clearly identify the type of log and the well (by API#) in which open-hole logs were run.

Total: 1 comment(s)

Attachment List

<u>Att Doc Num</u>	<u>Name</u>
403218594	WELL LOCATION PLAT
403218596	OffsetWellEvaluations Data
403218599	DIRECTIONAL DATA
403218603	DEVIATED DRILLING PLAN

Total Attach: 4 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)