

PROJECT DETAILS: Garfield County, CO (Nad 83)

Geodetic System: US State Plane 1983
 Datum: North American Datum 1983
 Ellipsoid: GRS 1980
 Zone: Colorado Central Zone
 System Datum: Mean Sea Level

REFERENCE INFORMATION

Co-ordinate (N/E) Reference: Well SR 511-18 - Slot (B09) SR 511-18, True North
 Vertical (TVD) Reference: KB=30' @ 8037.00usft (H&P #329)
 Section (VS) Reference: Slot - (B09) SR 511-18(0.00N, 0.00E)
 Measured Depth Reference: KB=30' @ 8037.00usft (H&P #329)
 Calculation Method: Minimum Curvature

WELLBORE TARGET DETAILS (MAP CO-ORDINATES AND LAT/LONG)

Name	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	Shape
SR 511-18 - VP	7021.00	3039.11	1436.16	1594986.60	2343747.30	39.443960	-107.824019	Circle (Radius: 50.00)
SR 511-18 - PBHL	10306.00	3039.11	1436.16	1594986.60	2343747.30	39.443960	-107.824019	Point

ANNOTATIONS

MD	Inc	Azi	TVD	+N/-S	+E/-W	Vsect	Departure	Annotation
250.00	0.00	0.00	250.00	0.00	0.00	0.00	0.00	Start Build 3.00
416.67	5.00	5.00	416.46	7.24	0.63	6.82	7.27	Start DLS 3.00 TFO 23.67
1389.21	33.81	25.60	1324.62	299.83	123.90	324.03	325.35	Start 4297.73 hold at 1389.21 MD
5666.94	33.81	25.60	4895.56	2456.55	1157.09	2715.42	2716.78	Start Drop -1.50
7940.93	0.00	0.00	7021.00	3039.11	1436.16	3361.37	3362.73	Start 3285.00 hold at 7940.93 MD
11225.93	0.00	0.00	10306.00	3039.11	1436.16	3361.37	3362.73	TD at 11225.93

CASING DETAILS





TVD	MD	Name	Size
1100.00	1129.83	9 5/8" Surface Casing	9-5/8

WELL DETAILS: SR 511-18

+N/-S	+E/-W	Northing	Ground Elev:	8007.00	Latitude	Longitude	Slot
0.00	0.00	1591985.30	2342233.70		39.435617	-107.829105	(B09) SR 511-18

FORMATION TOP DETAILS

TVDPath	MDPath	Formation
0.00	0.00	U_WSCH
4111.00	4742.70	G_SAND
4611.00	5344.46	FRUN
6031.00	6939.50	L_WSCH
6431.00	7348.56	OCRK
7021.00	7940.93	TGAS
7021.00	7940.93	U_MVRD
9077.00	9996.93	CMEQ
9956.00	10875.93	RLNS
10306.00	11225.93	TD



Plan: Plan 1 (SR 511-18/Wellbore #1)

Created By: Chase Chambers Date: 12:47, April 19 2022



Terra Energy Partners, LLP

Garfield County, CO (Nad 83)

S. Leverich 13-09 Pad

SR 511-18 - Slot (B09) SR 511-18

Wellbore #1

Plan: Plan 1

KLX Well Planning Report

15 February, 2022



Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well SR 511-18 - Slot (B09) SR 511-18
Company:	Terra Energy Partners, LLP	TVD Reference:	KB=30' @ 8037.00usft (H&P #329)
Project:	Garfield County, CO (Nad 83)	MD Reference:	KB=30' @ 8037.00usft (H&P #329)
Site:	S. Leverich 13-09 Pad	North Reference:	True
Well:	SR 511-18	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Plan 1		

Project	Garfield County, CO (Nad 83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	Colorado Central Zone		

Site		S. Leverich 13-09 Pad			
Site Position:		Northing:	1,591,962.80 usft	Latitude:	39.435551
From:	Map	Easting:	2,342,185.30 usft	Longitude:	-107.829274
Position Uncertainty:	0.00 usft	Slot Radius:	13-3/16 "	Grid Convergence:	-1.47 °

Well	SR 511-18 - Slot (B09) SR 511-18					
Well Position	+N/-S	23.73 usft	Northing:	1,591,985.30 usft	Latitude:	39.435617
	+E/-W	47.81 usft	Easting:	2,342,233.70 usft	Longitude:	-107.829105
Position Uncertainty		0.00 usft	Wellhead Elevation:		Ground Level:	8,007.00 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM2021	8/4/2021	8.97	65.43	51,175.30000000

Design	Plan 1			
Audit Notes:				
Version:	Phase:	PLAN	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.00	0.00	0.00	25.29

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
250.00	0.00	0.00	250.00	0.00	0.00	0.00	0.00	0.00	0.00	
416.67	5.00	5.00	416.46	7.24	0.63	3.00	3.00	0.00	5.00	
1,389.21	33.81	25.60	1,324.62	299.83	123.90	3.00	2.96	2.12	23.67	
5,686.94	33.81	25.60	4,895.56	2,456.55	1,157.09	0.00	0.00	0.00	0.00	
7,940.93	0.00	0.00	7,021.00	3,039.11	1,436.16	1.50	-1.50	0.00	180.00	SR 511-18 - VP
11,225.93	0.00	0.00	10,306.00	3,039.11	1,436.16	0.00	0.00	0.00	0.00	SR 511-18 - PBHL

Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well SR 511-18 - Slot (B09) SR 511-18
Company:	Terra Energy Partners, LLP	TVD Reference:	KB=30' @ 8037.00usft (H&P #329)
Project:	Garfield County, CO (Nad 83)	MD Reference:	KB=30' @ 8037.00usft (H&P #329)
Site:	S. Leverich 13-09 Pad	North Reference:	True
Well:	SR 511-18	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Plan 1		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
U_WSCH									
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00
200.00	0.00	0.00	200.00	0.00	0.00	0.00	0.00	0.00	0.00
Start Build 3.00									
250.00	0.00	0.00	250.00	0.00	0.00	0.00	0.00	0.00	0.00
300.00	1.50	5.00	299.99	0.65	0.06	0.61	3.00	3.00	0.00
400.00	4.50	5.00	399.85	5.87	0.51	5.52	3.00	3.00	0.00
Start DLS 3.00 TFO 23.67									
416.67	5.00	5.00	416.46	7.24	0.63	6.82	3.00	3.00	0.00
500.00	7.36	12.86	499.30	16.06	2.14	15.44	3.00	2.83	9.43
600.00	10.28	17.46	598.11	30.82	6.24	30.53	3.00	2.92	4.60
700.00	13.23	20.03	696.00	50.08	12.84	50.77	3.00	2.95	2.57
800.00	16.20	21.67	792.71	73.81	21.91	76.09	3.00	2.97	1.64
900.00	19.18	22.82	887.97	101.92	33.44	106.44	3.00	2.98	1.14
1,000.00	22.17	23.66	981.52	134.35	47.38	141.71	3.00	2.99	0.85
1,100.00	25.16	24.32	1,073.10	171.01	63.71	181.83	3.00	2.99	0.65
9 5/8" Surface Casing									
1,129.83	26.05	24.49	1,100.00	182.74	69.04	194.72	3.00	2.99	0.56
1,200.00	28.15	24.84	1,162.47	211.79	82.38	226.68	3.00	2.99	0.51
1,300.00	31.14	25.27	1,249.37	256.58	103.33	276.13	3.00	2.99	0.43
Start 4297.73 hold at 1389.21 MD									
1,389.21	33.81	25.60	1,324.62	299.83	123.90	324.03	3.00	2.99	0.36
1,400.00	33.81	25.60	1,333.59	305.25	126.50	330.03	0.00	0.00	0.00
1,500.00	33.81	25.60	1,416.68	355.43	150.54	385.68	0.00	0.00	0.00
1,600.00	33.81	25.60	1,499.77	405.61	174.58	441.32	0.00	0.00	0.00
1,700.00	33.81	25.60	1,582.86	455.80	198.62	496.96	0.00	0.00	0.00
1,800.00	33.81	25.60	1,665.94	505.98	222.66	552.60	0.00	0.00	0.00
1,900.00	33.81	25.60	1,749.03	556.16	246.70	608.25	0.00	0.00	0.00
2,000.00	33.81	25.60	1,832.12	606.35	270.74	663.89	0.00	0.00	0.00
2,100.00	33.81	25.60	1,915.21	656.53	294.78	719.53	0.00	0.00	0.00
2,200.00	33.81	25.60	1,998.30	706.71	318.82	775.18	0.00	0.00	0.00
2,300.00	33.81	25.60	2,081.39	756.89	342.86	830.82	0.00	0.00	0.00
2,400.00	33.81	25.60	2,164.48	807.08	366.90	886.46	0.00	0.00	0.00
2,500.00	33.81	25.60	2,247.57	857.26	390.94	942.11	0.00	0.00	0.00
2,600.00	33.81	25.60	2,330.66	907.44	414.98	997.75	0.00	0.00	0.00
2,700.00	33.81	25.60	2,413.74	957.63	439.02	1,053.39	0.00	0.00	0.00
2,800.00	33.81	25.60	2,496.83	1,007.81	463.06	1,109.04	0.00	0.00	0.00
2,900.00	33.81	25.60	2,579.92	1,057.99	487.10	1,164.68	0.00	0.00	0.00
3,000.00	33.81	25.60	2,663.01	1,108.17	511.14	1,220.32	0.00	0.00	0.00
3,100.00	33.81	25.60	2,746.10	1,158.36	535.18	1,275.96	0.00	0.00	0.00
3,200.00	33.81	25.60	2,829.19	1,208.54	559.22	1,331.61	0.00	0.00	0.00
3,300.00	33.81	25.60	2,912.28	1,258.72	583.26	1,387.25	0.00	0.00	0.00
3,400.00	33.81	25.60	2,995.37	1,308.90	607.30	1,442.89	0.00	0.00	0.00
3,500.00	33.81	25.60	3,078.46	1,359.09	631.34	1,498.54	0.00	0.00	0.00
3,600.00	33.81	25.60	3,161.54	1,409.27	655.38	1,554.18	0.00	0.00	0.00
3,700.00	33.81	25.60	3,244.63	1,459.45	679.42	1,609.82	0.00	0.00	0.00
3,800.00	33.81	25.60	3,327.72	1,509.64	703.46	1,665.47	0.00	0.00	0.00
3,900.00	33.81	25.60	3,410.81	1,559.82	727.50	1,721.11	0.00	0.00	0.00
4,000.00	33.81	25.60	3,493.90	1,610.00	751.54	1,776.75	0.00	0.00	0.00
4,100.00	33.81	25.60	3,576.99	1,660.18	775.58	1,832.40	0.00	0.00	0.00
4,200.00	33.81	25.60	3,660.08	1,710.37	799.62	1,888.04	0.00	0.00	0.00
4,300.00	33.81	25.60	3,743.17	1,760.55	823.66	1,943.68	0.00	0.00	0.00
4,400.00	33.81	25.60	3,826.26	1,810.73	847.70	1,999.32	0.00	0.00	0.00

Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well SR 511-18 - Slot (B09) SR 511-18
Company:	Terra Energy Partners, LLP	TVD Reference:	KB=30' @ 8037.00usft (H&P #329)
Project:	Garfield County, CO (Nad 83)	MD Reference:	KB=30' @ 8037.00usft (H&P #329)
Site:	S. Leverich 13-09 Pad	North Reference:	True
Well:	SR 511-18	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Plan 1		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
4,500.00	33.81	25.60	3,909.34	1,860.91	871.74	2,054.97	0.00	0.00	0.00
4,600.00	33.81	25.60	3,992.43	1,911.10	895.78	2,110.61	0.00	0.00	0.00
4,700.00	33.81	25.60	4,075.52	1,961.28	919.82	2,166.25	0.00	0.00	0.00
G_SAND									
4,742.70	33.81	25.60	4,111.00	1,982.71	930.09	2,190.01	0.00	0.00	0.00
4,800.00	33.81	25.60	4,158.61	2,011.46	943.86	2,221.90	0.00	0.00	0.00
4,900.00	33.81	25.60	4,241.70	2,061.65	967.90	2,277.54	0.00	0.00	0.00
5,000.00	33.81	25.60	4,324.79	2,111.83	991.94	2,333.18	0.00	0.00	0.00
5,100.00	33.81	25.60	4,407.88	2,162.01	1,015.98	2,388.83	0.00	0.00	0.00
5,200.00	33.81	25.60	4,490.97	2,212.19	1,040.02	2,444.47	0.00	0.00	0.00
5,300.00	33.81	25.60	4,574.06	2,262.38	1,064.06	2,500.11	0.00	0.00	0.00
FRUN									
5,344.46	33.81	25.60	4,611.00	2,284.69	1,074.75	2,524.85	0.00	0.00	0.00
5,400.00	33.81	25.60	4,657.14	2,312.56	1,088.11	2,555.76	0.00	0.00	0.00
5,500.00	33.81	25.60	4,740.23	2,362.74	1,112.15	2,611.40	0.00	0.00	0.00
5,600.00	33.81	25.60	4,823.32	2,412.92	1,136.19	2,667.04	0.00	0.00	0.00
Start Drop -1.50									
5,686.94	33.81	25.60	4,895.56	2,456.55	1,157.09	2,715.42	0.00	0.00	0.00
5,700.00	33.61	25.60	4,906.42	2,463.09	1,160.22	2,722.67	1.50	-1.50	0.00
5,800.00	32.11	25.60	4,990.42	2,512.03	1,183.66	2,776.93	1.50	-1.50	0.00
5,900.00	30.61	25.60	5,075.80	2,558.97	1,206.15	2,828.97	1.50	-1.50	0.00
6,000.00	29.11	25.60	5,162.52	2,603.87	1,227.66	2,878.77	1.50	-1.50	0.00
6,100.00	27.61	25.60	5,250.51	2,646.72	1,248.18	2,926.27	1.50	-1.50	0.00
6,200.00	26.11	25.60	5,339.72	2,687.47	1,267.71	2,971.46	1.50	-1.50	0.00
6,300.00	24.61	25.60	5,430.08	2,726.10	1,286.21	3,014.29	1.50	-1.50	0.00
6,400.00	23.11	25.60	5,521.53	2,762.58	1,303.69	3,054.75	1.50	-1.50	0.00
6,500.00	21.61	25.60	5,614.00	2,796.90	1,320.13	3,092.79	1.50	-1.50	0.00
6,600.00	20.11	25.60	5,707.44	2,829.02	1,335.52	3,128.41	1.50	-1.50	0.00
6,700.00	18.61	25.60	5,801.78	2,858.92	1,349.84	3,161.56	1.50	-1.50	0.00
6,800.00	17.11	25.60	5,896.96	2,886.58	1,363.09	3,192.24	1.50	-1.50	0.00
6,900.00	15.61	25.60	5,992.90	2,911.99	1,375.26	3,220.41	1.50	-1.50	0.00
L_WSCH									
6,939.50	15.02	25.60	6,031.00	2,921.40	1,379.77	3,230.84	1.50	-1.50	0.00
7,000.00	14.11	25.60	6,089.55	2,935.12	1,386.35	3,246.06	1.50	-1.50	0.00
7,100.00	12.61	25.60	6,186.84	2,955.97	1,396.33	3,269.17	1.50	-1.50	0.00
7,200.00	11.11	25.60	6,284.71	2,974.51	1,405.21	3,289.73	1.50	-1.50	0.00
7,300.00	9.61	25.60	6,383.07	2,990.73	1,412.99	3,307.72	1.50	-1.50	0.00
OCRK									
7,348.56	8.89	25.60	6,431.00	2,997.77	1,416.36	3,315.53	1.50	-1.50	0.00
7,400.00	8.11	25.60	6,481.87	3,004.63	1,419.64	3,323.13	1.50	-1.50	0.00
7,500.00	6.61	25.60	6,581.05	3,016.19	1,425.18	3,335.95	1.50	-1.50	0.00
7,600.00	5.11	25.60	6,680.52	3,025.40	1,429.59	3,346.16	1.50	-1.50	0.00
7,700.00	3.61	25.60	6,780.23	3,032.26	1,432.88	3,353.77	1.50	-1.50	0.00
7,800.00	2.11	25.60	6,880.10	3,036.77	1,435.04	3,358.77	1.50	-1.50	0.00
7,900.00	0.61	25.60	6,980.07	3,038.92	1,436.07	3,361.15	1.50	-1.50	0.00
Start 3285.00 hold at 7940.93 MD - U_MVRD - TGAS									
7,940.93	0.00	0.00	7,021.00	3,039.11	1,436.16	3,361.37	1.50	-1.50	0.00
8,000.00	0.00	0.00	7,080.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
8,100.00	0.00	0.00	7,180.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
8,200.00	0.00	0.00	7,280.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
8,300.00	0.00	0.00	7,380.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
8,400.00	0.00	0.00	7,480.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
8,500.00	0.00	0.00	7,580.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00

Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well SR 511-18 - Slot (B09) SR 511-18
Company:	Terra Energy Partners, LLP	TVD Reference:	KB=30' @ 8037.00usft (H&P #329)
Project:	Garfield County, CO (Nad 83)	MD Reference:	KB=30' @ 8037.00usft (H&P #329)
Site:	S. Leverich 13-09 Pad	North Reference:	True
Well:	SR 511-18	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Plan 1		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
8,600.00	0.00	0.00	7,680.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
8,700.00	0.00	0.00	7,780.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
8,800.00	0.00	0.00	7,880.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
8,900.00	0.00	0.00	7,980.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
9,000.00	0.00	0.00	8,080.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
9,100.00	0.00	0.00	8,180.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
9,200.00	0.00	0.00	8,280.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
9,300.00	0.00	0.00	8,380.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
9,400.00	0.00	0.00	8,480.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
9,500.00	0.00	0.00	8,580.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
9,600.00	0.00	0.00	8,680.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
9,700.00	0.00	0.00	8,780.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
9,800.00	0.00	0.00	8,880.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
9,900.00	0.00	0.00	8,980.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
CMEO									
9,996.93	0.00	0.00	9,077.00	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
10,000.00	0.00	0.00	9,080.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
10,100.00	0.00	0.00	9,180.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
10,200.00	0.00	0.00	9,280.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
10,300.00	0.00	0.00	9,380.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
10,400.00	0.00	0.00	9,480.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
10,500.00	0.00	0.00	9,580.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
10,600.00	0.00	0.00	9,680.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
10,700.00	0.00	0.00	9,780.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
10,800.00	0.00	0.00	9,880.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
RLNS									
10,875.93	0.00	0.00	9,956.00	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
10,900.00	0.00	0.00	9,980.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
11,000.00	0.00	0.00	10,080.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
11,100.00	0.00	0.00	10,180.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
11,200.00	0.00	0.00	10,280.07	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00
TD at 11225.93 - TD									
11,225.93	0.00	0.00	10,306.00	3,039.11	1,436.16	3,361.37	0.00	0.00	0.00

Design Targets									
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
- hit/miss target									
- Shape									
SR 511-18 - VP	0.00	0.00	7,021.00	3,039.11	1,436.16	1,594,986.60	2,343,747.30	39.443960	-107.824020
- plan hits target center									
- Circle (radius 50.00)									
SR 511-18 - PBHL	0.00	0.00	10,306.00	3,039.11	1,436.16	1,594,986.60	2,343,747.30	39.443960	-107.824020
- plan hits target center									
- Point									

Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well SR 511-18 - Slot (B09) SR 511-18
Company:	Terra Energy Partners, LLP	TVD Reference:	KB=30' @ 8037.00usft (H&P #329)
Project:	Garfield County, CO (Nad 83)	MD Reference:	KB=30' @ 8037.00usft (H&P #329)
Site:	S. Leverich 13-09 Pad	North Reference:	True
Well:	SR 511-18	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Plan 1		

Casing Points				
Measured Depth (usft)	Vertical Depth (usft)	Name	Casing Diameter (")	Hole Diameter (")
1,129.83	1,100.00	9 5/8" Surface Casing	9-5/8	12-1/4

Formations					
Measured Depth (usft)	Vertical Depth (usft)	Name	Lithology	Dip (°)	Dip Direction (°)
0.00	0.00	U__WSCH		0.00	
4,742.70	4,111.00	G_SAND			
5,344.46	4,611.00	FRUN			
6,939.50	6,031.00	L__WSCH			
7,348.56	6,431.00	OCRK			
7,940.93	7,021.00	U__MVRD			
7,940.93	7,021.00	TGAS			
9,996.93	9,077.00	CMEO			
10,875.93	9,956.00	RLNS			
11,225.93	10,306.00	TD		0.00	

Plan Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
250.00	250.00	0.00	0.00	Start Build 3.00
416.67	416.46	7.24	0.63	Start DLS 3.00 TFO 23.67
1,389.21	1,324.62	299.83	123.90	Start 4297.73 hold at 1389.21 MD
5,686.94	4,895.56	2,456.55	1,157.09	Start Drop -1.50
7,940.93	7,021.00	3,039.11	1,436.16	Start 3285.00 hold at 7940.93 MD
11,225.93	10,306.00	3,039.11	1,436.16	TD at 11225.93