

FORM  
2

Rev  
05/22

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

403297067

(SUBMITTED)

Date Received:

02/07/2023

APPLICATION FOR PERMIT TO

☒ Drill ☐ Deepen ☐ Re-enter ☐ Recomplete and Operate

Amend ☐

TYPE OF WELL OIL ☒ GAS ☐ COALBED ☐ OTHER: \_\_\_\_\_

Refill ☐

ZONE TYPE SINGLE ZONE ☒ MULTIPLE ZONES ☐ COMMINGLE ZONES ☐

Sidetrack ☐

Well Name: SU 0680 Well Number: 4-4H  
Name of Operator: FULCRUM ENERGY OPERATING LLC COGCC Operator Number: 10805  
Address: 240 SAINT PAUL STREET SUITE 502  
City: DENVER State: CO Zip: 80206  
Contact Name: Heidi Kaczor Phone: (303)981 5409 Fax: ( )  
Email: Heidi.Kaczor@fulcrumeo.com

FINANCIAL ASSURANCE FOR PLUGGING, ABANDONMENT, AND RECLAMATION

COGCC Financial Assurance

☒ The Operator has provided or will provide Financial Assurance to the COGCC for this Well.

Surety ID Number (if applicable): 20220114

Federal Financial Assurance

☐ In checking this box, the Operator certifies that it has provided or will provide at least this amount of Financial Assurance to the federal government for this Well. (Per Rule702.a.)

Amount of Federal Financial Assurance \$ \_\_\_\_\_

WELL LOCATION INFORMATION

Surface Location

QtrQtr: NENW Sec: 9 Twp: 6N Rng: 80W Meridian: 6

Footage at Surface: 587 Feet FNL/FSL 1605 Feet FEL/FWL

Latitude: 40.510105 Longitude: -106.384741

GPS Data: GPS Quality Value: 1.7 Type of GPS Quality Value: PDOP Date of Measurement: 09/29/2022

Ground Elevation: 8267

Field Name: NORTH PARK HORIZONTAL Field Number: 60120  
NIOBRARA

Well Plan: is ☐ Directional ☒ Horizontal (highly deviated) ☐ Vertical

If Well plan is Directional or Horizontal attach Deviated Drilling Plan and Directional Data.

Subsurface Locations

Top of Productive Zone (TPZ)

Sec: 4 Twp: 6N Rng: 80W Footage at TPZ: 222 FSL 1300 FWL

Measured Depth of TPZ: 7974 True Vertical Depth of TPZ: 7540 FNL/FSL FEL/FWL

**Base of Productive Zone (BPZ)**Sec: 4 Twp: 6N Rng: 80WFootage at BPZ: 100 FNL 637 FWLMeasured Depth of BPZ: 13074True Vertical Depth of BPZ: 7540 FNL/FSL FEL/FWL**Bottom Hole Location (BHL)**Sec: 4 Twp: 6N Rng: 80WFootage at BHL: 100 FNL 637 FWLFNL/FSLFEL/FWL**LOCAL GOVERNMENT PERMITTING INFORMATION**County: JACKSONMunicipality: N/A

Is the Surface Location of this Well in an area designated as one of State interest and subject to the requirements of §

24-65.1-108 C.R.S.? No

Per § 34-60-106(1)(f)(I)(A) C.R.S., the following questions pertain to the Relevant Local Government approval of the siting of the proposed Oil and Gas Location.

SB 19-181 provides that when "applying for a permit to drill," operators must include proof that they sought a local government siting permit and the disposition of that permit application, or that the local government does not have siting regulations. § 34-60-106(1)(f)(I)(A) C.R.S.

Does the Relevant Local Government regulate the siting of Oil and Gas Locations, with respect to this Location? ☐ Yes ☒ No☐ If yes, in checking this box, I hereby certify that an application has been filed with the local government with jurisdiction to approve the siting of the proposed oil and gas location.The disposition of the application filed with the Relevant Local Government is: Waived Date of Final Disposition: 05/23/2019Comments: Jackson County does not regulate oil & gas per letter 5/23/19.**SURFACE AND MINERAL OWNERSHIP AT WELL'S OIL & GAS LOCATION**Surface Owner of the land at this Well's Oil and Gas Location: ☒ Fee ☐ State ☐ Federal ☐ IndianMineral Owner beneath this Well's Oil and Gas Location: ☒ Fee ☐ State ☐ Federal ☐ Indian

Surface Owner Protection Bond (if applicable): \_\_\_\_\_

Surety ID Number (if applicable): \_\_\_\_\_

**MINERALS DEVELOPED BY WELL**

The ownership of all the minerals that will be developed by this Well is (check all that apply):

☒ Fee☒ State☒ Federal☐ Indian☐ N/A

## LEASE INFORMATION

Using standard QtrQtr, Section, Township, Range format describe one entire mineral lease as follows:

\* If this Well is within a unit, describe a lease that will be developed by the Well.

\* If this Well is not subject to a unit, describe the lease that will be produced by the Well.

(Attach a Lease Map or Lease Description or Lease if necessary.)

Township 6 North, Range 80 West, 6th P.M.

Section 4: S2NW4, SW4

section 5: Lots 2, 3, SENW, E2SW4

Section 6: Lots 2 & 3

Section 8: SESE

Section 9: NW4, N2SW4, SESW

Section 17: NW4, W2NE4, NENE

Township 7 North, Range 80 West, 6th P.M.

Section 29: S2SW4

Section 31: NENE, S2NE4, N2SE4, SWSE

Section 32: NW4, N2SW4, NESE, S2SE4

Total Acres in Described Lease: 1804

Described Mineral Lease is: ☒ Fee

☐ State

☐ Federal

☐ Indian

Federal or State Lease #

## SAFETY SETBACK INFORMATION

Distance from Well to nearest:

Building: 4143 Feet

Building Unit: 4143 Feet

Public Road: 489 Feet

Above Ground Utility: 221 Feet

Railroad: 5280 Feet

Property Line: 1060 Feet

### INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).

- Enter 5280 for distance greater than 1 mile.

- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.

- Building Unit – as defined in 100 Series Rules.

## OBJECTIVE FORMATIONS

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
NIOBRARA	NBRR	531-48	24248	

Federal or State Unit Name (if appl): Surprise Unit

Unit Number: 075017X

## SUBSURFACE MINERAL SETBACKS

Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? Yes

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: 100 Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: 304 Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: \_\_\_\_\_ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: \_\_\_\_\_ Feet

## Exception Location

☐ If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. \_\_\_\_\_

## SPACING & FORMATIONS COMMENTS

The spacing order 531-48 only applies to the offsets to the unit boundaries. This well is located in the middle of the unit.  
Unit also contains Federal Minerals: Lease COC76295, COC79846  
Unit also contains State Minerals: OG 9476 08

## DRILLING PROGRAM

Proposed Total Measured Depth: 13074 Feet

TVD at Proposed Total Measured Depth 7540 Feet

Distance from the proposed wellbore to nearest existing or proposed wellbore belonging to another operator, including plugged wells:

Enter distance if less than or equal to 1,500 feet: 1177 Feet ☐ No well belonging to another operator within 1,500 feet

Will a closed-loop drilling system be used? Yes

Is H<sub>2</sub>S gas reasonably expected to be encountered during drilling operations at concentrations greater than or equal to 100 ppm? No If yes, attach an H<sub>2</sub>S Drilling Plan unless a plan was already submitted with the Form 2A per Rule 304.c.(10).

Will there be hydraulic fracture treatment at a depth less than 2,000 feet in this well? No

Will salt sections be encountered during drilling? No

Will salt based (>15,000 ppm Cl) drilling fluids be used? No

Will oil based drilling fluids be used? Yes

BOP Equipment Type: ☒ Annular Preventor ☒ Double Ram ☒ Rotating Head ☐ None

Beneficial reuse or land application plan submitted? \_\_\_\_\_

Reuse Facility ID: \_\_\_\_\_ or Document Number: \_\_\_\_\_

**CASING PROGRAM**

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
CONDUCTOR	26	16	J55	75	0	120	120	120	0
SURF	13+1/2	9+5/8	L80	40	0	4500	1985	4500	0
1ST	8+1/2	5+1/2	P110	20	0	13074	1588	13074	3500

☐ Conductor Casing is NOT planned

**POTENTIAL FLOW AND CONFINING FORMATIONS**

Zone Type	Formation /Hazard	Top M.D.	Top T.V.D.	Bottom M.D.	Bottom T.V.D.	TDS (mg/L)	Data Source	Comment
Groundwater	Coalmont Sand	0	0	2216	2215	0-500	USGS	Site Name: SB00608003ABD1 TD@640' TDS@466
Confining Layer	Coalmont Shale	2216	2215	4256	4255			
Confining Layer	Upper Pierre	4041	4030	5016	5015			
Hydrocarbon	Sussex	5421	5410	5411	5410			
Confining Layer	Pierre	5600	5589	5511	5510			
Hydrocarbon	Shannon	6011	6000	5576	5575			
Confining Layer	Pierre	6100	6089	7073	7050			
Hydrocarbon	Niobrara	7073	7050	13074	7540			Bottom TVD is bottom of the well and not bottom of the formation; The formation is not planned to be exited.

**OPERATOR COMMENTS AND SUBMITTAL****Comments**

PFZ Comment: The upper shallow section of the North Park is not well defined. We used the depth and lithology components to define two separate sections; one being sand (as North Park FM) which is most likely a possible source of groundwater and the second being a shale (as Coalmont FM) which should not be a source of groundwater. The shale should not be a source of groundwater and has not been found to be a source of groundwater in the USGS dataset.

This Form 2 is part of a plan to submit permits to fill 7 of the remaining 13 well slots of the 16-well location. The SU 0680 3-9H16 (API: 05-123-06551), SU 0680 6-4H (API: 05-123-06552), SU 0680 12-9H16 (API: 05-123-06611) are existing producing wells. The location has been constructed. There have been no new buildings constructed and no changes to the surrounding land use.

Nearest well in unit per 2-D calculation is the proposed SU 0680 3-4H @ 304.  
Nearest outside-operated well per anti-collision is the Rich 21 (API: 05-057-05012) DA Status @ 1177'.

This application is in a Comprehensive Area Plan No CAP #: \_\_\_\_\_

Oil and Gas Development Plan Name \_\_\_\_\_ OGDID ID#: \_\_\_\_\_

Location ID: 445005

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Justin Garrett

Title: Sr. Regulatory Analyst Date: 2/7/2023 Email: regulatory@ascentgeomatics.c



Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules, applicable orders, and SB 19-181 and is hereby approved.

COGCC Approved: \_\_\_\_\_ Director of COGCC Date: \_\_\_\_\_  
Expiration Date: \_\_\_\_\_

API NUMBER

05

### Conditions Of Approval

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

#### COA Type

#### Description

0 COA	

### Best Management Practices

#### No BMP/COA Type

#### Description

1	Drilling/Completion Operations	Alternative Logging Program: One of the first wells drilled on the pad will be logged with open-hole resistivity log with gamma-ray log from the kick-off point into the surface casing. All wells on the pad will have a cement bond log with gamma-ray run on production casing (or on intermediate casing if production liner is run) into the surface casing. The horizontal portion of every well will be logged with a measured-while-drilling gamma-ray log. The Form 5, Completion Report, for each well on the pad will list all logs run and have those logs attached. The Form 5 for a well without open-hole logs shall state "Alternative Logging Program - No open-hole logs were run" and shall clearly identify the type of log and the well (by API#) in which open-hole logs were run.
2	Drilling/Completion Operations	Blowout Prevention Equipment ("BOPE"): A double ram annular preventer will be used during drilling.

Total: 2 comment(s)

### Attachment List

#### Att Doc Num

#### Name

403312973	OffsetWellEvaluations Data
403313042	WELL LOCATION PLAT
403313044	DEVIATED DRILLING PLAN
403313046	DIRECTIONAL DATA

Total Attach: 4 Files

### General Comments

#### User Group

#### Comment

#### Comment Date

		Stamp Upon Approval
--	--	---------------------

Total: 0 comment(s)