

FORM

6

Rev  
11/20

## State of Colorado

## Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE

ET

OE

ES

Replug By Other Operator

Document Number:

403315856

Date Received:

## WELL ABANDONMENT REPORT

This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set.

A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.

OGCC Operator Number: 10071

Contact Name: Adam Conry

Name of Operator: HIGHPOINT OPERATING CORPORATION

Phone: (303) 883-3351

Address: 555 17TH ST STE 3700

Fax:

City: DENVER State: CO Zip: 80202

Email: AConry@civiresources.com

For "Intent" 24 hour notice required,

Name:

Tel:

COGCC contact:

Email:

Type of Well Abandonment Report:



Notice of Intent to Abandon



Subsequent Report of Abandonment

API Number 05-123-09247-00

Well Name: ORR

Well Number: 14-20

Location: QtrQtr: SWSW

Section: 20

Township: 4N

Range: 62W

Meridian: 6

County: WELD

Federal, Indian or State Lease Number:

Field Name: WILDCAT

Field Number: 99999

## Only Complete the Following Background Information for Intent to Abandon

Latitude: 40.291719

Longitude: -104.355075

GPS Data: GPS Quality Value: 1.6

Type of GPS Quality Value: PDOP

Date of Measurement: 10/02/2014

Reason for Abandonment:


☐ Other

Casing to be pulled:



Estimated Depth:

Fish in Hole:



If yes, explain details below

Wellbore has Uncemented Casing leaks:



If yes, explain details below

Details:

## Current and Previously Abandoned Zones

Formation

Perf. Top

Perf. Btm

Abandoned Date

Method of Isolation

Plug Depth

Total: 0 zone(s)

## Casing History

| Casing Type | Size of Hole | Size of Casing | Grade | Wt/Ft | Csg/Liner Top | Setting Depth | Sacks Cmt | Cmt Btm | Cmt Top | Status |
|-------------|--------------|----------------|-------|-------|---------------|---------------|-----------|---------|---------|--------|
| SURF        | 12+1/4       | 8+5/8          | na    | 24    | 0             | 364           | 150       | 364     | 0       | VISU   |
| OPEN HOLE   | 7+7/8        |                |       |       | 364           | 7003          |           |         |         |        |

## Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top. CIBP #2: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top.  
CIBP #3: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top. CIBP #4: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top.  
CIBP #5: Depth \_\_\_\_\_ with \_\_\_\_\_ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set 90 sks cmt from 6207 ft. to 6007 ft. Plug Type: OPEN HOLE Plug Tagged: ☐  
Set 90 sks cmt from 2200 ft. to 2000 ft. Plug Type: OPEN HOLE Plug Tagged: ☐  
Set 387 sks cmt from 464 ft. to 264 ft. Plug Type: OPEN HOLE Plug Tagged: ☐  
Set 113 sks cmt from 364 ft. to 0 ft. Plug Type: CASING Plug Tagged: ☐  
Set \_\_\_\_\_ sks cmt from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Plug Type: \_\_\_\_\_ Plug Tagged: ☐  
Perforate and squeeze at \_\_\_\_\_ ft. with \_\_\_\_\_ sacks. Leave at least 100 ft. in casing \_\_\_\_\_ CICR Depth  
Perforate and squeeze at \_\_\_\_\_ ft. with \_\_\_\_\_ sacks. Leave at least 100 ft. in casing \_\_\_\_\_ CICR Depth  
Perforate and squeeze at \_\_\_\_\_ ft. with \_\_\_\_\_ sacks. Leave at least 100 ft. in casing \_\_\_\_\_ CICR Depth  
(Cast Iron Cement Retainer Depth)

Set \_\_\_\_\_ sacks half in. half out surface casing from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Plug Tagged: ☐

Set 25 sacks at surface

Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker: ☐ Yes ☐ No

Set \_\_\_\_\_ sacks in rat hole Set \_\_\_\_\_ sacks in mouse hole

### Additional Plugging Information for Subsequent Report Only

Casing Recovered: \_\_\_\_\_ ft. of \_\_\_\_\_ inch casing Number of Days from Setting Surface Plug to Capping or Sealing the Well: 9  
Surface Plug Setting Date: 01/23/2023 Cut and Cap Date: 02/01/2023

\*Wireline Contractor: \_\_\_\_\_ \*Cementing Contractor: Swabbco

Type of Cement and Additives Used: Class G

Flowline/Pipeline has been abandoned per Rule 1105 ☐ Yes ☐ No

#### Technical Detail/Comments:

Form 27 not submitted as this was a re-entry.

1). Form 42 was submitted prior to plugging operations, Form 42 Doc # 403290902. Form 42 was submitted prior to MIRU for plugging operations, Form 42 Doc #403290898.

2). After placing plug at 2200', operator waited a sufficient amount of time to confirm static conditions. There was no pressure or fluid migration.

3). No fluids or gas migration was present prior to cement plug to surface being set. The plug was cemented to surface with 500 sacks of cement from 464 ' and topped off w/ 25 sx at surface (Total sx 525)

4). At least 100' of cement was left in the wellbore for each plug.

5). This form 6-SRA addresses all COA's from the Form 6-NOIA.

Attached to this form:

- Cement tickets are attached to this form.
- Operations summary is attached to this form for reference.
- Final P&A WBD is attached to this form.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Ashley Noonan

Title: Sr. Regulatory Analyst Date: \_\_\_\_\_ Email: regulatory@civiresources.com

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: \_\_\_\_\_

Date: \_\_\_\_\_

**CONDITIONS OF APPROVAL, IF ANY:**

**COA Type**

**Description**

|       |  |
|-------|--|
|       |  |
| 0 COA |  |

**Attachment List**

**Att Doc Num**

**Name**

|           |                    |
|-----------|--------------------|
| 403316011 | WELLBORE DIAGRAM   |
| 403316013 | OPERATIONS SUMMARY |
| 403316014 | CEMENT JOB SUMMARY |
| 403318459 | LOCATION PHOTO     |

Total Attach: 4 Files

**General Comments**

**User Group**

**Comment**

**Comment Date**

|  |  |                     |
|--|--|---------------------|
|  |  | Stamp Upon Approval |
|--|--|---------------------|

Total: 0 comment(s)