

**State of Colorado**  
**Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <u>403285884</u>			
Date Received: <u>01/19/2023</u>			

**SUNDRY NOTICE**

This form is required for reports, updates, and requests as specified in the COGCC rules. It is also used to request changes to some aspects of approved permits for Wells and Oil and Gas Locations.

OGCC Operator Number: <u>10456</u>	Contact Name <u>Reed Haddock</u>
Name of Operator: <u>CAERUS PICEANCE LLC</u>	Phone: <u>(720) 880-6369</u>
Address: <u>1001 17TH STREET #1600</u>	Fax: <u>(303) 565-4606</u>
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u>	Email: <u>rhaddock@caerusoilandgas.com</u>

**FORM 4 SUBMITTED FOR:**

Facility Type: WELL

API Number : 05- 045 24376 00 ID Number: 478258

Name: BJU M23A FED Number: 14A-23-496

Location QtrQtr: Lot 6 Section: 23 Township: 4S Range: 96W Meridian: 6

County: GARFIELD Field Name: GRAND VALLEY

**Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information**

**Location(s)**

Location ID	Location Name and Number
478266	BJU M23A-496 Pad

**OGDP(s)**

No OGDP

**WELL LOCATION CHANGE OR AS-BUILT GPS REPORT**

☒ Change of Location for Well \* ☐ As-Built GPS Location Report ☐ As-Built GPS Location Report with Survey

\* Well Location Change requires a new Plat.

**SURFACE LOCATION GPS DATA** Data must be provided for Change of Surface Location and As Built Reports.

Latitude 39.684288 Longitude -108.140767

GPS Quality Value: 1.4 Type of GPS Quality Value: PDOP Measurement Date: 01/10/2023

Well Ground Elevation: 8108 feet (Required for change of Surface Location.)

**WELL LOCATION CHANGE**

Well plan is: DIRECTIONAL (Vertical, Directional, Horizontal)

Change of **Surface** Footage **From:**

Change of **Surface** Footage **To:**

Current <b>Surface</b> Location <b>From</b>	QtrQtr	<u>Lot 6</u>	Sec	<u>23</u>	Twp	<u>4S</u>	Range	<u>96W</u>	Meridian	<u>6</u>
New <b>Surface</b> Location <b>To</b>	QtrQtr	<u>Lot 6</u>	Sec	<u>23</u>	Twp	<u>4S</u>	Range	<u>96W</u>	Meridian	<u>6</u>

Change of **Top of Productive Zone** Footage **From:**

Change of **Top of Productive Zone** Footage **To:**

Current <b>Top of Productive Zone</b> Location	Sec	<u>23</u>	Twp	<u>4S</u>	Range	<u>96W</u>
New <b>Top of Productive Zone</b> Location	Sec	<u>23</u>	Twp	<u>4S</u>	Range	<u>96W</u>

FNL/FSL		FEL/FWL	
<u>1364</u>	<u>FSL</u>	<u>1310</u>	<u>FWL</u>
<u>1355</u>	<u>FSL</u>	<u>1307</u>	<u>FWL</u>
<u>1995</u>	<u>FSL</u>	<u>824</u>	<u>FWL</u>
<u>2216</u>	<u>FSL</u>	<u>432</u>	<u>FWL</u>

\*\*

Change of **Base of Productive Zone** Footage **From:**

FSL

FWL

Change of **Base of Productive Zone** Footage **To:**

2181 FSL

337 FWL

\*\*

Current **Base of Productive Zone** Location

Sec

Twp

Range

New **Base of Productive Zone** Location

Sec

Twp

Range

Change of **Bottomhole** Footage **From:**

1960 FSL

730 FWL

Change of **Bottomhole** Footage **To:**

2181 FSL

337 FWL

\*\*

Current **Bottomhole** Location

Sec

Twp

Range

\*\* attach deviated drilling plan

New **Bottomhole** Location

Sec

Twp

Range

## SAFETY SETBACK INFORMATION

Required for change of Surface Location.

Distance from Well to nearest:

Building:  Feet  
Building Unit:  Feet  
Public Road:  Feet  
Above Ground Utility:  Feet  
Railroad:  Feet  
Property Line:  Feet

### INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

## SUBSURFACE MINERAL SETBACKS

Required for change of Top and/or Base of Productive Zone. Enter 5280 for distance greater than 1 mile.

Is this Well within a unit?

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary:  Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation:  Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease:  Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation:  Feet

## Exception Location

☐ If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers.

## LOCATION CHANGE COMMENTS

## CHANGE OR ADD OBJECTIVE FORMATION AND/OR SPACING UNIT

<u>Objective Formation</u>	<u>Formation Code</u>	<u>Spacing Order Number</u>	<u>Unit Acreage</u>	<u>Unit Configuration</u>	<u>Add</u>	<u>Modify</u>	<u>No Change</u>	<u>Delete</u>
WILLIAMS FORK	WMFK	1-229					X	

## OTHER

## RULE 502 VARIANCE

Order Number: \_\_\_\_\_

Description:	
--------------	--

**REMOVE FROM SURFACE BOND** Signed surface use agreement is a required attachment

## CHANGE NAME OR NUMBER OF WELL, FACILITY, OIL & GAS LOCATION, OR OGDP

From: Name BJU M23A FED Number 14A-23-496 Effective Date:

To:	Name	Number
-----	------	--------

**ABANDON PERMIT:** Permit can only be abandoned if the permitted operation has NOT been conducted. Field inspection will be conducted to verify site status.

 WELL:Abandon Application for Permit-to-Drill (Form2) – Well API Number has not been drilled.

☐ PIT: Abandon Earthen Pit Permit (Form 15) – COGCC Pit Facility ID Number \_\_\_\_\_ has not been constructed (Permitted and constructed pit requires closure per Rule 911)

☐ **CENTRALIZED E&P WASTE MANAGEMENT FACILITY:** Abandon Centralized E&P Waste Management Facility Permit  
(Form 28) – Facility ID Number has not been constructed (Constructed facility requires closure per Rule 907)

OIL &amp; GAS LOCATION ID Number:

☐ Abandon Oil & Gas Location Assessment (Form 2A) – Location has not been constructed and site will not be used in the future.

☐ Keep Oil & Gas Location Assessment (Form 2A) active until expiration date. This site will be used in the future.

**Surface disturbance from Oil and Gas Operations must be reclaimed per Rule 1003 and Rule 1004.**

**REQUEST FOR WELL RECORDS CONFIDENTIALITY (Rule 206.c.(1))**

## DIGITAL WELL LOG UPLOAD

**DOCUMENTS SUBMITTED** Purpose of Submission:

**COMPLIANCE with CONDITION OF APPROVAL (COA) on** Form NO: Document Number:

## RECLAMATION

## INTERIM RECLAMATION

Interim Reclamation will commence approximately

Per Rule 1003.e.(3) operator shall submit Sundry Notice reporting interim reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Interim reclamation complete, site ready for inspection.  
Per Rule 1003.e(3) describe interim reclamation procedure in Comments below or provide as an attachment and attach required location photographs.

**Field inspection will be conducted to document Rule 1003.e. compliance**

## FINAL RECLAMATION

Final Reclamation will commence approximately

Per Rule 1004.c.(4) operator shall submit Sundry Notice reporting final reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Final reclamation complete, site ready for inspection. Per Rule 1004.c(4) describe final reclamation procedure in Comments below or provide as an attachment.

**Field inspection will be conducted to document Rule 1004.c. compliance**

Comments:

#### ENGINEERING AND ENVIRONMENTAL WORK

☐ REPORT OF TEMPORARY ABANDONMENT

Describe the method used to ensure that the Well is closed to the atmosphere and the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(1).

☐ REQUEST FOR TEMPORARY ABANDONMENT EXCEEDING 6 MONTHS

State the reason for the extension request and explain the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(3).

Date well temporarily abandoned \_\_\_\_\_

Has Production Equipment been removed from site? \_\_\_\_\_

Mechanical Integrity Test (MIT) required. Date of last MIT \_\_\_\_\_

#### TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK

Details of work must be described in full in the COMMENTS below or provided as an attachment.

☒ NOTICE OF INTENT/REQUEST FOR APPROVAL      Approximate Start Date    03/10/2023

☐ SUBSEQUENT REPORT      Date of Activity \_\_\_\_\_

- |                                                                                                                                                           |                                                        |                                                        |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|--------------------------------------------------------|
| <input type="checkbox"/> Bradenhead Plan                                                                                                                  | <input type="checkbox"/> Venting or Flaring (Rule 903) | <input type="checkbox"/> E&P Waste Mangement           |
| <input checked="" type="checkbox"/> Change Drilling Plan                                                                                                  | <input type="checkbox"/> Repair Well                   | <input type="checkbox"/> Beneficial Reuse of E&P Waste |
| <input type="checkbox"/> Gross Interval Change                                                                                                            |                                                        |                                                        |
| <input type="checkbox"/> Underground Injection Control                                                                                                    |                                                        |                                                        |
| <input type="checkbox"/> Request approval of Reuse and Recycling Plan per Rule 905.a.(3). (Reuse and Recycling Plan must be attached.)                    |                                                        |                                                        |
| <input type="checkbox"/> Request approval of Alternative Sampling Plan per Rule 909.j.(6). for this Pit. (Alternative Sampling Program must be attached.) |                                                        |                                                        |
| <input type="checkbox"/> Other                                                                                                                            |                                                        |                                                        |

☐ Request that an existing produced water sample from the same formation be used per Rule 909.j.(6) to meet the requirements of Rule 909.j.(1)-(5) for this Well.

Pit ID \_\_\_\_\_ Pit Name \_\_\_\_\_

(No Sample Provided)

☐ Subsequent well operations with heavy equipment (Rule 312)

(No Well Provided)

COMMENTS:

#### GAS CAPTURE

VENTING AND FLARING:

Operation type: \_\_\_\_\_ Operational phase requiring venting/flaring: \_\_\_\_\_

Reason for venting/flaring: \_\_\_\_\_

Describe Other reason for venting/flaring:

Describe why venting or flaring is necessary. If reporting per Rule 903.b.(2), 903.c.(3).C, or 903.d.(2), include the explanation, rationale, and cause of the event:

Describe how the operation will protect and minimize adverse impacts to public health, safety, welfare, the environment, and wildlife resources. If reporting per Rule 903.d.(2), include BMPs used to minimize venting on the BMP Tab:

Total volume of gas vented or flared: \_\_\_\_\_ mcf ☐ estimated ☐ measured  
Total duration of emission event: \_\_\_\_\_ hours ☐ consecutive ☐ cumulative

Submit a single representative gas analysis via Form 43 to create a Sample Site Facility ID# for this Location. Reference the Form 43 document number on the Related Forms tab.

Sample Site Facility ID#: \_\_\_\_\_

#### GAS CAPTURE PLAN

Describe the plan to connect to a gathering line or beneficially use the gas; include anticipated timeline:

A Gas Capture Plan that meets the requirements of Rule 903.e is attached. ☐

#### CASING PROGRAM

<u>Casing Type</u>	<u>Size of Hole</u>	<u>Size of Casing</u>	<u>Grade</u>	<u>Wt/Ft</u>	<u>Csg/Liner Top</u>	<u>Setting Depth</u>	<u>Sacks Cmt</u>	<u>Cmt Btm</u>	<u>Cmt Top</u>
CONDUCTOR	30	20	A252	54#	0	100	218	100	0
SURF	14+3/4	9+5/8	J55	36#	0	3000	710	3000	1400
1ST	8+3/4	4+1/2	HCP110	11.6#	0	12419	1408	12419	3500
		9+5/8		Stage Tool		1400	312	1400	0

#### POTENTIAL FLOW AND CONFINING FORMATIONS

<u>Zone Type</u>	<u>Formation /Hazard</u>	<u>Top M.D.</u>	<u>Top T.V.D.</u>	<u>Bottom M.D.</u>	<u>Bottom T.V.D.</u>	<u>TDS (mg/L)</u>	<u>Data Source</u>	<u>Comment</u>
Groundwater	Green River	0	0	3400	3362	501-1000	CGS	
Confining Layer	Wasatch	3431	3392	5864	5792			
Hydrocarbon	Wasatch G	5864	5792	6168	6092			The Wasatch G is a nonproductive zone in the referenced area of the basin.
Confining Layer	Fort Union	6168	6092	8199	8098			
Hydrocarbon	Ohio Creek	8199	8098	8577	8476	>10000	Produced Water Sample	
Hydrocarbon	Williams Fork	8577	8476	11419	11317	>10000	Produced Water Sample	
Hydrocarbon	Cameo	11419	11317	11919	11817	>10000	Produced Water Sample	
Hydrocarbon	Rollins	11919	11817	12419	12317	>10000	Produced Water Sample	

#### H2S REPORTING

☐ Intentional release of H2S gas due to Upset Condition or malfunction.

☐ Intent to temporarily abandon well with potential H2S concentration >100 ppm.

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

Gas Analysis Report must be attached.

H2S Concentration: \_\_\_\_\_ in ppm (parts per million)

Date of Measurement or Sample Collection \_\_\_\_\_

Description of Sample Point:

Absolute Open Flow Potential \_\_\_\_\_ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: \_\_\_\_\_

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: \_\_\_\_\_

COMMENTS:

OIL & GAS LOCATION UPDATES

OGDP ID \_\_\_\_\_ OGDP Name \_\_\_\_\_

SITE EQUIPMENT LIST UPDATES

Indicate the number and type of major equipment components planned for use on this Oil and Gas Location:

Wells _____	Oil Tanks _____	Condensate Tanks _____	Water Tanks _____	Buried Produced Water Vaults _____
Drilling Pits _____	Production Pits _____	Special Purpose Pits _____	Multi-Well Pits _____	Modular Large Volume Tank _____
Pump Jacks _____	Separators _____	Injection Pumps _____	Heater-Treaters _____	Gas Compressors _____
Gas or Diesel Motors _____	Electric Motors _____	Electric Generators _____	Fuel Tanks _____	LACT Unit _____
Dehydrator Units _____	Vapor Recovery Unit _____	VOC Combustor _____	Flare _____	Enclosed Combustion Devices _____
Meter/Sales Building _____	Pigging Station _____		Vapor Recovery Towers _____	

OTHER PERMANENT EQUIPMENT UPDATES

OTHER TEMPORARY EQUIPMENT UPDATES

CULTURAL AND SAFETY SETBACK UPDATES

OTHER LOCATION CHANGES AND UPDATES

Provide a description of other changes or updates to technical information for this Location:

POTENTIAL OGDP UPDATES

PROPOSED CHANGES TO AN APPROVED OGDP

☐ This Sundry Form 4 is being submitted pursuant to Rule 301.c to propose changes to an approved Oil and Gas Development Plan.

Check all boxes that pertain to the type(s) of changes being proposed for this OGDG:

- |                                                                          |                                                              |
|--------------------------------------------------------------------------|--------------------------------------------------------------|
| <input type="checkbox"/> Add Oil and Gas Location(s)                     | <input type="checkbox"/> Add Drilling and Spacing Unit(s)    |
| <input type="checkbox"/> Amend Oil and Gas Location(s)                   | <input type="checkbox"/> Amend Drilling and Spacing Unit(s)  |
| <input type="checkbox"/> Remove Oil and Gas Location(s)                  | <input type="checkbox"/> Remove Drilling and Spacing Unit(s) |
| <input type="checkbox"/> Oil and Gas Location attachment or plan updates | <input type="checkbox"/> Amend the lands subject to the OGDG |
| <input type="checkbox"/> Other                                           |                                                              |

Provide a detailed description of the changes being proposed for this OGDG. Attach supporting documentation such as maps if necessary.

### **Best Management Practices**

**No BMP/COA Type**

**Description**

--	--

Operator Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Reed Haddock  
Title: Regulatory Lead Email: rhaddock@caerusoilandgas.com Date: 1/19/2023

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: Katz, Aaron Date: 2/13/2023

### **CONDITIONS OF APPROVAL, IF ANY:**

**COA Type**

**Description**

	1) Operator shall comply with the most current revision of the Northwest Notification Policy.  2) Operator shall comply with the most current revision of the Garfield County Rulison Field Notice to Operators, with the following exception: All field notice requirements specified in that Notice to Operators are superseded by the requirements of the most current revision of the Northwest Colorado Notification Policy (see Condition of Approval #1).  3) Operator shall provide cement coverage from the production casing shoe (4 1/2" FIRST STRING) to a minimum of 200' above the Wasatch G as defined by COGCC in the report "Casing and Cement Standards for Geologic Isolation Piceance Basin Bradenhead Monitoring Area and Nearby Fields," dated April 18, 2016, COGCC Document No. 2056199, Appendix A Field Scout Cards and Annotated Type Logs) to provide isolation of the Lower Wasatch, all Mesaverde Group formations including the Ohio Creek Formation, and underlying formations, if penetrated. Verify production casing cement coverage with a cement bond log.
--	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

1 COA

### General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Engineer	<p>Offset Well Evaluation: Existing offset oil and gas wells within 1,500 feet of this wellbore meet standards. No mitigation required. Active Wasatch G injection wells owned by Caerus, SGU *CP01B-27 M23 49, SGU *8506B F26 496 are within the offset evaluation areas. The injection well has been taken into consideration for the cement coverage COA#3.</p> <p>Offset water well check: COGCC evaluated offset water wells within one mile of this proposed well's surface hole location. This information in addition to locally-available geophysical logs and hydrogeologic information was used to evaluate the adequacy of the operator's proposed surface casing setting depth. The deepest water well within one mile is 235 feet. None of the water wells within one mile are for domestic use.</p> <p>Corrected casing table stage tool line item to meet casing table data specifications</p> <p>Offset well SGU #CP12D-23 has a primary TOC of 8450 ft. and a TOC of 6910 from remedial cement operations. Area engineer contacted Operator to discuss Offset Well Review data.</p> <p>The BH pressures in the offset well review table are the most current field measured values</p> <p>Offset well evaluation Doc 403198430</p>	02/13/2023

Total: 1 comment(s)

### Attachment List

<u>Att Doc Num</u>	<u>Name</u>
403285884	SUNDRY NOTICE APPROVED-LOC-SFTY-STBK-MNRL-STBK-OBJ-DRLG-CSG
403285887	DEVIATED DRILLING PLAN
403285888	DIRECTIONAL DATA
403294981	WELL LOCATION PLAT
403318964	FORM 4 SUBMITTED

Total Attach: 5 Files