

**FORM
INSP**Rev
X/20**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Inspection Date:

07/20/2019

Submitted Date:

07/24/2019

Document Number:

698600111**FIELD INSPECTION FORM**Loc ID 320453 Inspector Name: St John, William (Cal) On-Site Inspection ☐ 2A Doc Num: _____**Operator Information:**OGCC Operator Number: 90615Name of Operator: TUDEX PETROLEUM INCAddress: 2121 39TH AVE NE UNIT ECity: CALGARY State: AL Zip: T2E 6R7**Status Summary:**☐ THIS IS A FOLLOW UP INSPECTION☒ FOLLOW UP INSPECTION REQUIRED☐ NO FOLLOW UP INSPECTION REQUIRED**Findings:**4 Number of Comments0 Number of Corrective Actions☐ Corrective Action Response Requested**ANY CORRECTIVE ACTION(S) FROM
PREVIOUS INSPECTIONS THAT HAVE NOT
BEEN ADDRESSED ARE STILL APPLICABLE****Contact Information:**

Contact Name	Phone	Email	Comment
Hickey, Mike		michael.hickey@state.co.us	

Inspected Facilities:

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status
203803	WELL	PR	07/31/2008	OW	001-09363	TUDEX BRINK S-2 (OWP)	TA

General Comment:

This is an orphaned well inspection. Inspection completed to document progress and completion of plug and abandonment task.

Inspection may also identify possible task required for final closure/release of location from the Orphaned Well Program.

See link at end of report for path to downloadable pictures.

LocationOverall Good: ☐

Emergency Contact Number:

Comment:

Corrective Action:

Date: _____

Overall Good: ☐**Spills:**

Type

Area

Volume

In Containment: No

Comment:

☐ Multiple Spills and Releases?**Equipment:**

corrective date

Type: Ancillary equipment

1

Comment: Wellhead.

Corrective Action:

Date:

Venting:

Yes/No

NO

Comment:

Corrective Action:

Date:

Flaring:

Type

Comment:

Corrective Action:

Date:

Comment	User	Date
The Tudex Plugging and Flow line Abandonment Project is underway. The Brink S2 is one of the wells on the project to be plugged and abandoned.	stjohnw	07/24/2019
Use wireline to set 2 sacks of Class G cement on top of CIBP at 4932' using dump bailer. Wireline out and off well for tool change. Wireline reenters well and perf casing at 2501' and pull out of well. Trip out 41 stands of tubing and stand at a depth of 2556'. Well shut in and job SDFN.		

Document Num	Description	URL
698600111	INSPECTION APPROVED	https://cogcc.state.co.us/weblink/DownloadDocumentPDF.aspx?DocumentId=4897277
698600112	Inspection photo.	https://cogcc.state.co.us/weblink/DownloadDocumentPDF.aspx?DocumentId=4889602