

**FORM
INSP**Rev
X/20**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Inspection Date:

03/01/2023

Submitted Date:

03/02/2023

Document Number:

690203941

FIELD INSPECTION FORMLoc ID 324802 Inspector Name: COSTA, RYAN On-Site Inspection ☐ 2A Doc Num: _____**Operator Information:**

OGCC Operator Number: 16520

Name of Operator: CHEMCO INC

Address: 6970 SOUTH HOLLY CIR STE 206

City: CENTENNIAL State: CO Zip: 80112

Status Summary:☐ THIS IS A FOLLOW UP INSPECTION☒ FOLLOW UP INSPECTION REQUIRED☐ NO FOLLOW UP INSPECTION REQUIRED**Findings:**

4 Number of Comments

3 Number of Corrective Actions

☒ Corrective Action Response Requested**ANY CORRECTIVE ACTION(S) FROM
PREVIOUS INSPECTIONS THAT HAVE NOT
BEEN ADDRESSED ARE STILL APPLICABLE****Contact Information:**

Contact Name	Phone	Email	Comment
Neher, Gray		gh.neher@chemco-og.com	
Neher, Morgan	303-771-7777	morgan@chemco-og.com	

Inspected Facilities:

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status
150396	UIC DISPOSAL	AC	01/05/1996		-	WEAR*H C 3-1	RI

General Comment:

On 3/1/2023, Ryan Costa conducted a location inspection of the Wear #3-1 UIC Disposal tank battery.
See attached photos and additional details within this report.

LocationOverall Good: ☐

Emergency Contact Number:

Comment: Corrective Action: Date: **Good Housekeeping:**

Type	UNUSED EQUIPMENT		
Comment:	There is various unused unnecessary equipment/supplies being stored at the location. All supplies not necessary for use on the location is prohibited and must be removed.		
Corrective Action:	Comply with Rule 606	Date:	03/31/2023
Type	OTHER		
Comment:	There are pipe risers at the south side of the location that are unmarked with no OOSLAT.		
Corrective Action:	Install marker and LOTO or remove risers is not in use.	Date:	03/31/2023

Overall Good: ☐

Spills:					
Type	Area	Volume			
Crude Oil	Tank				
Comment:	There is oil stained soils around the tanks that needs to be dug up and cleaned out. The is a puddle of free standing fluids that needs to be cleaned up immediately.				
Corrective Action:	Control and contain spills/releases and clean up per Rule 912.a.			Date:	03/31/2023

In Containment: Yes

Comment: ☐ Multiple Spills and Releases?**Venting:**

Yes/No			
Comment:			
Corrective Action:		Date:	

Flaring:

Type		
Comment:		
Corrective Action:		Date:

Attached DocumentsYou can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
403335682	INSPECTION SUBMITTED	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=6038527
690203943	Inspection Photos	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=6038526