

FORM  
2  
Rev  
05/22

State of Colorado  
Oil and Gas Conservation Commission  
1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:  
403245454  
Date Received:  
02/06/2023

APPLICATION FOR PERMIT TO

Drill  Deepen  Re-enter  Recomplete and Operate Amend   
TYPE OF WELL OIL  GAS  COALBED  OTHER: \_\_\_\_\_ Refile   
ZONE TYPE SINGLE ZONE  MULTIPLE ZONES  COMMINGLE ZONES  Sidetrack

Well Name: Hayward Well Number: 0993-25-14E  
Name of Operator: LARAMIE ENERGY LLC COGCC Operator Number: 10433  
Address: 1700 LINCOLN ST STE 3950  
City: DENVER State: CO Zip: 80203  
Contact Name: Katy Middleton Phone: (970)98582440 Fax: ( )  
Email: kmiddleton@laramie-energy.com

FINANCIAL ASSURANCE FOR PLUGGING, ABANDONMENT, AND RECLAMATION

**COGCC Financial Assurance**  
 The Operator has provided or will provide Financial Assurance to the COGCC for this Well.  
Surety ID Number (if applicable): 20210135

**Federal Financial Assurance**  
 In checking this box, the Operator certifies that it has provided or will provide at least this amount of Financial Assurance to the federal government for this Well. (Per Rule702.a.)  
Amount of Federal Financial Assurance \$ \_\_\_\_\_

WELL LOCATION INFORMATION

**Surface Location**  
QtrQtr: SENE Sec: 25 Twp: 9S Rng: 93W Meridian: 6  
Footage at Surface: 2564 Feet FNL 878 Feet FEL  
Latitude: 39.244810 Longitude: -107.715841  
GPS Data: GPS Quality Value: 1.6 Type of GPS Quality Value: PDOP Date of Measurement: 04/30/2019  
Ground Elevation: 8008  
Field Name: VEGA Field Number: 85930  
Well Plan: is  Directional  Horizontal (highly deviated)  Vertical  
If Well plan is Directional or Horizontal attach Deviated Drilling Plan and Directional Data.

**Subsurface Locations**  
Top of Productive Zone (TPZ)  
Sec: 25 Twp: 9S Rng: 93W Footage at TPZ: 777 FSL 650 FEL  
Measured Depth of TPZ: 6819 True Vertical Depth of TPZ: 6477 FNL/FSL FEL/FWL

Base of Productive Zone (BPZ)

Sec: 25 Twp: 9S Rng: 93W Footage at BPZ: 777 FSL 650 FEL

Measured Depth of BPZ: 8769 True Vertical Depth of BPZ: 8427 FNL/FSL FEL/FWL

Bottom Hole Location (BHL)

Sec: 25 Twp: 9S Rng: 93W Footage at BHL: 777 FSL 650 FEL

FNL/FSL FEL/FWL

LOCAL GOVERNMENT PERMITTING INFORMATION

County: MESA Municipality: N/A

Is the Surface Location of this Well in an area designated as one of State interest and subject to the requirements of § 24-65.1-108 C.R.S.? No

Per § 34-60-106(1)(f)(I)(A) C.R.S., the following questions pertain to the Relevant Local Government approval of the siting of the proposed Oil and Gas Location.

SB 19-181 provides that when "applying for a permit to drill," operators must include proof that they sought a local government siting permit and the disposition of that permit application, or that the local government does not have siting regulations. § 34-60-106(1)(f)(I)(A) C.R.S.

Does the Relevant Local Government regulate the siting of Oil and Gas Locations, with respect to this Location? [X] Yes [ ] No

[X] If yes, in checking this box, I hereby certify that an application has been filed with the local government with jurisdiction to approve the siting of the proposed oil and gas location.

The disposition of the application filed with the Relevant Local Government is: Approved Date of Final Disposition: 06/14/2022

Comments: Per the Mesa County Land Development Code Table 6-1: Use Table and Section 6.02(Q), "Oil and Gas Drilling " is an allowed use in the Agricultural, Forestry, Transitional (AFT) zone district. The subject parcel is designated by Mesa County as AFT zone district. The Hayward 0993-25-09 Pad meets all the Mesa County zoning setback requirements for the AFT zone district. While Oil and Gas Drilling is an allowed use, Oil and Gas Locations must be permitted within Mesa County. Laramie submitted an Oil and Gas Location Application to Mesa County on May 19th, 2022. The Mesa County Community Development Planning Division issued the Oil and Gas Site Location Approval Document on June 14th, 2022, with conditions for operations. The Mesa County Permit is attached to this Form 2.

SURFACE AND MINERAL OWNERSHIP AT WELL'S OIL & GAS LOCATION

Surface Owner of the land at this Well's Oil and Gas Location: [X] Fee [ ] State [ ] Federal [ ] Indian

Mineral Owner beneath this Well's Oil and Gas Location: [X] Fee [ ] State [ ] Federal [ ] Indian

Surface Owner Protection Bond (if applicable): Surety ID Number (if applicable):

MINERALS DEVELOPED BY WELL

The ownership of all the minerals that will be developed by this Well is (check all that apply):

- [X] Fee
[ ] State
[ ] Federal
[ ] Indian
[ ] N/A

## LEASE INFORMATION

Using standard QtrQtr, Section, Township, Range format describe one entire mineral lease as follows:

\* If this Well is within a unit, describe a lease that will be developed by the Well.

\* If this Well is not subject to a unit, describe the lease that will be produced by the Well.

(Attach a Lease Map or Lease Description or Lease if necessary.)

See Lease Map. Fee and Federals Minerals committed to Federal Communitization Agreement: COC-076718 covering all of Section 25. The Hayward 0993-25-09 well pad will only target fee minerals. Laramie is proposing to drill 13 new directional natural gas wells that will produce fee minerals. There are no federal wells associated with proposed mineral development. The mineral development is for approximately 160-acres in the E½E½ of Section 25, Township 9 South, Range 93 West, 6th P.M.

Total Acres in Described Lease: 640 Described Mineral Lease is:  Fee  State  Federal  Indian

Federal or State Lease # \_\_\_\_\_

## SAFETY SETBACK INFORMATION

Distance from Well to nearest:

Building: 974 Feet  
Building Unit: 974 Feet  
Public Road: 5280 Feet  
Above Ground Utility: 5280 Feet  
Railroad: 5280 Feet  
Property Line: 416 Feet

### INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

## OBJECTIVE FORMATIONS

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
WILLIAMS FORK-ILES	WFILS	369-12	640	Section 25: ALL

Federal or State Unit Name (if appl): \_\_\_\_\_

Unit Number: \_\_\_\_\_

## SUBSURFACE MINERAL SETBACKS

Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? Yes

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: 650 Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: 314 Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: \_\_\_\_\_ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: \_\_\_\_\_ Feet

## Exception Location

If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. \_\_\_\_\_

## SPACING & FORMATIONS COMMENTS

### DRILLING PROGRAM

Proposed Total Measured Depth: 8769 Feet TVD at Proposed Total Measured Depth 8427 Feet

Distance from the proposed wellbore to nearest existing or proposed wellbore belonging to another operator, including plugged wells:

Enter distance if less than or equal to 1,500 feet: \_\_\_\_\_ Feet  No well belonging to another operator within 1,500 feet

Will a closed-loop drilling system be used? Yes

Is H<sub>2</sub>S gas reasonably expected to be encountered during drilling operations at concentrations greater than or equal to 100 ppm? No If yes, attach an H<sub>2</sub>S Drilling Plan unless a plan was already submitted with the Form 2A per Rule 304.c.(10).

Will there be hydraulic fracture treatment at a depth less than 2,000 feet in this well? No

Will salt sections be encountered during drilling? No

Will salt based (>15,000 ppm Cl) drilling fluids be used? No

Will oil based drilling fluids be used? No

BOP Equipment Type:  Annular Preventor  Double Ram  Rotating Head  None

Beneficial reuse or land application plan submitted? \_\_\_\_\_

Reuse Facility ID: \_\_\_\_\_ or Document Number: \_\_\_\_\_

## CASING PROGRAM

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
CONDUCTOR	26	16	SA-53B	36.94	0	60	150	60	0
SURF	11	8+5/8	J-55	24	0	1530	264	1530	0
1ST	7+7/8	4+1/2	P110IC	11.6	0	8769	1303	8769	2700

Conductor Casing is NOT planned

## POTENTIAL FLOW AND CONFINING FORMATIONS

Zone Type	Formation /Hazard	Top M.D.	Top T.V.D.	Bottom M.D.	Bottom T.V.D.	TDS (mg/L)	Data Source	Comment
Groundwater	Freshwater/Groundwater	0	0	600	600	501-1000	DWR	Hayward ranch water well domestic – stock & irrigation. Water well top perf: 1610 ft depth. Deepest water well: 600 ft depth. (TDS: 300-1500 mg/L)
Confining Layer	Wasatch	600	600	3329	3177			N/A
Hydrocarbon	Wasatch 'G' Sand	3329	3177	3765	3586	1001-10000	Other	Wasatch Producers Sec 5 & Sec 9 & Sec 15 T6S, R97W API: 05045200130001, 05045200230000, 05045106860000 (11/12/2020) (TDS: 760-2,050 mg/L)
Hydrocarbon	Fort Union	3765	3586	5023	4765			Potential Hazard: Instability
Confining Layer	Lower Wasatch	5023	4765	5409	5127			Fluid Present: Saltwater
Hydrocarbon	Ohio Creek	5409	5127	5783	5477			Wells API# 05077087650000 Buzzard Creek 22-3 Potential Hazard: Loss circulation; Fluid Present: Saltwater
Hydrocarbon	Williams Fork	5783	5477	6819	6477	>10000	Produced Water Sample	Sup & Shep 0993-25-16W API# 05077105790000
Hydrocarbon	Top of Gas	6819	6477	8169	7827	>10000	Produced Water Sample	Sup & Shep 0993-25-16W API# 05077105790000
Hydrocarbon	Cameo	8169	7827	8549	8207	>10000	Produced Water Sample	Sup & Shep 0993-25-16W API# 05077105790000
Hydrocarbon	Base Cameo	8549	8207	8569	8227	>10000	Produced Water Sample	Sup & Shep 0993-25-16W API# 05077105790000
Hydrocarbon	Rollins	8569	8227	8769	8427	>10000	Produced Water Sample	Sup & Shep 0993-25-16W API# 05077105790000

## OPERATOR COMMENTS AND SUBMITTAL

Comments

The Hayward 0993-25-14E well is not located within a mapped HPH. Laramie consulted with CPW regarding the proposed 13 wells and proposed operations at the Hayward Pad. The CPW Consultation Summary and CPW Waiver are attached to this Form 2.

Laramie consulted with CDPHE regarding the proposed 13 wells and proposed operations at the Hayward Pad. The CDPHE Consultation Letter, which includes BMPs, are attached to this Form 2.  
BHL Coordinates: 39.239406; -107.714976

The Hayward Pad ( COGCC Location # is 455725) is an existing well pad which was constructed in 2019, but never drilled. Laramie is proposing to drill 13 new directional natural gas wells at the existing well pad (reduced from the originally permitted 22 wells). The Location was constructed during the summer and fall of 2019 following the approval by the Director on June 29, 2018 of a Form 2A Oil and Gas Location Assessment (2018 Form 2A - Document No. 401579042). Due to economic conditions and the pandemic, Laramie did not drill the wells proposed in the original 2018 Form 2A. Gas and water gathering lines are installed to the edge of the pad's perimeter. No additional surface disturbance is required in order to drill the 13 new directional wells. Laramie has submitted a Form 4 Sundry Notice (Document # 403312281) for the Hayward Pad. The 13 Form 2 APDs expired in June 2020 and Laramie has submitted refiles Form 2s for the 13 wells.

This application is in a Comprehensive Area Plan            No            CAP #:

Oil and Gas Development Plan Name \_\_\_\_\_ OGDID#: \_\_\_\_\_

Location ID: 455725

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Katy Middleton

Title: Regulatory Specialist Date: 2/6/2023 Email: kmiddleton@laramie-

Operator must have a valid water right or permit allowing for industrial use or purchased water from a seller that has a valid water right or permit allowing for industrial use, otherwise an application for a change in type of use is required under Colorado law. Operator must also use the water in the location set forth in the water right decree or well permit, otherwise an application for a change in place of use is required under Colorado law. Section 37-92-103(5), C.R.S. (2011).

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules, applicable orders, and SB 19-181 and is hereby approved.

COGCC Approved:  \_\_\_\_\_ Director of COGCC Date: 3/17/2023

Expiration Date: 03/16/2026

**API NUMBER**  
05 077 10595 00

### Conditions Of Approval

**All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.**

<u>COA Type</u>	<u>Description</u>
Drilling/Completion Operations	1)Operator shall comply with the most current revision of the Northwest Notification Policy.  2)Operator shall comply with the Notice to Operators Drilling Wells in the Buzzard, Mamm Creek, and Rulison fields, Garfield County and Mesa County – Procedures and Submittal Requirements for Compliance with COGCC Order Nos. 1-107, 139-56, 191-22, and 369-2 (July 8, 2010).
Construction	If conductors are preset, operator shall comply with Notice to Operators: Procedures for Preset Conductors (dated September 1, 2016).
Drilling/Completion Operations	Operator will log two (2) wells with open-hole resistivity log with gamma-ray log from the kick-off point into the surface casing for the two stratigraphically deepest wells on each side of the pad
Interim Reclamation	Operator shall comply with Notice to Operators: Interim Reclamation Procedures for Delayed Operations (dated January 5, 2017).
4 COAs	

## Best Management Practices

<b>No</b>	<b>BMP/COA Type</b>	<b>Description</b>
1	Drilling/Completion Operations	Alternative Logging Program: One of the wells drilled on the pad will be logged with open-hole Resistivity Log and Gamma Ray Log from TD into the surface casing. All wells on the pad will have a cement bond log with gamma-ray run on production casing (or on intermediate casing if production liner is run) into the surface casing. The Form 5, Completion Report, for each well on the pad will list all logs run and have those logs attached. The Form 5 for a well without open-hole logs will state "Alternative Logging Program - No open-hole logs were run" and will clearly identify the type of log and the well (by API#) in which open-hole logs were run.

Total: 1 comment(s)

## Attachment List

<b>Att Doc Num</b>	<b>Name</b>
403245454	FORM 2 SUBMITTED
403246404	WELL LOCATION PLAT
403246405	DEVIATED DRILLING PLAN
403246407	DEVIATED DRILLING PLAN
403246408	DIRECTIONAL DATA
403246552	SURFACE AGRMT/SURETY
403310683	WAIVERS
403310686	MINERAL LEASE MAP
403311144	CORRESPONDENCE
403311145	OTHER

Total Attach: 10 Files

### General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Final Review Completed.	02/14/2023
Permit	Added refile comment per operator.	02/14/2023
Engineer	<p>Changed production casing cement bottom depth to value that matches casing setting depth</p> <p>Offset Well Evaluation: There are no existing offset oil and gas wells within 1,500 feet of this wellbore. Taking into account BHL and directional data Sup &amp; Shep Federal #25-11M &amp; Sup &amp; Shep Federal #25-12M are greater than 1500 ft from the wellbore</p> <p>Offset water well check: COGCC evaluated offset water wells within one mile of this proposed well's surface hole location. This information was used in addition to locally-available geophysical logs and hydrogeological information to evaluate the adequacy of the operator's proposed surface casing setting depth. The deepest water well within one mile is 600 feet</p> <p>Changed surface string open hole size to 11" after contacting Operators engineer</p> <p>Changed the first string casing top to 0 ft. per attached drilling plans</p>	02/14/2023
OGLA	This Location and its associated materials was fully reviewed in the review of this APD in accordance with current Rules. See Sundry Notice Form 4 #403312281 in Location #455725 file for additional information. This APD complies with all COGCC Rules and is adequately protective of public health, safety, welfare, the environment, and wildlife resources. OGLA task passed.	02/08/2023
Permit	Corrected Proposed TD according to directional survey	02/08/2023

Total: 5 comment(s)