

**FORM  
INSP**Rev  
X/20

# State of Colorado

## Oil and Gas Conservation Commission

 1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
 Phone: (303) 894-2100 Fax: (303) 894-2109


Inspection Date:

07/10/2023

Submitted Date:

07/10/2023

Document Number:

699106869

**FIELD INSPECTION FORM**
 Loc ID 317706 Inspector Name: Burns, Adam On-Site Inspection ☐ 2A Doc Num:
**Operator Information:**

OGCC Operator Number: 10528

Name of Operator: ARCH OIL &amp; GAS LLC

Address: 16400 DALLAS PARKWAY SUITE 305

City: DALLAS State: TX Zip: 75248

**Status Summary:**☐ THIS IS A FOLLOW UP INSPECTION☒ FOLLOW UP INSPECTION REQUIRED☐ NO FOLLOW UP INSPECTION REQUIRED**Findings:**

10 Number of Comments

4 Number of Corrective Actions

☒ Corrective Action Response Requested
**ANY CORRECTIVE ACTION(S) FROM  
PREVIOUS INSPECTIONS THAT HAVE NOT  
BEEN ADDRESSED ARE STILL APPLICABLE**
**Contact Information:**

Contact Name	Phone	Email	Comment
Pesicka, Conor		conor.pesicka@state.co.us	
HEASLIP, TRACY	(239) 404-0929	theaslip@archog.com	
Browning, Jeff	940-391-7210	jbrowning@matthewssouthwest.com	All inspections

**Inspected Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status
239823	WELL	SI	09/01/2020	GW	123-07611	ELMER KAUFMAN 2	SI

**General Comment:**

Routine Inspection

Location			
<b>Lease Road:</b>			
Type	Access		
comment:	Weeds overgrown on the access road need to be removed for good housekeeping. See attached photo.		
Corrective Action	L Comply with Rule 606.		Date: 07/19/2023
Overall Good: <input type="checkbox"/>			
<b>Signs/Marker:</b>			
Type	WELLHEAD		
Comment:			
Corrective Action:			Date:
Emergency Contact Number:			
Comment:	Adequate		Date: _____
Corrective Action:			
<b>Good Housekeeping:</b>			
Type	WEEDS		
Comment:	Weeds grown around the well, needs to be removed for good housekeeping. See attached photo		
Corrective Action:	Comply with Rule 606.		Date: 07/19/2023
Type	UNUSED EQUIPMENT		
Comment:	Unused equipment around the well, needs to be removed for good housekeeping. See attached photo		
Corrective Action:	Comply with Rule 606.		Date: 07/19/2023
Overall Good: <input type="checkbox"/>			
<b>Spills:</b>			
Type	Area	Volume	
In Containment: No			
Comment: _____			
<input type="checkbox"/> Multiple Spills and Releases?			
<b>Fencing/:</b>			
Type	WELLHEAD		
Comment:	Panel		
Corrective Action:			Date:
<b>Equipment:</b>			
Type: Plunger Lift	# 1		corrective date
Comment:			
Corrective Action:			Date:
<b>Venting:</b>			
Yes/No	NO		
Comment:			
Corrective Action:			Date:

<b>Flaring:</b>			
Type			
Comment:			
Corrective Action:		Date:	

--	--	--	--

**Inspected Facilities**Facility ID: 239823 Type: WELL API Number: 123-07611 Status: SI Insp. Status: SI**Idle Well**Purpose: ☒ Shut In ☐ Temporarily Abandoned

Reminder: \_\_\_\_\_

Comment: SI

Corrective Action: \_\_\_\_\_

Date: \_\_\_\_\_

**BradenHead**Date of Last Brhd Test: 08/19/2019Annual Brhd Completed? NoLast Brhd Test Results Initial Surf Csg Pressure: 0

Fluid Type: \_\_\_\_\_

End Surf Csg Pressure: 0Comment: No annual BH test on file with ECMC. Submit reports07/19/2023Corrective Action: Submit reports as per Rule 207.

Date: \_\_\_\_\_

**COGCC Comments**

Comment	User	Date
<p>ECMC Inspection Report Summary</p> <p>On Monday 7/10/23 at approximately 1000hrs I, Inspector Adam Burns, Conducted an on-site inspection at Elmer Kaufman 2 of Foundation Energy Management LLC.</p> <p>API # 05-123-07611 in Weld County, Colorado.</p> <p>During this inspection the following possible compliance issues were observed:</p> <p>Weeds overgrown on the access road, needs to be removed for good housekeeping. Comply with Rule 606. With a Corrective Action date of 7/19/23</p> <p>Weeds grown around the well, needs to be removed for good housekeeping. Comply with Rule 606. With a Corrective Action date of 7/19/23</p> <p>Unused equipment around the well, needs to be removed for good housekeeping. Comply with Rule 606. With a Corrective Action date of 7/19/23</p> <p>No annual BH test on file with ECMC. Submit reports. Submit reports as per Rule 207. With a Corrective Action date of 7/19/23</p> <p>A follow up on this site inspection needs to be conducted to ensure the compliance issues have been corrected to comply with ECMC rules.</p> <p>This is a summary of the inspection report.</p>	burnsa	07/10/2023

**Attached Documents**You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
403458304	INSPECTION SUBMITTED	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=6174847">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=6174847</a>
699106870	Inspection Photos	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=6174841">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=6174841</a>