

State of Colorado
Energy & Carbon Management Commission



1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Document Number:
403481610

Date Received:
07/31/2023

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

2 of 2 CAs from the FIR responded to on this Form

2 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 100322

Name of Operator: NOBLE ENERGY INC

Address: 2001 16TH STREET SUITE 900

City: DENVER State: CO Zip: 80202

Contact Name and Telephone:

Name: _____

Phone: () _____ Fax: () _____

Email: _____

Additional Operator Contact:

Contact Name	Phone	Email
<u>Chesson, Robert</u>		<u>rbucogccinspectionreports@chevron.onmicrosoft.com</u> <u>robert.chesson@state.co.us</u>

COGCC INSPECTION SUMMARY:

FIR Document Number: 697504739

Inspection Date: 06/30/2023

FIR Submit Date: 07/10/2023

FIR Status: _____

Inspected Operator Information:

Company Name: NOBLE ENERGY INC

Company Number: 100322

Address: 2001 16TH STREET SUITE 900

City: DENVER State: CO Zip: 80202

LOCATION - Location ID: 322698

Location Name: RYDGREN-64N64W Number: 8NWSW County: _____

Qtrqtr: NWS Sec: 8 Twp: 4N Range: 64W Meridian: 6
W

Latitude: 40.325034 Longitude: -104.581649

FACILITY - API Number: 05-123- -00 Facility ID: 322698

Facility Name: RYDGREN-64N64W Number: 8NWSW

Qtrqtr: NWS Sec: 8 Twp: 4N Range: 64W Meridian: 6
W

Latitude: 40.325034 Longitude: -104.581649

CORRECTIVE ACTIONS:

1 CA# 175031

Corrective Action: Comply with Rule 911 to submit a Form 27 Supplemental.

Date: 08/07/2023

Response: CA COMPLETED

Date of Completion: 07/28/2023

Operator Comment: Complied with Rule 911 and submitted Form 27 Supplemental.

COGCC Decision: Approved

COGCC Representative: Operator has completed the corrective action.

2 CA# 175032

Corrective Action: Comply with Rule 1004. Reseed the well location and northern tank battery disturbance areas using a seed mixture requested by the surface owner, or a mixture prescribed by the local county NRCS. Establish vegetation with total perennial, non-invasive uniform plant cover of at least eighty (80) percent of reference area levels. Ensure erosion controls are implemented to stabilize the seeded soil. Operator shall continue to monitor and manage this site until the location meets Rule 1004 standards, including stormwater and weed management.

Date: 06/30/2023

Operator shall reseed the southern portion of the TB with reference area perennial grasses- Crested wheatgrass, or submit the surface owner approved seed mix.

Response: CA COMPLETED

Date of Completion: 07/28/2023

Operator Comment: Complied with Rule 1004.

COGCC Decision: Approved pending re-inspection

COGCC Representative: Approved pending re-inspection of this FIR resolution acknowledges the document was received. It is not an acknowledgement that the corrective action has been passed. A field inspection will be conducted at a future date to evaluate compliance with COGCC standards.

OPERATOR COMMENT AND SUBMITTAL

Comment: Complied with Rules 911 and 1004

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Javier Pellacani

Signed: _____

Title: HSE

Date: 7/31/2023 1:24:10 PM

ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
403481610	FIR RESOLUTION SUBMITTED
403481613	pic
403481614	pic

Total Attach: 3 Files