

State of Colorado  
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



OGCC RECEPTION

Receive Date:

07/14/2023

Document Number:

403464930

**ANALYTICAL SAMPLE DATA SUBMITTAL FORM**

Uses of the Analytical Sample Data Submittal Form:

Submission of sample facility information, water sample analytical data, gas sample analytical data, and soil sample analytical data in compliance with COGCC Rules 411.b. (5), 411.c. (5), 420, 614.c, 615, 805.D, 907.b.(9), 909.J, COGCC Policies, and Form Conditions of Approval.

**Operator Information**

OGCC Operator Number: 8960 Contact Person: Kate Miller  
Company Name: BONANZA CREEK ENERGY OPERATING COMPANY LLC Phone: (303) 241-6910  
Address: 410 17TH STREET SUITE #1400 Fax: ( )  
City: DENVER State: CO Zip: 80202 Email: regulatory@civiresources.com

**Identification Information**

API Number: 05 - - OGCC Facility ID: Initial Form 19 or 27 Document number:  
Facility Name: Facility Number: Facility Type:  
Location QtrQtr: Section: Township: Range: Meridian:  
County: Field Name:  
Federal, Indian or State Lease Number:

**Information Submitted By:**

Company Name: Agent Name: Title:  
Phone Number: Email:

**Rule 909.J Inspection Information**

Date the Pit was Inspected

On inspection the Pit was: ☐ Unlined ☐ Lined ☐ Fenced ☐ Netted

**Sample Location Information:**

The following Sample Locations have been reviewed by COGCC Staff:

No Sample Location Information Added.

**Sample Information:**

The following Sample Information has been reviewed by the COGCC:

No Sample Information Provided.

**Sample Facility Attachment:**

No Facility Attachment

**Sample COGCC Well Related:**

No Sample COGCC Well Related Information Provided.

**General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>
--------------------------	-----------------------	----------------------------

		Stamp Upon Approval
--	--	---------------------

Total: 0 comment(s)