

**FORM  
INSP**

Rev  
X/20

**State of Colorado  
Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Inspection Date:

08/21/2023

Submitted Date:

08/24/2023

Document Number:

699107294

**FIELD INSPECTION FORM**

Loc ID 330492 Inspector Name: Burns, Adam On-Site Inspection  2A Doc Num: \_\_\_\_\_

**Status Summary:**

- THIS IS A FOLLOW UP INSPECTION
- FOLLOW UP INSPECTION REQUIRED
- NO FOLLOW UP INSPECTION REQUIRED

**Operator Information:**

OGCC Operator Number: 47120  
Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP  
Address: P O BOX 173779  
City: DENVER State: CO Zip: 80217-

**Findings:**

- 7 Number of Comments
- 2 Number of Corrective Actions
- Corrective Action Response Requested

**ANY CORRECTIVE ACTION(S) FROM PREVIOUS INSPECTIONS THAT HAVE NOT BEEN ADDRESSED ARE STILL APPLICABLE**

**Contact Information:**

Contact Name	Phone	Email	Comment
,		COGCCInspections@Oxy.com	<a href="#">All Inspections</a>

**Inspected Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status
330492	LOCATION	AC			-	CERVI FEDERAL-63N62W 29SEW	AC

**General Comment:**

[This is an inspection on the tank battery](#)

**Location**

Overall Good:

**Signs/Marker:**

Type	TANK LABELS/PLACARDS		
Comment:			
Corrective Action:			Date:
Type	BATTERY		
Comment:			
Corrective Action:			Date:

Emergency Contact Number:

Comment: Adequate

Corrective Action: \_\_\_\_\_

Date: \_\_\_\_\_

**Good Housekeeping:**

Type	DEBRIS		
Comment:	Tumble Weeds around the pit need to be removed for good housekeeping. See attached photo.		
Corrective Action:	Comply with Rule 606		Date: <u>09/08/2023</u>
Type	WEEDS		
Comment:	Overgrown vegetation around the separator need to be removed for good housekeeping.		
Corrective Action:	Comply with Rule 606		Date: <u>09/08/2023</u>

Overall Good:

**Spills:**

Type	Area	Volume		
------	------	--------	--	--

In Containment: No

Comment: \_\_\_\_\_

Multiple Spills and Releases?

**Equipment:**

Type			corrective date
Type: Emission Control Device	# 1		
Comment:			
Corrective Action:			Date:
Type: Horizontal Heated Separator	# 1		
Comment:			
Corrective Action:			Date:
Type: Pig Station	# 1		
Comment:			
Corrective Action:			Date:
Type: Bird Protectors	# 2		
Comment:			
Corrective Action:			Date:
Type: Gas Meter Run	# 1		

Comment:	
Corrective Action:	Date:

**Tanks and Berms:**

Contents	#	Capacity	Type	Tank ID	SE GPS
CRUDE OIL	1	300 BBLs	STEEL AST		40.198100,-104.347700
Comment:					
Corrective Action:					Date:

**Paint**

Condition	Adequate
Other (Content)	
Other (Capacity)	
Other (Type)	

**Berms**

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Metal	Adequate	Walls Sufficient	Base Sufficient	Adequate
Comment:				
Corrective Action:				Date:

Contents	#	Capacity	Type	Tank ID	SE GPS
PRODUCED WATER	1	100 BBLs	PBV CONCRETE		
Comment:					
Corrective Action:					Date:

**Paint**

Condition	
Other (Content)	
Other (Capacity)	
Other (Type)	

**Berms**

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Comment:				
Corrective Action:				Date:

**Venting:**

Yes/No	NO	
Comment:		
Corrective Action:		Date:

**Flaring:**

Type	
Comment:	
Corrective Action:	Date:

**Inspected Facilities**

Facility ID: 330492 Type: LOCATION API Number: - Status: AC Insp. Status: AC

**Idle Well**

Purpose:  Shut In  Temporarily Abandoned Reminder: \_\_\_\_\_

Comment:

Corrective Action:  Date: \_\_\_\_\_

**COGCC Comments**

Comment	User	Date
<p><b>ECMC Inspection Report Summary</b>                      On Monday 8/21/23 at approximately 1113hrs I, Inspector Adam Burns, Conducted an on-site inspection at Cervi Federal-63N62W 29SENW Tank Battery of Oxy. Location ID #330492 in Weld County, Colorado.                      During this inspection the following possible compliance issues were observed:                      Overgrown vegetation around the separator need to be removed for good housekeeping. Comply with Rule 606. With a Corrective Action date of 9/8/23                      Tumble Weeds around the pit need to be removed for good housekeeping. Comply with Rule 606. With a Corrective Action date of 9/8/23                      A follow up on this site inspection needs to be conducted to ensure the compliance issues have been corrected to comply with ECMC rules.                      This is a summary of the inspection report.</p>	burnsa	08/24/2023

**Attached Documents**

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
699107295	Inspection Photos	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=6237649">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=6237649</a>