

FORM

17

Rev
11/20

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

BRADENHEAD TEST REPORT

Step 1. Before opening any valves, record all tubing and casing pressures as found.

Step 2. Collect liquid and gas samples as required; consult Bradenhead Testing and Reporting Instructions and Guidance for field specific Orders at <http://cogcc/reg.html#opguidance>

Step 3. Conduct Bradenhead test.

Step 4. Submit Form 17 within 10 days of test. Attach a wellbore diagram if not previously submitted or if wellbore configuration has changed since last wellbore diagram was submitted.

Step 5. Submit sample analytical results via Form 43.

1. OGCC Operator Number: 51130 3. BLM Lease No: C-029951

2. Name of Operator: Locin Oil Corporation

4. API Number: 05-103 05105 5. Multiple completion? Yes No

6. Well Name: Beardmore Number: 32-5

7. Location (QtrQtr, Sec, Twp, Rng, Meridian): SE NW 32, 25 102W

8. County: Rio Blanco 9. Field Name: Dragon Trail

10. Minerals: Fee State ☒ Federal Indian

11. Date of Test: 10/8/23

12. Well Status: Flowing

Shut In Gas Lift

Pumping Injection

☒ Clock/Intermittent

Plunger Lift

13. Number of Casing Strings:

☒ Two Three Liner?

14. EXISTING PRESSURES

Record all pressures as found	Tubing: 7	Tubing:	Prod Csg 40	Intermediate	Surf. Csg
	Fm:	Fm:	Fm:	Csg:	5

BRADENHEAD TEST

With gauges monitoring production, intermediate casing and tubing pressures, open surface casing (Bradenhead) valve (if no intermediate casing, monitor only the production casing and tubing pressures.) Record pressures at five minute intervals.

Describe character of flow in "Bradenhead Flow" column: O = No Flow; C = Continuous; D = Down to 0; S = Surge; W = Whisper

Describe fluid type in "Bradenhead Fluid" column: H = Water H₂O; M = Mud; G = Gas; V = Vapor; L = Liquid Hydrocarbon; H & M = Water & Mud; H & G = Water & Gas; H & V = Water & Vapor; M & G = Mud & Gas; M & V = Mud & Vapor; G & V = Gas & Vapor; H & L = Water & Liquid Hydrocarbon; M & L = Mud & Liquid Hydrocarbon; G & L = Gas & Liquid Hydrocarbon; V & L = Vapor & Liquid Hydrocarbon; N = None

Buried valve? Yes <input checked="" type="checkbox"/> No	Elapsed Time (Min:Sec)	Fm: Tubing	Fm: Tubing:	Prod Csg PSIG	Intermedia Csg PSIG	Bradenhead Flow:	Bradenhead Fluid:
Confirmed open? <input checked="" type="checkbox"/> Yes No	0:00	7		40		5	N
BRADENHEAD SAMPLE TAKEN?	5:00	7		40			
Yes <input checked="" type="checkbox"/> No Gas Liquid	10:00	7		40		C	
Character of Bradenhead fluid:	15:00	7		40		C	
Clear Fresh	20:00	7		40		C	
Sulfur Salty Black	25:00	7		40		C	
Other:(describe)	30:00	7		40		C	N
Instantaneous Bradenhead PSIG at end of test: > TSTM							

INTERMEDIATE CASING TEST

With gauges monitoring production, intermediate casing and tubing pressures, open the intermediate casing valve. Record pressures at five minute intervals.

Describe character of flow in "Intermediate Flow" column: O = No Flow; C = Continuous; D = Down to 0; S = Surge; W = Whisper

Describe fluid type in "Intermediate Fluid" column: H = Water H₂O; M = Mud; G = Gas; V = Vapor; L = Liquid Hydrocarbon; H & M = Water & Mud; H & G = Water & Gas; H & V = Water & Vapor; M & G = Mud & Gas; M & V = Mud & Vapor; G & V = Gas & Vapor; H & L = Water & Liquid Hydrocarbon; M & L = Mud & Liquid Hydrocarbon; G & L = Gas & Liquid Hydrocarbon; V & L = Vapor & Liquid Hydrocarbon; N = None.

Buried valve? Yes No	Elapsed Time (Min:Sec)	Fm: Tubing	Fm: Tubing:	Prod Csg PSIG	Intermediate Csg PSIG	Intermediate Flow:	Intermediate Fluid:
Confirmed open? Yes No		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
INTERMEDIATE SAMPLE TAKEN? Yes No Gas Liquid		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Character of Intermediate fluid: Clear Fresh Sulfur Salty Black Other:(describe) _____		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
	Instantaneous Intermediate Casing PSIG at end of test: > _____						

Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Test Performed By: Frank Gay Title: Pumper Phone: ()

Signed: Frank Gay Title: _____ Date: _____

Witnessed By: _____ Title: _____ Agency: _____

FORM

17

Rev
11/20

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109

Document Number:

BRADENHEAD TEST REPORT

Step 1. Before opening any valves, record all tubing and casing pressures as found.

Step 2. Collect liquid and gas samples as required; consult Bradenhead Testing and Reporting Instructions and Guidance for field specific Orders at <http://cogcc/reg.html#opguidance>

Step 3. Conduct Bradenhead test.

Step 4. Submit Form 17 within 10 days of test. Attach a wellbore diagram if not previously submitted or if wellbore configuration has changed since last wellbore diagram was submitted.

Step 5. Submit sample analytical results via Form 43.

1. OGCC Operator Number: 51130 3. BLM Lease No: C-02965

2. Name of Operator: Locin Oil Corporation

4. API Number: 05-103-09554 5. Multiple completion? ☐ Yes ☒ No

6. Well Name: West Dragon Trail Fed Number: 2-6-3-2

7. Location (QtrQtr, Sec, Twp, Rng, Meridian): N4WNE 6 ... 3S 102W

8. County Rio Blanco 9. Field Name: Dragon Trail

10. Minerals: ☐ Fee ☐ State ☐ Federal ☐ Indian

11. Date of Test: 10/9/23

12. Well Status: ☐ Flowing ☐ Shut In ☐ Gas Lift ☒ Pumping ☐ Injection ☐ Clock/Intermittent ☐ Plunger Lift

13. Number of Casing Strings: ☒ Two ☐ Three ☐ Liner?

14. EXISTING PRESSURES

Record all pressures as found	Tubing: 0	Tubing:	Prod Csg 17	Intermediate	Surf. Csg 0
	Fm:	Fm:	Fm:	Csg:	

BRADENHEAD TEST

With gauges monitoring production, intermediate casing and tubing pressures, open surface casing (Bradenhead) valve (if no intermediate casing, monitor only the production casing and tubing pressures.) Record pressures at five minute intervals.

Describe character of flow in "Bradenhead Flow" column: O = No Flow; C = Continuous; D = Down to 0; S = Surge; W = Whisper

Describe fluid type in "Bradenhead Fluid" column: H = Water H₂O; M = Mud; G = Gas; V = Vapor; L = Liquid Hydrocarbon; H & M = Water & Mud; H & G = Water & Gas; H & V = Water & Vapor; M & G = Mud & Gas; M & V = Mud & Vapor; G & V = Gas & Vapor; H & L = Water & Liquid Hydrocarbon; M & L = Mud & Liquid Hydrocarbon; G & L = Gas & Liquid Hydrocarbon; V & L = Vapor & Liquid Hydrocarbon; N = None

Buried valve? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Elapsed Time (Min:Sec)	Fm: Tubing	Fm: Tubing:	Prod Csg PSIG	Intermedia Csg PSIG	Bradenhead Flow:	Bradenhead Fluid:
Confirmed open? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	0:00	<input type="checkbox"/> 0	<input type="checkbox"/>	17		0	N
BRADENHEAD SAMPLE TAKEN?	5:00	<input type="checkbox"/> 0	<input type="checkbox"/>	17		0	N
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Gas <input type="checkbox"/> Liquid	10:00	<input type="checkbox"/> 0	<input type="checkbox"/>	17		0	N
Character of Bradenhead fluid:	15:00	<input type="checkbox"/> 0	<input type="checkbox"/>	17		0	N
<input type="checkbox"/> Clear <input type="checkbox"/> Fresh	20:00	<input type="checkbox"/> 0	<input type="checkbox"/>	17		0	N
<input type="checkbox"/> Sulfur <input type="checkbox"/> Salty <input type="checkbox"/> Black	25:00	<input type="checkbox"/> 0	<input type="checkbox"/>	17		0	N
Other:(describe)	30:00	<input type="checkbox"/> 0	<input type="checkbox"/>	17		0	N
Instantaneous Bradenhead PSIG at end of test: > 0							

INTERMEDIATE CASING TEST

With gauges monitoring production, intermediate casing and tubing pressures, open the intermediate casing valve. Record pressures at five minute intervals.

Describe character of flow in "Intermediate Flow" column: O = No Flow; C = Continuous; D = Down to 0; S = Surge; W = Whisper

Describe fluid type in "Intermediate Fluid" column: H = Water H₂O; M = Mud; G = Gas; V = Vapor; L = Liquid Hydrocarbon; H & M = Water & Mud; H & G = Water & Gas; H & V = Water & Vapor; M & G = Mud & Gas; M & V = Mud & Vapor; G & V = Gas & Vapor; H & L = Water & Liquid Hydrocarbon; M & L = Mud & Liquid Hydrocarbon; G & L = Gas & Liquid Hydrocarbon; V & L = Vapor & Liquid Hydrocarbon; N = None.

Buried valve? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Confirmed open? <input type="checkbox"/> Yes <input type="checkbox"/> No	Elapsed Time (Min:Sec)	Fm: Tubing	Fm: Tubing:	Prod Csg PSIG	Intermediate Csg PSIG	Intermediate Flow:	Intermediate Fluid:
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
INTERMEDIATE SAMPLE TAKEN? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Gas <input type="checkbox"/> Liquid		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Character of Intermediate fluid: <input type="checkbox"/> Clear <input type="checkbox"/> Fresh <input type="checkbox"/> Sulfur <input type="checkbox"/> Salty <input type="checkbox"/> Black Other:(describe) _____		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
	Instantaneous Intermediate Casing PSIG at end of test: > _____						

Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Test Performed By: Frank Cady Title: Pumper Phone: ()
 Signed: Frank Cady Title: _____ Date: _____
 Witnessed By: _____ Title: _____ Agency: _____

FORM

17

Rev
11/20

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

BRADENHEAD TEST REPORT

Step 1. Before opening any valves, record all tubing and casing pressures as found.

Step 2. Collect liquid and gas samples as required; consult Bradenhead Testing and Reporting Instructions and Guidance for field specific Orders at <http://cogcc/reg.html#opguidance>

Step 3. Conduct Bradenhead test.

Step 4. Submit Form 17 within 10 days of test. Attach a wellbore diagram if not previously submitted or if wellbore configuration has changed since last wellbore diagram was submitted.

Step 5. Submit sample analytical results via Form 43.

1. OGCC Operator Number: 51130 3. BLM Lease No: C-02965

2. Name of Operator: Login Oil Corporation

4. API Number: 05-103-09286 5. Multiple completion? Yes No

6. Well Name: West Dragon Trail Fed Number: 6-6-3-2

7. Location (QtrQtr, Sec, Twp, Rng, Meridian): SENEW6 ... 35 102W

8. County Rio Blanco 9. Field Name: Dragon Trail

10. Minerals: Fee State ☒ Federal Indian

11. Date of Test: 10/9/23

12. Well Status: Flowing

Shut In Gas Lift

Pumping Injection

☒ Clock/Intermitter

Plunger Lift

13. Number of Casing Strings:

☒ Two Three Liner?

14. EXISTING PRESSURES

Record all pressures as found	Tubing: 0	Tubing:	Prod Csg 11	Intermediate	Surf. Csg
	Fm:	Fm:	Fm:	Csg:	1STM

BRADENHEAD TEST

With gauges monitoring production, intermediate casing and tubing pressures, open surface casing (Bradenhead) valve (if no intermediate casing, monitor only the production casing and tubing pressures.) Record pressures at five minute intervals.

Describe character of flow in "Bradenhead Flow" column: O = No Flow; C = Continuous; D = Down to 0; S = Surge; W = Whisper

Describe fluid type in "Bradenhead Fluid" column: H = Water H₂O; M = Mud; G = Gas; V = Vapor; L = Liquid Hydrocarbon; H & M = Water & Mud; H & G = Water & Gas; H & V = Water & Vapor; M & G = Mud & Gas; M & V = Mud & Vapor; G & V = Gas & Vapor; H & L = Water & Liquid Hydrocarbon; M & L = Mud & Liquid Hydrocarbon; G & L = Gas & Liquid Hydrocarbon; V & L = Vapor & Liquid Hydrocarbon; N = None

Buried valve? Yes <input checked="" type="checkbox"/> No	Elapsed Time (Min:Sec)	Fm: Tubing	Fm: Tubing	Prod Csg PSIG	Intermedia Csg PSIG	Bradenhead Flow:	Bradenhead Fluid:
Confirmed open? <input checked="" type="checkbox"/> Yes No	0:00	<input type="checkbox"/> 0	<input type="checkbox"/>	<input type="checkbox"/> 11		W	N
BRADENHEAD SAMPLE TAKEN?	5:00	<input type="checkbox"/> 0	<input type="checkbox"/>	<input type="checkbox"/> 11		D	N
Yes <input checked="" type="checkbox"/> No Gas Liquid	10:00	<input type="checkbox"/> 0	<input type="checkbox"/>	<input type="checkbox"/> 11		O	N
Character of Bradenhead fluid:	15:00	<input type="checkbox"/> 0	<input type="checkbox"/>	<input type="checkbox"/> 11		O	N
Clear Fresh	20:00	<input type="checkbox"/> 0	<input type="checkbox"/>	<input type="checkbox"/> 11		O	N
Sulfur Salty Black	25:00	<input type="checkbox"/> 0	<input type="checkbox"/>	<input type="checkbox"/> 11		O	N
Other:(describe)	30:00	<input type="checkbox"/> 0	<input type="checkbox"/>	<input type="checkbox"/> 11		O	N
Instantaneous Bradenhead PSIG at end of test: > 0							

INTERMEDIATE CASING TEST

With gauges monitoring production, intermediate casing and tubing pressures, open the intermediate casing valve. Record pressures at five minute intervals.

Describe character of flow in "Intermediate Flow" column: O = No Flow; C = Continuous; D = Down to 0; S = Surge; W = Whisper

Describe fluid type in "Intermediate Fluid" column: H = Water H₂O; M = Mud; G = Gas; V = Vapor; L = Liquid Hydrocarbon; H & M = Water & Mud; H & G = Water & Gas; H & V = Water & Vapor; M & G = Mud & Gas; M & V = Mud & Vapor; G & V = Gas & Vapor; H & L = Water & Liquid Hydrocarbon; M & L = Mud & Liquid Hydrocarbon; G & L = Gas & Liquid Hydrocarbon; V & L = Vapor & Liquid Hydrocarbon; N = None.

Buried valve? Yes No	Elapsed Time (Min:Sec)	Fm: Tubing	Fm: Tubing:	Prod Csg PSIG	Intermediate Csg PSIG	Intermediate Flow:	Intermediate Fluid:
Confirmed open? Yes No		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
INTERMEDIATE SAMPLE TAKEN? Yes No Gas Liquid		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Character of Intermediate fluid: Clear Fresh Sulfur Salty Black Other:(describe) _____		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Instantaneous Intermediate Casing PSIG at end of test: > _____							

Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Test Performed By: <u>Frank Cady</u>	Title: <u>Pumper</u>	Phone: () _____
Signed: <u>Frank Cady</u>	Title: _____	Date: _____
Witnessed By: _____	Title: _____	Agency: _____

FORM

17

Rev
11/20

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

BRADENHEAD TEST REPORT

Step 1. Before opening any valves, record all tubing and casing pressures as found.

Step 2. Collect liquid and gas samples as required; consult Bradenhead Testing and Reporting Instructions and Guidance for field specific Orders at <http://cogcc/reg.html#opguidance>

Step 3. Conduct Bradenhead test.

Step 4. Submit Form 17 within 10 days of test. Attach a wellbore diagram if not previously submitted or if wellbore configuration has changed since last wellbore diagram was submitted.

Step 5. Submit sample analytical results via Form 43.

1. OGCC Operator Number: 51130

3. BLM Lease No: C-029951

2. Name of Operator: Locin Oil Corporation

4. API Number: 05-103-09648

5. Multiple completion? Yes No

6. Well Name: West Dragon Trail Fld Number: 4-32-2-2

7. Location (QtrQtr, Sec, Twp, Rng, Meridian): NW1/4S32... 2S 102W

8. County: Rio Blanco

9. Field Name: Dragon Trail

10. Minerals: Fee State

Federal Indian

11. Date of Test: 10/9/23

12. Well Status: Flowing

Shut In Gas Lift

☒ Pumping Injection

Clock/Intermittent

Plunger Lift

13. Number of Casing Strings:

☒ Two Three Liner?

14. EXISTING PRESSURES

Record all
pressures
as foundTubing: 0
Fm: 0Tubing: 10
Fm: 10Prod Csg 10
Fm: 10Intermediate
Csg: 0Surf. Csg
0

BRADENHEAD TEST

With gauges monitoring production, intermediate casing and tubing pressures, open surface casing (Bradenhead) valve (if no intermediate casing, monitor only the production casing and tubing pressures.) Record pressures at five minute intervals.

Describe character of flow in "Bradenhead Flow" column: O = No Flow; C = Continuous; D = Down to 0; S = Surge; W = Whisper

Describe fluid type in "Bradenhead Fluid" column: H = Water H₂O; M = Mud; G = Gas; V = Vapor; L = Liquid Hydrocarbon; H & M = Water & Mud; H & G = Water & Gas; H & V = Water & Vapor; M & G = Mud & Gas; M & V = Mud & Vapor; G & V = Gas & Vapor; H & L = Water & Liquid Hydrocarbon; M & L = Mud & Liquid Hydrocarbon; G & L = Gas & Liquid Hydrocarbon; V & L = Vapor & Liquid Hydrocarbon; N = None

Buried valve? Yes <input checked="" type="checkbox"/> No	Elapsed Time (Min:Sec)	Fm: Tubing	Fm: Tubing	Prod Csg PSIG	Intermedia Csg PSIG	Bradenhead Flow:	Bradenhead Fluid:
Confirmed open? <input checked="" type="checkbox"/> Yes No	0:10	<input type="checkbox"/> 0	<input type="checkbox"/>	<input type="checkbox"/> 10		0	N
BRADENHEAD SAMPLE TAKEN?	5:10	<input type="checkbox"/> 0	<input type="checkbox"/>	<input type="checkbox"/> 10		0	N
Yes <input checked="" type="checkbox"/> No Gas Liquid	10:10	<input type="checkbox"/> 0	<input type="checkbox"/>	<input type="checkbox"/> 10		0	N
Character of Bradenhead fluid:	15:10	<input type="checkbox"/> 0	<input type="checkbox"/>	<input type="checkbox"/> 10		0	N
Clear Fresh	20:10	<input type="checkbox"/> 0	<input type="checkbox"/>	<input type="checkbox"/> 10		0	N
Sulfur Salty Black	25:10	<input type="checkbox"/> 0	<input type="checkbox"/>	<input type="checkbox"/> 10		0	N
Other:(describe)	30:10	<input type="checkbox"/> 0	<input type="checkbox"/>	<input type="checkbox"/> 10		0	N
Instantaneous Bradenhead PSIG at end of test: > 0							

INTERMEDIATE CASING TEST

With gauges monitoring production, intermediate casing and tubing pressures, open the intermediate casing valve. Record pressures at five minute intervals.

Describe character of flow in "Intermediate Flow" column: O = No Flow; C = Continuous; D = Down to 0; S = Surge; W = Whisper

Describe fluid type in "Intermediate Fluid" column: H = Water H₂O; M = Mud; G = Gas; V = Vapor; L = Liquid Hydrocarbon; H & M = Water & Mud; H & G = Water & Gas; H & V = Water & Vapor; M & G = Mud & Gas; M & V = Mud & Vapor; G & V = Gas & Vapor; H & L = Water & Liquid Hydrocarbon; M & L = Mud & Liquid Hydrocarbon; G & L = Gas & Liquid Hydrocarbon; V & L = Vapor & Liquid Hydrocarbon; N = None.

Buried valve? Yes No	Elapsed Time (Min:Sec)	Fm: Tubing	Fm: Tubing:	Prod Csg PSIG	Intermediate Csg PSIG	Intermediate Flow:	Intermediate Fluid:
Confirmed open? Yes No		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
INTERMEDIATE SAMPLE TAKEN?		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Yes No Gas Liquid		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Character of Intermediate fluid:		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Clear Fresh		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Sulfur Salty Black		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Other:(describe)		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Instantaneous Intermediate Casing PSIG at end of test: > _____							

Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Test Performed By: <u>Frank Cady</u>	Title: <u>Pumper</u>	Phone: () _____
Signed: <u>Frank Cady</u>	Title: _____	Date: _____
Witnessed By: _____	Title: _____	Agency: _____

FORM

17

Rev
11/20

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

BRADENHEAD TEST REPORT

Step 1. Before opening any valves, record all tubing and casing pressures as found.

Step 2. Collect liquid and gas samples as required; consult Bradenhead Testing and Reporting Instructions and Guidance for field specific Orders at <http://cogcc/reg.html#opguidance>

Step 3. Conduct Bradenhead test.

Step 4. Submit Form 17 within 10 days of test. Attach a wellbore diagram if not previously submitted or if wellbore configuration has changed since last wellbore diagram was submitted.

Step 5. Submit sample analytical results via Form 43.

1. OGCC Operator Number: 51130

3. BLM Lease No: C-013372

2. Name of Operator: Locin Oil Corporation

4. API Number: 05-103-07934 5. Multiple completion? Yes ☒ No

6. Well Name: Dragon Trail Fed Number: 8-7-2-2

7. Location (Qtr, Sec, Twp, Rng, Meridian): SENE 7 ... 25 102W

8. County Rio Blanco 9. Field Name: Dragon Trail

10. Minerals: Fee State ☒ Federal Indian

11. Date of Test: 10/9/23

12. Well Status: Flowing

Shut In Gas Lift

☒ Pumping Injection

Clock/Intermittent

Plunger Lift

13. Number of Casing Strings:

☒ Two Three Liner?

14. EXISTING PRESSURES

Record all pressures as found	Tubing: <input type="radio"/>	Tubing: <input type="radio"/>	Prod Csg 14	Intermediate	Surf. Csg
	Fm: <input type="radio"/>	Fm: <input type="radio"/>	Fm: <input type="radio"/>	Csg: <input type="radio"/>	0

BRADENHEAD TEST

With gauges monitoring production, intermediate casing and tubing pressures, open surface casing (Bradenhead) valve (if no intermediate casing, monitor only the production casing and tubing pressures.) Record pressures at five minute intervals.

Describe character of flow in "Bradenhead Flow" column: O = No Flow; C = Continuous; D = Down to 0; S = Surge; W = Whisper

Describe fluid type in "Bradenhead Fluid" column: H = Water H₂O; M = Mud; G = Gas; V = Vapor; L = Liquid Hydrocarbon; H & M = Water & Mud; H & G = Water & Gas; H & V = Water & Vapor; M & G = Mud & Gas; M & V = Mud & Vapor; G & V = Gas & Vapor; H & L = Water & Liquid Hydrocarbon; M & L = Mud & Liquid Hydrocarbon; G & L = Gas & Liquid Hydrocarbon; V & L = Vapor & Liquid Hydrocarbon; N = None

Buried valve? Yes <input checked="" type="checkbox"/> No	Elapsed Time (Min:Sec)	Fm: Tubing	Fm: Tubing	Prod Csg PSIG	Intermedia Csg PSIG	Bradenhead Flow:	Bradenhead Fluid:
Confirmed open? <input checked="" type="checkbox"/> Yes No	0:00	<input type="radio"/>	<input type="radio"/>	14		0	N
BRADENHEAD SAMPLE TAKEN?	5:00	<input type="radio"/>	<input type="radio"/>	14		0	N
Yes <input checked="" type="checkbox"/> No Gas Liquid	10:00	<input type="radio"/>	<input type="radio"/>	14		0	N
Character of Bradenhead fluid:	15:00	<input type="radio"/>	<input type="radio"/>	14		0	N
Clear Fresh	20:00	<input type="radio"/>	<input type="radio"/>	14		0	N
Sulfur Salty Black	25:00	<input type="radio"/>	<input type="radio"/>	14		0	N
Other:(describe)	30:00	<input type="radio"/>	<input type="radio"/>	14		0	N
Instantaneous Bradenhead PSIG at end of test: > 0							

INTERMEDIATE CASING TEST

With gauges monitoring production, intermediate casing and tubing pressures, open the intermediate casing valve. Record pressures at five minute intervals.

Describe character of flow in "Intermediate Flow" column: O = No Flow; C = Continuous; D = Down to 0; S = Surge; W = Whisper

Describe fluid type in "Intermediate Fluid" column: H = Water H₂O; M = Mud; G = Gas; V = Vapor; L = Liquid Hydrocarbon; H & M = Water & Mud; H & G = Water & Gas; H & V = Water & Vapor; M & G = Mud & Gas; M & V = Mud & Vapor; G & V = Gas & Vapor; H & L = Water & Liquid Hydrocarbon; M & L = Mud & Liquid Hydrocarbon; G & L = Gas & Liquid Hydrocarbon; V & L = Vapor & Liquid Hydrocarbon; N = None.

Buried valve?	Yes	No	Elapsed Time (Min:Sec)	Fm: Tubing	Fm: Tubing:	Prod Csg PSIG	Intermediate Csg PSIG	Intermediate Flow:	Intermediate Fluid:
Confirmed open?	Yes	No		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
INTERMEDIATE SAMPLE TAKEN?				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Yes	No	Gas	Liquid	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Character of Intermediate fluid:				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Clear	Fresh			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Sulfur	Salty	Black		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Other:(describe)				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
			Instantaneous Intermediate Casing PSIG at end of test: > _____						

Comments:

D.T. Fed 8-7

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Test Performed By: <u>Frank Cady</u>	Title: <u>Pumper</u>	Phone: <u>()</u>
Signed: <u>Frank Cady</u>	Title: _____	Date: _____
Witnessed By: _____	Title: _____	Agency: _____

FORM

17

Rev
11/20

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

BRADENHEAD TEST REPORT

Step 1. Before opening any valves, record all tubing and casing pressures as found.

Step 2. Collect liquid and gas samples as required; consult Bradenhead Testing and Reporting Instructions and Guidance for field specific Orders at <http://cogcc/reg.html#opguidance>

Step 3. Conduct Bradenhead test.

Step 4. Submit Form 17 within 10 days of test. Attach a wellbore diagram if not previously submitted or if wellbore configuration has changed since last wellbore diagram was submitted.

Step 5. Submit sample analytical results via Form 43.

1. OGCC Operator Number: 51130 3. BLM Lease No: C-013372

2. Name of Operator: Locin Oil Corporation

4. API Number: 05-103-07933 5. Multiple completion? Yes No

6. Well Name: Dragon Trail Fed Number: 6-7-2-2

7. Location (QtrQtr, Sec, Twp, Rng, Meridian): SENE 7 ... 2S 102W

8. County Rio Blanco 9. Field Name: Dragon Trail

10. Minerals: Fee State ☒ Federal Indian

11. Date of Test: 10/9/23

12. Well Status: Flowing

Shut In Gas Lift

☒ Pumping Injection

Clock/Intermittent

Plunger Lift

13. Number of Casing Strings:

☒ Two Three Liner?

14. EXISTING PRESSURES

Record all pressures as found

Tubing: 14 Tubing: Fm: Prod Csg 14 Intermediate Surf. Csg

Fm: Fm: Fm: Csg: TSTM

BRADENHEAD TEST

With gauges monitoring production, intermediate casing and tubing pressures, open surface casing (Bradenhead) valve (if no intermediate casing, monitor only the production casing and tubing pressures.) Record pressures at five minute intervals.

Describe character of flow in "Bradenhead Flow" column: O = No Flow; C = Continuous; D = Down to 0; S = Surge; W = Whisper

Describe fluid type in "Bradenhead Fluid" column: H = Water H₂O; M = Mud; G = Gas; V = Vapor; L = Liquid Hydrocarbon; H & M = Water & Mud; H & G = Water & Gas; H & V = Water & Vapor; M & G = Mud & Gas; M & V = Mud & Vapor; G & V = Gas & Vapor; H & L = Water & Liquid Hydrocarbon; M & L = Mud & Liquid Hydrocarbon; G & L = Gas & Liquid Hydrocarbon; V & L = Vapor & Liquid Hydrocarbon; N = None

Buried valve? Yes <input checked="" type="checkbox"/> No	Elapsed Time (Min:Sec)	Fm: Tubing	Fm: Tubing	Prod Csg PSIG	Intermedia Csg PSIG	Bradenhead Flow:	Bradenhead Fluid:
Confirmed open? <input checked="" type="checkbox"/> Yes No	0:00	14	14	14		W	N
BRADENHEAD SAMPLE TAKEN?	5:00	14	14	14		D	N
Yes <input checked="" type="checkbox"/> No Gas Liquid	10:00	14	14	14		O	N
Character of Bradenhead fluid:	15:00	14	14	14		O	N
Clear Fresh	20:00	14	14	14		O	N
Sulfur Salty Black	25:00	14	14	14		O	N
Other:(describe)	30:00	14	14	14		O	N
Instantaneous Bradenhead PSIG at end of test: > 0							

INTERMEDIATE CASING TEST

With gauges monitoring production, intermediate casing and tubing pressures, open the intermediate casing valve. Record pressures at five minute intervals.

Describe character of flow in "Intermediate Flow" column: O = No Flow; C = Continuous; D = Down to 0; S = Surge; W = Whisper

Describe fluid type in "Intermediate Fluid" column: H = Water H₂O; M = Mud; G = Gas; V = Vapor; L = Liquid Hydrocarbon; H & M = Water & Mud; H & G = Water & Gas; H & V = Water & Vapor; M & G = Mud & Gas; M & V = Mud & Vapor; G & V = Gas & Vapor; H & L = Water & Liquid Hydrocarbon; M & L = Mud & Liquid Hydrocarbon; G & L = Gas & Liquid Hydrocarbon; V & L = Vapor & Liquid Hydrocarbon; N = None.

Buried valve?	Yes	No	Elapsed Time (Min:Sec)	Fm: Tubing	Fm: Tubing:	Prod Csg PSIG	Intermediate Csg PSIG	Intermediate Flow:	Intermediate Fluid:
Confirmed open?	Yes	No		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
INTERMEDIATE SAMPLE TAKEN?				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Yes	No	Gas	Liquid	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Character of Intermediate fluid:				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Clear	Fresh			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Sulfur	Salty	Black		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Other:(describe)				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
			Instantaneous Intermediate Casing PSIG at end of test: > _____						

Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Test Performed By: <u>Frank Cady</u>	Title: <u>Pumper</u>	Phone: () _____
Signed: <u>Frank Cady</u>	Title: _____	Date: _____
Witnessed By: _____	Title: _____	Agency: _____

FORM

17

Rev
11/20

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

BRADENHEAD TEST REPORT

Step 1. Before opening any valves, record all tubing and casing pressures as found.

Step 2. Collect liquid and gas samples as required; consult Bradenhead Testing and Reporting Instructions and Guidance for field specific Orders at <http://cogcc/reg.html#opguidance>

Step 3. Conduct Bradenhead test.

Step 4. Submit Form 17 within 10 days of test. Attach a wellbore diagram if not previously submitted or if wellbore configuration has changed since last wellbore diagram was submitted.

Step 5. Submit sample analytical results via Form 43.

1. OGCC Operator Number: 51130 3. BLM Lease No: C-027949

2. Name of Operator: Locin Oil Corporation

4. API Number: 05-103-09419 5. Multiple completion? Yes ☐ No ☐

6. Well Name: Sin Rangelito Ford Number: 2-1-1-3

7. Location (QtrQtr, Sec, Twp, Rng, Meridian): NW 1/4 Sec 15 T10S R13W

8. County: Rio Blanco 9. Field Name: Rangelito

10. Minerals: Fee State ☒ Federal Indian

11. Date of Test: 10/9/23

12. Well Status: Flowing

☐ Shut In ☐ Gas Lift☐ Pumping ☐ Injection☒ Clock/Intermittent☐ Plunger Lift

13. Number of Casing Strings:

☒ Two ☐ Three ☐ Liner?

14. EXISTING PRESSURES

Record all pressures as found	Tubing: 29 Fm: _____	Tubing: _____ Fm: _____	Prod Csg 74 Fm: _____	Intermediate Csg: _____	Surf. Csg 0
-------------------------------	-------------------------	----------------------------	--------------------------	-------------------------	-------------

BRADENHEAD TEST

With gauges monitoring production, intermediate casing and tubing pressures, open surface casing (Bradenhead) valve (if no intermediate casing, monitor only the production casing and tubing pressures.) Record pressures at five minute intervals.

Describe character of flow in "Bradenhead Flow" column: O = No Flow; C = Continuous; D = Down to 0; S = Surge; W = Whisper

Describe fluid type in "Bradenhead Fluid" column: H = Water H₂O; M = Mud; G = Gas; V = Vapor; L = Liquid Hydrocarbon; H & M = Water & Mud; H & G = Water & Gas; H & V = Water & Vapor; M & G = Mud & Gas; M & V = Mud & Vapor; G & V = Gas & Vapor; H & L = Water & Liquid Hydrocarbon; M & L = Mud & Liquid Hydrocarbon; G & L = Gas & Liquid Hydrocarbon; V & L = Vapor & Liquid Hydrocarbon; N = None

Buried valve? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Elapsed Time (Min:Sec)	Fm: Tubing	Fm: Tubing	Prod Csg PSIG	Intermedia Csg PSIG	Bradenhead Flow:	Bradenhead Fluid:
Confirmed open? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	0:00	29		74		O	N
BRADENHEAD SAMPLE TAKEN?	5:00	34		75		O	N
Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Gas <input type="checkbox"/> Liquid <input type="checkbox"/>	10:00	34		75		O	N
Character of Bradenhead fluid:	15:00	34		75		O	N
Clear <input type="checkbox"/> Fresh <input type="checkbox"/>	20:00	34		75		O	N
Sulfur <input type="checkbox"/> Salty <input type="checkbox"/> Black <input type="checkbox"/>	25:00	34		75		O	N
Other:(describe)	30:00	34		75		O	N
Instantaneous Bradenhead PSIG at end of test: > 0							

INTERMEDIATE CASING TEST

With gauges monitoring production, intermediate casing and tubing pressures, open the intermediate casing valve. Record pressures at five minute intervals.

Describe character of flow in "Intermediate Flow" column: O = No Flow; C = Continuous; D = Down to 0; S = Surge; W = Whisper

Describe fluid type in "Intermediate Fluid" column: H = Water H₂O; M = Mud; G = Gas; V = Vapor; L = Liquid Hydrocarbon; H & M = Water & Mud; H & G = Water & Gas; H & V = Water & Vapor; M & G = Mud & Gas; M & V = Mud & Vapor; G & V = Gas & Vapor; H & L = Water & Liquid Hydrocarbon; M & L = Mud & Liquid Hydrocarbon; G & L = Gas & Liquid Hydrocarbon; V & L = Vapor & Liquid Hydrocarbon; N = None.

Buried valve? <input type="checkbox"/> Yes <input type="checkbox"/> No	Elapsed Time (Min:Sec)	Fm: Tubing	Fm: Tubing:	Prod Csg PSIG	Intermediate Csg PSIG	Intermediate Flow:	Intermediate Fluid:
Confirmed open? <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
INTERMEDIATE SAMPLE TAKEN? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Gas <input type="checkbox"/> Liquid		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Character of Intermediate fluid: <input type="checkbox"/> Clear <input type="checkbox"/> Fresh <input type="checkbox"/> Sulfur <input type="checkbox"/> Salty <input type="checkbox"/> Black Other:(describe) <hr/>		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Instantaneous Intermediate Casing PSIG at end of test: > <hr/>							

Comments:

SWR 2-1

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Test Performed By: <u>Frank Gady</u>	Title: <u>Pumper</u>	Phone: <u>()</u>
Signed: <u>Frank Gady</u>	Title: _____	Date: _____
Witnessed By: _____	Title: _____	Agency: _____

FORM

17

Rev
11/20

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

BRADENHEAD TEST REPORT

Step 1. Before opening any valves, record all tubing and casing pressures as found.

Step 2. Collect liquid and gas samples as required; consult Bradenhead Testing and Reporting Instructions and Guidance for field specific Orders at <http://cogcc/reg.html#opguidance>

Step 3. Conduct Bradenhead test.

Step 4. Submit Form 17 within 10 days of test. Attach a wellbore diagram if not previously submitted or if wellbore configuration has changed since last wellbore diagram was submitted.

Step 5. Submit sample analytical results via Form 43.

1. OGCC Operator Number: 51130 3. BLM Lease No: C-47342

2. Name of Operator: Locin Oil Corporation

4. API Number: 65-103-69473 5. Multiple completion? Yes No

6. Well Name: Southwest Rangely Fod Number: 10-7-1-2

7. Location (QtrQtr, Sec, Twp, Rng, Meridian): NWSE 7 15 102W

8. County Rio Blanco 9. Field Name: Rangely

10. Minerals: Fee State ☒ Federal Indian

11. Date of Test: 10/9/23

12. Well Status: Flowing

☐ Shut In ☐ Gas Lift☒ Pumping ☐ Injection☐ Clock/Intermittent☐ Plunger Lift

13. Number of Casing Strings:

☒ Two ☐ Three ☐ Liner?

14. EXISTING PRESSURES

Record all pressures as found	Tubing: 0	Tubing:	Prod Csg 53	Intermediate	Surf. Csg
	Fm:	Fm:	Fm:	Csg:	0

BRADENHEAD TEST

With gauges monitoring production, intermediate casing and tubing pressures, open surface casing (Bradenhead) valve (if no intermediate casing, monitor only the production casing and tubing pressures.) Record pressures at five minute intervals.

Describe character of flow in "Bradenhead Flow" column: O = No Flow; C = Continuous; D = Down to 0; S = Surge; W = Whisper

Describe fluid type in "Bradenhead Fluid" column: H = Water H₂O; M = Mud; G = Gas; V = Vapor; L = Liquid Hydrocarbon; H & M = Water & Mud; H & G = Water & Gas; H & V = Water & Vapor; M & G = Mud & Gas; M & V = Mud & Vapor; G & V = Gas & Vapor; H & L = Water & Liquid Hydrocarbon; M & L = Mud & Liquid Hydrocarbon; G & L = Gas & Liquid Hydrocarbon; V & L = Vapor & Liquid Hydrocarbon; N = None

Buried valve? Yes <input checked="" type="checkbox"/> No	Elapsed Time (Min:Sec)	Fm: Tubing	Fm: Tubing	Prod Csg PSIG	Intermedia Csg PSIG	Bradenhead Flow:	Bradenhead Fluid:
Confirmed open? <input checked="" type="checkbox"/> Yes No	0:00	<input type="checkbox"/> 0	<input type="checkbox"/>	53		0	N
BRADENHEAD SAMPLE TAKEN?	5:00	<input type="checkbox"/> 0	<input type="checkbox"/>	53		0	N
Yes <input checked="" type="checkbox"/> No Gas Liquid	10:00	<input type="checkbox"/> 0	<input type="checkbox"/>	53		0	N
Character of Bradenhead fluid:	15:00	<input type="checkbox"/> 0	<input type="checkbox"/>	53		0	N
Clear Fresh	20:00	<input type="checkbox"/> 0	<input type="checkbox"/>	53		0	N
Sulfur Salty Black	25:00	<input type="checkbox"/> 0	<input type="checkbox"/>	53		0	N
Other:(describe)	30:00	<input type="checkbox"/> 0	<input type="checkbox"/>	53		0	N
Instantaneous Bradenhead PSIG at end of test: > 0							

INTERMEDIATE CASING TEST

With gauges monitoring production, intermediate casing and tubing pressures, open the intermediate casing valve. Record pressures at five minute intervals.

Describe character of flow in "Intermediate Flow" column: O = No Flow; C = Continuous; D = Down to 0; S = Surge; W = Whisper

Describe fluid type in "Intermediate Fluid" column: H = Water H₂O; M = Mud; G = Gas; V = Vapor; L = Liquid Hydrocarbon; H & M = Water & Mud; H & G = Water & Gas; H & V = Water & Vapor; M & G = Mud & Gas; M & V = Mud & Vapor; G & V = Gas & Vapor; H & L = Water & Liquid Hydrocarbon; M & L = Mud & Liquid Hydrocarbon; G & L = Gas & Liquid Hydrocarbon; V & L = Vapor & Liquid Hydrocarbon; N = None.

Buried valve? <input type="checkbox"/> Yes <input type="checkbox"/> No	Elapsed Time (Min:Sec)	Fm: Tubing	Fm: Tubing:	Prod Csg PSIG	Intermediate Csg PSIG	Intermediate Flow:	Intermediate Fluid:
Confirmed open? <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
INTERMEDIATE SAMPLE TAKEN? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Gas <input type="checkbox"/> Liquid		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Character of Intermediate fluid: <input type="checkbox"/> Clear <input type="checkbox"/> Fresh <input type="checkbox"/> Sulfur <input type="checkbox"/> Salty <input type="checkbox"/> Black Other:(describe) _____		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Instantaneous Intermediate Casing PSIG at end of test: > _____							

Comments:

SWR 10-7

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Test Performed By: Frank Cody Title: Pumper Phone: ()

Signed: Frank Cody Title: _____ Date: _____

Witnessed By: _____ Title: _____ Agency: _____

FORM
17Rev
11/20

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109

Document Number:

BRADENHEAD TEST REPORT

Step 1. Before opening any valves, record all tubing and casing pressures as found.

Step 2. Collect liquid and gas samples as required; consult Bradenhead Testing and Reporting Instructions and Guidance for field specific Orders at <http://cogcc/reg.html#opguidance>

Step 3. Conduct Bradenhead test.

Step 4. Submit Form 17 within 10 days of test. Attach a wellbore diagram if not previously submitted or if wellbore configuration has changed since last wellbore diagram was submitted.

Step 5. Submit sample analytical results via Form 43.

1. OGCC Operator Number: 51130 3. BLM Lease No: C-47342

2. Name of Operator: Locin Oil Corporation

4. API Number: 05-103-09397 5. Multiple completion? ☒ Yes ☐ No

6. Well Name: SW Rangely Fed Number: 12-8-1-2

7. Location (QtrQtr, Sec, Twp, Rng, Meridian): NWSW8 15 102W

8. County: Rio Blanco 9. Field Name: Rangely

10. Minerals: ☐ Fee ☐ State ☒ Federal ☐ Indian

11. Date of Test: 10/9/23

12. Well Status: ☒ Flowing☐ Shut In ☐ Gas Lift☐ Pumping ☐ Injection☒ Clock/Intermittent☐ Plunger Lift

13. Number of Casing Strings:

☒ Two ☐ Three ☐ Liner?

14. EXISTING PRESSURES

Record all pressures as found	Tubing: 20 Fm: _____	Tubing: _____ Fm: _____	Prod Csg 22 Fm: _____	Intermediate Csg: _____	Surf. Csg 0
-------------------------------	-------------------------	----------------------------	--------------------------	----------------------------	----------------

BRADENHEAD TEST

With gauges monitoring production, intermediate casing and tubing pressures, open surface casing (Bradenhead) valve (if no intermediate casing, monitor only the production casing and tubing pressures.) Record pressures at five minute intervals.

Describe character of flow in "Bradenhead Flow" column: O = No Flow; C = Continuous; D = Down to 0; S = Surge; W = Whisper

Describe fluid type in "Bradenhead Fluid" column: H = Water H₂O; M = Mud; G = Gas; V = Vapor; L = Liquid Hydrocarbon; H & M = Water & Mud; H & G = Water & Gas; H & V = Water & Vapor; M & G = Mud & Gas; M & V = Mud & Vapor; G & V = Gas & Vapor; H & L = Water & Liquid Hydrocarbon; M & L = Mud & Liquid Hydrocarbon; G & L = Gas & Liquid Hydrocarbon; V & L = Vapor & Liquid Hydrocarbon; N = None

Buried valve? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Elapsed Time (Min:Sec)	Fm: Tubing	Fm: Tubing	Prod Csg PSIG	Intermedia Csg PSIG	Bradenhead Flow:	Bradenhead Fluid:
Confirmed open? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	0:00	20		22		O	N
BRADENHEAD SAMPLE TAKEN?	5:00	20		22		O	N
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Gas <input type="checkbox"/> Liquid	10:00	20		22		O	N
Character of Bradenhead fluid:	15:00	20		22		O	N
<input type="checkbox"/> Clear <input type="checkbox"/> Fresh	20:00	20		22		O	N
<input type="checkbox"/> Sulfur <input type="checkbox"/> Salty <input type="checkbox"/> Black	25:00	20		22		O	N
Other:(describe)	30:00	20		22		O	N
Instantaneous Bradenhead PSIG at end of test: > 0							

INTERMEDIATE CASING TEST

With gauges monitoring production, intermediate casing and tubing pressures, open the intermediate casing valve. Record pressures at five minute intervals.

Describe character of flow in "Intermediate Flow" column: O = No Flow; C = Continuous; D = Down to 0; S = Surge; W = Whisper

Describe fluid type in "Intermediate Fluid" column: H = Water H₂O; M = Mud; G = Gas; V = Vapor; L = Liquid Hydrocarbon; H & M = Water & Mud; H & G = Water & Gas; H & V = Water & Vapor; M & G = Mud & Gas; M & V = Mud & Vapor; G & V = Gas & Vapor; H & L = Water & Liquid Hydrocarbon; M & L = Mud & Liquid Hydrocarbon; G & L = Gas & Liquid Hydrocarbon; V & L = Vapor & Liquid Hydrocarbon; N = None.

Buried valve? <input type="checkbox"/> Yes <input type="checkbox"/> No Confirmed open? <input type="checkbox"/> Yes <input type="checkbox"/> No	Elapsed Time (Min:Sec)	Fm: Tubing	Fm: Tubing:	Prod Csg PSIG	Intermediate Csg PSIG	Intermediate Flow:	Intermediate Fluid:
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
INTERMEDIATE SAMPLE TAKEN? <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Gas <input type="checkbox"/> Liquid		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Character of Intermediate fluid: <input type="checkbox"/> Clear <input type="checkbox"/> Fresh <input type="checkbox"/> Sulfur <input type="checkbox"/> Salty <input type="checkbox"/> Black Other:(describe) _____		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Instantaneous Intermediate Casing PSIG at end of test: > _____							

Comments:

SLUR 12-8

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Test Performed By: <u>Frank Cady</u>	Title: <u>Pumper</u>	Phone: <u>()</u>
Signed: <u>Frank Cady</u>	Title: _____	Date: _____
Witnessed By: _____	Title: _____	Agency: _____

FORM

17

Rev
11/20

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

BRADENHEAD TEST REPORT

Step 1. Before opening any valves, record all tubing and casing pressures as found.

Step 2. Collect liquid and gas samples as required; consult Bradenhead Testing and Reporting Instructions and Guidance for field specific Orders at <http://cogcc/reg.html#opguidance>

Step 3. Conduct Bradenhead test.

Step 4. Submit Form 17 within 10 days of test. Attach a wellbore diagram if not previously submitted or if wellbore configuration has changed since last wellbore diagram was submitted.

Step 5. Submit sample analytical results via Form 43.

1. OGCC Operator Number: 51130 3. BLM Lease No: C-47342

2. Name of Operator: Locin Oil Corporation

4. API Number: 05-103-09498 5. Multiple completion? Yes ☒ No

6. Well Name: SW Rangely Fed Number: 2-18-1-2

7. Location (QtrQtr, Sec, Twp, Rng, Meridian): NW 1/4 Sec 18, Twp 15, Rng 12W

8. County Rio Blanco 9. Field Name: Rangely

10. Minerals: Fee State ☒ Federal Indian

11. Date of Test: 10/9/2312. Well Status: ☒ Flowing☐ Shut In ☐ Gas Lift☐ Pumping ☐ Injection☒ Clock/Intermittent☐ Plunger Lift

13. Number of Casing Strings:

☒ Two ☐ Three ☐ Liner?

14. EXISTING PRESSURES

Record all pressures as found	Tubing: <u>20</u>	Tubing: <u> </u>	Prod Csg <u>58</u>	Intermediate	Surf. Csg
	Fm: <u> </u>	Fm: <u> </u>	Fm: <u> </u>	Csg: <u> </u>	<u>0</u>

BRADENHEAD TEST

With gauges monitoring production, intermediate casing and tubing pressures, open surface casing (Bradenhead) valve (if no intermediate casing, monitor only the production casing and tubing pressures.) Record pressures at five minute intervals.

Describe character of flow in "Bradenhead Flow" column: O = No Flow; C = Continuous; D = Down to 0; S = Surge; W = Whisper

Describe fluid type in "Bradenhead Fluid" column: H = Water H₂O; M = Mud; G = Gas; V = Vapor; L = Liquid Hydrocarbon; H & M = Water & Mud; H & G = Water & Gas; H & V = Water & Vapor; M & G = Mud & Gas; M & V = Mud & Vapor; G & V = Gas & Vapor; H & L = Water & Liquid Hydrocarbon; M & L = Mud & Liquid Hydrocarbon; G & L = Gas & Liquid Hydrocarbon; V & L = Vapor & Liquid Hydrocarbon; N = None

Buried valve? Yes <input checked="" type="checkbox"/> No	Elapsed Time (Min:Sec)	Fm: Tubing	Fm: Tubing:	Prod Csg PSIG	Intermedia Csg PSIG	Bradenhead Flow:	Bradenhead Fluid:
Confirmed open? <input checked="" type="checkbox"/> Yes No	0:00	<input checked="" type="checkbox"/> 20	<input type="checkbox"/>	<input checked="" type="checkbox"/> 58		O	N
BRADENHEAD SAMPLE TAKEN?	5:00	<input checked="" type="checkbox"/> 27	<input type="checkbox"/>	<input checked="" type="checkbox"/> 58		O	N
Yes <input checked="" type="checkbox"/> No Gas Liquid	10:00	<input checked="" type="checkbox"/> 20	<input type="checkbox"/>	<input checked="" type="checkbox"/> 58		O	N
Character of Bradenhead fluid:	15:00	<input checked="" type="checkbox"/> 19	<input type="checkbox"/>	<input checked="" type="checkbox"/> 58		O	N
Clear Fresh	20:00	<input checked="" type="checkbox"/> 19	<input type="checkbox"/>	<input checked="" type="checkbox"/> 59		O	N
Sulfur Salty Black	25:00	<input checked="" type="checkbox"/> 27	<input type="checkbox"/>	<input checked="" type="checkbox"/> 59		O	N
Other:(describe)	30:00	<input checked="" type="checkbox"/> 26	<input type="checkbox"/>	<input checked="" type="checkbox"/> 59		O	N
Instantaneous Bradenhead PSIG at end of test: > <u>0</u>							

INTERMEDIATE CASING TEST

With gauges monitoring production, intermediate casing and tubing pressures, open the intermediate casing valve. Record pressures at five minute intervals.

Describe character of flow in "Intermediate Flow" column: O = No Flow; C = Continuous; D = Down to 0; S = Surge; W = Whisper

Describe fluid type in "Intermediate Fluid" column: H = Water H₂O; M = Mud; G = Gas; V = Vapor; L = Liquid Hydrocarbon; H & M = Water & Mud; H & G = Water & Gas; H & V = Water & Vapor; M & G = Mud & Gas; M & V = Mud & Vapor; G & V = Gas & Vapor; H & L = Water & Liquid Hydrocarbon; M & L = Mud & Liquid Hydrocarbon; G & L = Gas & Liquid Hydrocarbon; V & L = Vapor & Liquid Hydrocarbon; N = None.

Buried valve? Yes No Confirmed open? Yes No	Elapsed Time (Min:Sec)	Fm: Tubing	Fm: Tubing:	Prod Csg PSIG	Intermediate Csg PSIG	Intermediate Flow:	Intermediate Fluid:
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
INTERMEDIATE SAMPLE TAKEN? Yes No Gas Liquid		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Character of Intermediate fluid: Clear Fresh Sulfur Salty Black Other:(describe) _____		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Instantaneous Intermediate Casing PSIG at end of test: > _____							

Comments:

SWR 2-18

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Test Performed By: Frank Cady Title: Pumper Phone: () _____
 Signed: Frank Cady Title: _____ Date: _____
 Witnessed By: _____ Title: _____ Agency: _____