

State of Colorado  
Energy & Carbon Management Commission



1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109

Document Number:  
403578624

Date Received:  
10/31/2023

## FIR RESOLUTION FORM

### Overall Status:

#### CA Summary:

2 of 2 CAs from the FIR responded to on this Form

2 CA Completed  
0 Factual Review Request

### OPERATOR INFORMATION

OGCC Operator Number: 100322

Name of Operator: NOBLE ENERGY INC

Address: 2001 16TH STREET SUITE 900

City: DENVER State: CO Zip: 80202

Contact Name and Telephone:

Name: \_\_\_\_\_

Phone: ( ) Fax: ( )

Email: \_\_\_\_\_

#### Additional Operator Contact:

Contact Name

Phone

Email

.

[rbucogccinspectionreports@chevron.onmicrosoft.com](mailto:rbucogccinspectionreports@chevron.onmicrosoft.com)

### COGCC INSPECTION SUMMARY:

FIR Document Number: 707601839

Inspection Date: 09/13/2023

FIR Submit Date: 09/13/2023

FIR Status: \_\_\_\_\_

#### Inspected Operator Information:

Company Name: NOBLE ENERGY INC

Company Number: 100322

Address: 2001 16TH STREET SUITE 900

City: DENVER State: CO Zip: 80202

#### LOCATION - Location ID: 447718

Location Name: SCHMIER-65N64W Number: 32NWNW County: \_\_\_\_\_

Qtrqr: NWN Sec: 32 Twp: 5N Range: 64W Meridian: 6  
W

Latitude: 40.359756 Longitude: -104.582855

#### FACILITY - API Number: 05-123- -00 Facility ID: 447717

Facility Name: SCHMIER-65N64W Number: 32NWNW

Qtrqr: NWN Sec: 32 Twp: 5N Range: 64W Meridian: 6  
W

Latitude: 40.359756 Longitude: -104.582855

### CORRECTIVE ACTIONS:

1 CA# 181174

Corrective Action: \*Post sign w/ Emergency number, Company & Well names at Battery site.  
Comply with Rule 605.e.  
Corrective Action date: 10/16/2023. (30-days).  
See photo #1.  
\*Attach photo(s) to FIRR to verify Corrective Action(s) have been resolved.

Date: 10/16/2023

Response: CA COMPLETED

Date of Completion: 10/31/2023

Operator Comment:	Complied with rule 605.e. please see attached pic	
COGCC Decision: _____		
COGCC Representative:		

2 CA# 181175

Corrective Action:	*Post sign w/ Emergency number, Company & Well names at Battery site. Comply with Rule 605.e. Corrective Action date: 10/16/2023. (30-days). See photo #1. *Attach photo(s) to FIRR to verify Corrective Action(s) have been resolved.	Date: <u>10/16/2023</u>
Response: CA COMPLETED _____ Date of Completion: <u>10/31/2023</u>		
Operator Comment:	complied with rule 605.e. please see attached pic	
COGCC Decision: _____		
COGCC Representative:		

**OPERATOR COMMENT AND SUBMITTAL**

Comment:

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Isaiah Flores Signed: \_\_\_\_\_

Title: HSE Date: 10/31/2023 2:58:38 PM

### ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
403578687	pic 1
403578689	pic 2
403578690	pic 3
403578692	pic 4

Total Attach: 4 Files