

# State of Colorado Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

403568017

Receive Date:

11/03/2023

Report taken by:

Taylor Robinson

## Site Investigation and Remediation Workplan (Initial Form)

This form shall be submitted to the Director for approval prior to the initiation of site investigation and remediation activities. However, this shall not preclude the Operator from taking immediate action to protect public health or safety, the environment, wildlife, or livestock.

This Form 27 describes site conditions as currently understood by the Operator; approval of this Form 27 by COGCC is based on the site conditions accurately described herein; any changes in site conditions identified during or subsequent to the performance of the approved workplan may necessitate additional investigation or remediation which shall be described on a supplemental Form 27. This Form 27 is intended to provide basic information regarding the proposed site investigation and remediation actions, but the workplan may be more fully described in attached documentation.

Closure request is not available for an Initial Site Investigation and Remediation Workplan.

### OPERATOR INFORMATION

Name of Operator: <u>KERR MCGEE OIL &amp; GAS ONSHORE LP</u>	Operator No: <u>47120</u>	<b>Phone Numbers</b>
Address: <u>P O BOX 173779</u>		Phone: <u>(970) 336-3500</u>
City: <u>DENVER</u>	State: <u>CO</u>	Zip: <u>80217-3779</u>
Contact Person: <u>Gregory Hamilton</u>	Email: <u>Gregory_Hamilton@oxy.com</u>	Mobile: <u>(970) 515-1698</u>

### PROJECT, PURPOSE & SITE INFORMATION

#### PROJECT INFORMATION

Remediation Project #: 32767 Initial Form 27 Document #: 403568017

#### PURPOSE INFORMATION

- ☐ Rule 913.c.(1): Pit or Cuttings Trench closure.
- ☐ Rule 913.c.(2): Buried or partially buried vessel closure, which will be by removal.
- ☐ Rule 913.c.(3): Remediation of Spill and Releases pursuant to Rule 912.
- ☐ Rule 913.c.(4): Land treatment of Oily Waste pursuant to Rule 905.e.
- ☐ Rule 913.c.(5): Closure of Centralized E&P Waste Management Facilities pursuant to Rule 907.h.
- ☐ Rule 913.c.(6): Remediation of impacted Groundwater pursuant to Rule 915.e.(3).D, and the contaminant concentrations in Table 915-1.
- ☐ Rule 913.c.(7): Investigation and remediation of natural gas in soil or Groundwater.
- ☐ Rule 913.c.(8): When requested by the Director due to any potential risk to soil, Groundwater, or surface water.
- ☒ Rule 913.c.(9): Decommissioning of Oil and Gas Facilities.
- ☐ Rule 913.g: Changes of Operator.
- ☐ Rule 915.b: Request to leave elevated inorganics in situ.
- ☐ Other: \_\_\_\_\_

#### SITE INFORMATION

No Multiple Facilities

Facility Type: <u>WELL</u>	Facility ID: _____	API #: <u>123-23926</u>	County Name: <u>WELD</u>
Facility Name: <u>UIV 18-20</u>		Latitude: <u>40.389130</u>	Longitude: <u>-104.922070</u>
		** correct Lat/Long if needed: Latitude: _____	Longitude: _____
QtrQtr: <u>NWNW</u>	Sec: <u>20</u>	Twp: <u>5N</u>	Range: <u>67W</u>
		Meridian: <u>6</u>	Sensitive Area? <u>Yes</u>

#### SITE CONDITIONS

General soil type - USCS Classifications SM Most Sensitive Adjacent Land Use Crop Land

Is domestic water well within 1/4 mile? Yes Is surface water within 1/4 mile? Yes

Is groundwater less than 20 feet below ground surface? Yes

#### Other Potential Receptors within 1/4 mile

Multiple buildings and livestock holding pens are located within ¼ mile of the wellhead.

A building is located approximately 450 feet southeast of the wellhead.

The nearest domestic water well is located approximately 730 feet to the northwest of the wellhead.

Surface water is located approximately 90 feet to the east of the wellhead.

A wetland is located approximately 180 feet north of the wellhead.

## SITE INVESTIGATION PLAN

### TYPE OF WASTE:

- ☒ E&P Waste ☐ Other E&P Waste ☐ Non-E&P Waste
- ☒ Produced Water ☐ Workover Fluids \_\_\_\_\_
- ☒ Oil ☐ Tank Bottoms \_\_\_\_\_
- ☒ Condensate ☐ Pigging Waste \_\_\_\_\_
- ☐ Drilling Fluids ☐ Rig Wash \_\_\_\_\_
- ☐ Drill Cuttings ☐ Spent Filters \_\_\_\_\_
- ☐ Pit Bottoms \_\_\_\_\_
- ☐ Other (as described by EPA) \_\_\_\_\_

### DESCRIPTION OF IMPACT

Impacted?	Impacted Media	Extent of Impact	How Determined
UNDETERMINED	GROUNDWATER	TBD	Groundwater samples/laboratory analytical results.
UNDETERMINED	SOILS	TBD	Inspection/soil samples/laboratory analytical results.

### INITIAL ACTION SUMMARY

Description of initial action or emergency response measures taken to abate, investigate, and/or remediate impacts associated with E&P Waste.

This form has been prepared to provide prior notice of the removal of the flowline associated with the UIV 18-20 wellhead. The flowline will be permanently removed. The UIV 18-20 wellhead will be plugged and abandoned at a later date. The off-location flowline system pre-removal notice was submitted under Form 44 Document No. 403558756. In accordance with ECOM Rule 911.a., soil and groundwater (if present) samples will be collected and submitted for laboratory analysis to determine if concentrations and values are in compliance with ECOM Table 915-1. Visual inspection and field screening of soils along the flowline will be conducted during sampling activities. The topographic Site Location Map showing the geographic setting of the site is provided as Figure 1.

### PROPOSED SAMPLING PLAN

#### Proposed Soil Sampling

- ☒ Will soil samples be collected as part of this investigation? ( Number, type (grab/composite), analyses, and locations of samples ):

Following flowline removal operations, soil will be field screened at both the wellhead riser and the separator riser, and areas most likely to have been impacted during the operational life of the flowline. Samples will be collected if indications of impacts to soil or groundwater are present. If impacted soils are encountered, a waste characterization soil sample will be collected from the areas exhibiting the highest degree of impact based on visual, olfactory, and/or field screening observations. In the absence of apparent impacts, a soil sample will be collected adjacent to the flowline riser at the wellhead, adjacent to the flowline riser at the separator, and the areas most likely to have been impacted during the operational life of the flowline. Soil samples will be submitted to an accredited laboratory for analysis using standard methods appropriate for detecting the target analytes in ECOM Table 915-1. Proposed soil sample and screening locations are provided on Figure 2.

#### Proposed Groundwater Sampling

- ☒ Will groundwater samples be collected as part of this investigation? ( Number, analyses, and locations of samples ):

If groundwater is encountered during flowline removal activities, a minimum of one grab sample will be collected as soon as practical. Groundwater samples will be submitted to an accredited laboratory for analysis of benzene, toluene, ethylbenzene, total xylenes (BTEX), naphthalene, 1,2,4-trimethylbenzene (1,2,4 – TMB), and 1,3,5-trimethylbenzene (1,3,5 – TMB), using standard methods appropriate for detecting the target analytes in ECOM Table 915-1.

#### Proposed Surface Water Sampling

- ☐ Will surface water samples be collected as part of this investigation? ( Number, analyses, and locations of samples ):

### Additional Investigative Actions

- ☐ Additional alternative investigative actions described in attached Site Investigation Plan ( summary ):

## SITE INVESTIGATION REPORT

## SAMPLE SUMMARY

### Soil

Number of soil samples collected \_\_\_\_\_ 0  
Number of soil samples exceeding 915-1 \_\_\_\_\_  
Was the areal and vertical extent of soil contamination delineated? \_\_\_\_\_  
Approximate areal extent (square feet) \_\_\_\_\_

### NA / ND

\_\_\_\_\_ Highest concentration of TPH (mg/kg) \_\_\_\_\_  
\_\_\_\_\_ Highest concentration of SAR \_\_\_\_\_  
\_\_\_\_\_ BTEX > 915-1 \_\_\_\_\_  
\_\_\_\_\_ Vertical Extent > 915-1 (in feet) \_\_\_\_\_

### Groundwater

Number of groundwater samples collected \_\_\_\_\_ 0  
Was extent of groundwater contaminated delineated? No \_\_\_\_\_  
Depth to groundwater (below ground surface, in feet) \_\_\_\_\_  
Number of groundwater monitoring wells installed \_\_\_\_\_  
Number of groundwater samples exceeding 915-1 \_\_\_\_\_

\_\_\_\_\_ Highest concentration of Benzene (µg/l) \_\_\_\_\_  
\_\_\_\_\_ Highest concentration of Toluene (µg/l) \_\_\_\_\_  
\_\_\_\_\_ Highest concentration of Ethylbenzene (µg/l) \_\_\_\_\_  
\_\_\_\_\_ Highest concentration of Xylene (µg/l) \_\_\_\_\_  
\_\_\_\_\_ Highest concentration of Methane (mg/l) \_\_\_\_\_

### Surface Water

\_\_\_\_\_ 0 Number of surface water samples collected  
\_\_\_\_\_ Number of surface water samples exceeding 915-1  
If surface water is impacted, other agency notification may be required.

## OTHER INVESTIGATION INFORMATION

☐ Were impacts to adjacent property or offsite impacts identified?

☐ Were background samples collected as part of this site investigation?

☐ Was investigation derived waste (IDW) generated as part of this investigation?

Volume of solid waste (cubic yards) \_\_\_\_\_ Volume of liquid waste (barrels) \_\_\_\_\_

☐ Is further site investigation required?

## REMEDIAL ACTION PLAN

### SOURCE REMOVAL SUMMARY

Describe how source is to be removed.

If a suspected release is identified and confirmed through soil screening and/or laboratory analysis, soils will be removed and transported to a licensed disposal facility. Disposal records will be kept on file and available upon request.

### REMEDIATION SUMMARY

Describe how remediation of existing impacts to soil and groundwater is to be accomplished (i.e. summarize remedial action plan). Provide a brief narrative description including: technical justification, schedule for implementation, estimated time to attain NFA status, plus plans and specifications for the selected remedial action technology.

Potential impacts that meet the criteria in Rule 912.b. will be reported to the Director in accordance with that Rule and a site-specific soil and/or groundwater remediation plan will be developed and submitted to the ECMC via a supplemental Form 27 in accordance with Rule 913. If reportable impacts are not encountered, a supplemental Form 27 requesting closure will be submitted within 90 days following completion of sampling activities. Field screening and applicable laboratory analytical results will be reported in all submittals. E&P waste records of material transported off-site are kept on file and available upon request.

### Soil Remediation Summary

☐ In Situ

☐ Ex Situ

\_\_\_\_\_ Bioremediation ( or enhanced bioremediation )

\_\_\_\_\_ Excavate and offsite disposal

\_\_\_\_\_ Chemical oxidation  
\_\_\_\_\_ Air sparge / Soil vapor extraction  
\_\_\_\_\_ Natural Attenuation  
\_\_\_\_\_ Other \_\_\_\_\_

If Yes: Estimated Volume (Cubic Yards) \_\_\_\_\_

Name of Licensed Disposal Facility or COGCC Facility ID # \_\_\_\_\_

\_\_\_\_\_ Excavate and onsite remediation

\_\_\_\_\_ Land Treatment

\_\_\_\_\_ Bioremediation (or enhanced bioremediation)

\_\_\_\_\_ Chemical oxidation

\_\_\_\_\_ Other \_\_\_\_\_

### **Groundwater Remediation Summary**

\_\_\_\_\_ Bioremediation ( or enhanced bioremediation )

\_\_\_\_\_ Chemical oxidation

\_\_\_\_\_ Air sparge / Soil vapor extraction

\_\_\_\_\_ Natural Attenuation

\_\_\_\_\_ Other \_\_\_\_\_

### **GROUNDWATER MONITORING**

If groundwater has been impacted, describe proposed monitoring plan, including # of wells or sample points, monitoring schedule, analytical methods, points of compliance. Attach a groundwater monitoring location diagram.

## REMEDIATION PROGRESS UPDATE

### PERIODIC REPORTING

#### Approved Reporting Schedule:

☐ Quarterly☐ Semi-Annually☐ Annually☒ Other

#### ☐ Request Alternative Reporting Schedule:

☐ Semi-Annually☐ Annually☐ Other

Rule 913.e:

After initial approval of a Form 27, the Operator will provide quarterly update reports in a Supplemental Form 27 to document progress of site investigation and remediation, unless an alternative reporting schedule has been requested by the Operator and approved by the Director. The Director may request a more frequent reporting schedule based on site-specific conditions.

#### Report Type:

☐ Groundwater Monitoring☐ Land Treatment Progress Report☐ O&M Report☐ Other

### Adequacy of Operator's General Liability Insurance and Financial Assurance

Describe the adequacy of the Operator's general liability insurance and Financial Assurance to fully address the anticipated costs of Remediation, including the estimated remaining cost for this project (below).

If this information has been provided on a Form 27 within the last 12 months, provide the Document Number of that form.

KMOG has sufficient insurance and bonding to fully address the anticipated costs of Remediation, including the remaining estimated costs for this project. KMOG currently has over 40 million in bonds with the Energy and Carbon Management Commission. The cost for remediation is a preliminary estimate only, costs may change upwards or downward based on site-specific information. KMOG makes no representation or guarantees as to the accuracy of the preliminary estimate.

Operator anticipates the remaining cost for this project to be: \$ 14500

### WASTE DISPOSAL INFORMATION

Was E&P waste generated as part of this remediation? ☐

Describe beneficial use, if any, of E&P Waste derived from this remediation project:

Volume of E&P Waste (solid) in cubic yards

E&P waste (solid) description

COGCC Disposal Facility ID #, if applicable:

Non-COGCC Disposal Facility:

Volume of E&P Waste (liquid) in barrels

E&P waste (liquid) description

COGCC Disposal Facility ID #, if applicable:

Non-COGCC Disposal Facility:

# RECLAMATION PLAN

## RECLAMATION PLANNING

Describe reclamation plan. Discuss existing and new grade recontouring; method and testing of compaction alleviation; and reseeding program, including location of new seed, seed mix and noxious weed prevention. Attach diagram or drawing.

The site will be reclaimed in accordance with ECMC 1000 Series Reclamation Rules.

Is the described reclamation complete? \_\_\_\_\_

Does the reclamation described herein constitute interim or final reclamation of the Oil and Gas Location?

☐ Interim ☐ Final

Did the Surface Owner provide the seed mix? \_\_\_\_\_

If YES, does the seed mix comply with local soil conservation district recommendations? \_\_\_\_\_

Did the local soil conservation district provide the seed mix? \_\_\_\_\_

## SITE RECLAMATION DATES

Proposed date of commencement of Reclamation. \_\_\_\_\_

Proposed date of completion of Reclamation. \_\_\_\_\_

## IMPLEMENTATION SCHEDULE

Per Rule 913.d.(2): Any change from the approved implementation schedule will be requested at least 14 days in advance, and the Operator may not make the change without the Director's approval.

## PRIOR DATES

Date of Surface Owner notification/consultation, if required. 10/13/2023

Actual Spill or Release date, or date of discovery. \_\_\_\_\_

## SITE INVESTIGATION DATES

Date of Initial Actions described in Site Investigation Plan (start date). 11/06/2023

Proposed site investigation commencement. \_\_\_\_\_

Proposed completion of site investigation. \_\_\_\_\_

## REMEDIAL ACTION DATES

Proposed start date of Remediation. \_\_\_\_\_

Proposed date of completion of Remediation. \_\_\_\_\_

Per Rule 913.d.(2): Any change from the approved implementation schedule will be requested at least 14 days in advance, and the Operator may not make the change without the Director's approval.

☐ Change from approved implementation schedule per Rule 913.d.(2).

Basis for change in implementation schedule:

**OPERATOR COMMENT**

I hereby certify all statements made in this form are to the best of my knowledge true, correct, and complete.

Signed: Gregory Hamilton

Title: Environmental Lead

Submit Date: 11/03/2023

Email: Gregory\_Hamilton@oxy.com

Based on the information provided herein, this Application for Site Investigation and Remediation Workplan complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: Taylor Robinson

Date: 11/22/2023

Remediation Project Number: 32767

**COA Type****Description**

	Operator shall collect confirmation soil samples as described in the Rule 915.e.(2) Guidance Document. Operator will analyze soil samples for TPH (C6-C36), Table 915-1 Organic Compounds in Soil, including PAHs, Table 915-1 metals, and Table 915-1 Soil Suitability for Reclamation (Electrical conductivity, Sodium adsorption ratio, and pH by saturated paste method, boron (hot water soluble)).
	Location is adjacent to a jurisdictional Wetlands as mapped on the National Wetland Inventory Maps. In the event that operations encroach upon the wetlands, Operator shall consult with the US Army Corps of Engineers regarding compliance with Sections 401 and 404 of the Clean Water Act. Operator shall submit all communications/permits obtained to the ECMC via Form 4 Sundry. Note: Approval of this Form 27 does not supersede any Federal, State or Local regulations.
2 COAs	

**Attachment Check List**

Upon approval, the approved Form 27 and all listed attachments will be indexed to the Remediation Project file. Only the approved Form 27 will also be indexed to the related Facilities.

**Att Doc Num****Name**

403568017	INVESTIGATION/REMEDIATION WORKPLAN (INITIAL)
403583201	SOIL SAMPLE LOCATION MAP
403583202	OTHER
403583203	SITE MAP
403605229	FORM 27-INITIAL-SUBMITTED

Total Attach: 5 Files

**General Comments****User Group****Comment****Comment Date**

		Stamp Upon Approval
--	--	---------------------

Total: 0 comment(s)