

State of Colorado
Energy & Carbon Management Commission



1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Document Number:
403604120

Date Received:
11/22/2023

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

1 of 5 CAs from the FIR responded to on this Form

1 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 10810

Name of Operator: MESSER LLC

Address: 200 SOMERSET CORP BLVD #7000

City: BRIDGEWATER State: NJ Zip: 08807

Contact Name and Telephone:

Name: _____

Phone: () _____ Fax: () _____

Email: _____

Additional Operator Contact:

Contact Name	Phone	Email
<u>Hom, Brian</u>	<u>(908) 771-1625</u>	<u>Brian.hom@messer-us.com</u>
<u>Engineering, General</u>		<u>dnr_ecmc_engineering@state.co.us</u>
<u>DeMarco, Jaime</u>		<u>jdemarco@blm.gov</u>
<u>Twitty, Melita</u>	<u>(908) 771-1894</u>	<u>Melita.twitty@messer-us.com</u>
<u>Hartman, Laura</u>		<u>lhartman@blm.gov</u>
<u>Pienta, Brad</u>	<u>(908) 952-4528</u>	<u>Brad.pienta@messer-us.com</u>
<u>Labowskie, Steve</u>		<u>steve.labowskie@state.co.us</u>

COGCC INSPECTION SUMMARY:

FIR Document Number: 712700785

Inspection Date: 10/25/2023

FIR Submit Date: 10/26/2023

FIR Status: _____

Inspected Operator Information:

Company Name: MESSER LLC

Company Number: 10810

Address: 200 SOMERSET CORP BLVD #7000

City: BRIDGEWATER State: NJ Zip: 08807

LOCATION - Location ID: 313551

Location Name: AIRCO DUDLEY-N36N18W Number: 13NWSW County: MONTEZUMA

Qtrqr: NWS Sec: 13 Twp: 36N Range: 18W Meridian: N
W

Latitude: 37.373650 Longitude: -108.788083

FACILITY - API Number: 05-083-00 Facility ID: 224457

Facility Name: AIRCO DUDLEY Number: 5

Qtrqr: NWS Sec: 13 Twp: 36N Range: 18W Meridian: N
W

Latitude: 37.373650 Longitude: -108.788083

CORRECTIVE ACTIONS:

Corrective Action: Post local emergency services number or 911 on well location signage. Post public road used to access the well on signage.

Date: 11/25/2023

Response: CA COMPLETED

Date of Completion: 11/22/2023

Operator Comment: Posted signage with 911 in addition to local access road information. Photo attached as "Dudley Emergency Signage".

COGCC Decision: Approved

COGCC Representative:

OPERATOR COMMENT AND SUBMITTAL

Comment: Posted signage with 911 in addition to local access road information. Photo attached as "Dudley Emergency Signage".

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Brian Hom Signed: _____

Title: Product Manager, CO2 Date: 11/22/2023 7:47:05 AM

ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
403604120	FIR RESOLUTION SUBMITTED
403604123	Dudley Emergency Signage

Total Attach: 2 Files