



P&A Wellbore For State

Well Name: WEIDENKELLER 01-22

Original Hole [Land]		Well Header										
MD (ftK B)	Vertical schematic (actual)	Surface UWI 0512315896			Business Unit Rockies		Gov Auth Dist		Prod Tree Loc Land			
		Orig. KB to Gnd (ft) 10.00		Original Spud Date 7/2/1992		Abandon Date		Well Sub-Status SI		High...		
		Comment										
		Surface Location (Congressional)										
		Qtr 3 NW	Qtr 4 NW	Section 1	Twnshp 4	Twnsh...	Range 65	Rng E/...	Latitude (°) 40.34616	Longitude (°) -104.61888		
		Wellbore Sections										
		Section Des		Hole Size (in)		Top Depth (ftKB)		Btm Depth (ftKB)				
		SURFACE		12 1/4		10.0		478.0				
		PRODUCTION		7 7/8		478.0		7,213.0				
		Casing Strings										
		Csg Des		Run Date		OD (in)		Wt/Len (lb/ft)		Grade	Top Depth (MD) (ftKB)	Set Depth (MD) (ftKB)
		Surface		7/3/1992		8 5/8		24.00		J-55	10	473
		Production Casing		7/7/1992		4 1/2		15.10		N-80	10	7174
		Cement										
		Des				Start Date		Top (ftKB)		Btm (ftKB)		
		SURFACE CASING CEMENT				7/3/1992		10.0		473.0		
		PRODUCTION CASING CEMENT				7/7/1992		6,487.0		7,174.0		
		Cement Plug				7/7/1992		7,145.0		7,174.0		
		Zone Statuses										
		Zone Name		Status Date		Status		Fluid Type		Job		Prod Method
		CODELL		1/19/2015		PR		Water				Flowing
		CODELL		10/27/2016		SI						
		NIOBRARA		5/6/2010		PR						
		NIOBRARA		1/19/2015		PR						
		Perforation Data										
		Linked Zone			Explosive Type		Entered Shot Total		Top (ftKB)		Btm (ftKB)	Date
		NIOBRARA, Original Hole			A		4		6,721.0		6,734.0	9/10/1992
		NIOBRARA, Original Hole			B		8		6,825.0		6,843.0	9/10/1992
		NIOBRARA, Original Hole			C		4		6,897.0		6,919.0	9/10/1992
		CODELL, Original Hole					40		7,018.0		7,028.0	10/21/1900
		CODELL, Original Hole					40		7,020.0		7,030.0	9/10/1992
		Stim/Frac Stage										
		Zone				Start Date		Top (ftKB)		Btm (ftKB)		
		CODELL, Original Hole				9/11/1992		6,721.0		6,919.0		
		NIOBRARA, Original Hole				10/31/1900		7,018.0		7,028.0		
		CODELL, Original Hole				9/11/1992		7,020.0		7,030.0		
		Other In Hole										
		Run Date		Des			Make		OD (in)		Top (ftKB)	Btm (ftKB)
		Logs										
		Date		Type					Depth Top (MD) (ftKB)		Btm (ftKB)	
		7/6/1992		COMPENSATED DENSITY					4,300		7,205.0	
		7/6/1992		INDUCTION					460		7,205.0	
		9/26/2013		GYRO					0		7,000.0	
		Wellbore Plug Back Total Depths										
		Date		Type		Com					PBTD (ftKB)	
		7/7/1992		GUIDE SHOE							7,145	
		9/23/2014		FILL		LEFT 68.51' OF FILL IN HOLE					7,076	

9.8

471.5

473.1

478.0

672.9

1,872.0

2,272.0

2,274.0

2,372.0

4,003.0

4,083.0

4,085.0

4,103.0

6,486.9

6,643.0

6,670.9

6,721.1

6,733.9

6,825.1

6,842.8

6,897.0

6,919.0

7,018.0

7,020.0

7,027.9

7,029.9

7,076.4

7,145.0

7,172.6

7,173.9

7,212.9

Surface Casing Cement, Casing, 7/3/1992 00:00; 10-473; 1992-07-03

6,721.0-6,734.0ftKB on 9/10/1992 00:00 (Perforated); 6721-6734; 1992-09-10

Production Casing Cement, Casing, 7/7/1992 00:00; 6487-7174; 1992-07-07

6,825.0-6,843.0ftKB on 9/10/1992 00:00 (Perforated); 6825-6843; 1992-09-10

6,897.0-6,919.0ftKB on 9/10/1992 00:00 (Perforated); 6897-6919; 1992-09-10

7,018.0-7,028.0ftKB on 10/21/1900 00:00 (Perforated); 7018-7028; 1900-10-21

7,020.0-7,030.0ftKB on 9/10/1992 00:00 (Perforated); 7020-7030; 1992-09-10

Cement Plug, Plug, 7/7/1992 00:00; 7145-7174; 1992-07-07