

State of Colorado
Energy & Carbon Management Commission



1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Document Number:
403682720

Date Received:
02/09/2024

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

2 of 3 CAs from the FIR responded to on this Form

2 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 100322

Name of Operator: NOBLE ENERGY INC

Address: 1099 18TH STREET SUITE 1500

City: DENVER State: CO Zip: 80202

Contact Name and Telephone:

Name: _____

Phone: () _____ Fax: () _____

Email: _____

Additional Operator Contact:

Contact Name

Phone

Email

rbucogccinspectionreports@chevron.onmicrosoft.com

COGCC INSPECTION SUMMARY:

FIR Document Number: 708200775

Inspection Date: 12/20/2023

FIR Submit Date: 12/26/2023

FIR Status: _____

Inspected Operator Information:

Company Name: NOBLE ENERGY INC

Company Number: 100322

Address: 2001 16TH STREET SUITE 900

City: DENVER State: CO Zip: 80202

LOCATION - Location ID: 427008

Location Name: State 8-60 Number: 16-2H County: _____

Qtrqr: NW Sec: 16 Twp: 8N Range: 60W Meridian: 6

NW

Latitude: 40.668813 Longitude: -104.103220

FACILITY - API Number: 05-123- -00 Facility ID: 427008

Facility Name: State 8-60 Number: 16-2H

Qtrqr: NW Sec: 16 Twp: 8N Range: 60W Meridian: 6

NW

Latitude: 40.668813 Longitude: -104.103220

CORRECTIVE ACTIONS:

2 CA# 189539

Corrective Action: Comply with Rule 606 and remove any unused equipment. The location will remain out of compliance until the corrective action has been resolved.

Date: 12/20/2023

Response: CA COMPLETED

Date of Completion: 02/02/2024

Operator Comment:

Complied with Rule 606.

COGCC Decision: Approved pending re-inspection

COGCC Representative: Approved pending re-inspection. Based on photo documentation provided, work to address the corrective action appears to have been performed. A field inspection will be conducted at a future date to evaluate compliance with ECMC rules.

3 CA# 189540

Corrective Action: Comply with Rule 1002.c. The location will remain out of compliance until the corrective action has been resolved.

Date: 12/20/2023

Response: CA COMPLETED

Date of Completion: 02/02/2024

Operator Comment: Complied with rule 1002.c.

COGCC Decision: Approved pending re-inspection

COGCC Representative: Approved pending re-inspection. Based on photo documentation provided, work to address the corrective action appears to have been performed. A field inspection will be conducted at a future date to evaluate compliance with ECMC rules.

OPERATOR COMMENT AND SUBMITTAL

Comment: complied with all rules please see attached pictures

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Isaiah Flores

Signed: _____

Title: HSE

Date: 2/9/2024 12:12:41 PM

ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
403682720	FIR RESOLUTION SUBMITTED
403682732	pic
403682733	pic
403682734	pic
403682735	pic

Total Attach: 5 Files