

FORM
6Rev
11/20

State of Colorado

Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE ET OE ES

Document Number:

403707114

Date Received:

WELL ABANDONMENT REPORT

This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set.

A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.

ECMC Operator Number: 100322

Contact Name: Kevin Monaghan

Name of Operator: NOBLE ENERGY INC

Phone: (970) 381-2990

Address: 1099 18TH STREET SUITE 1500

Fax:

City: DENVER State: CO Zip: 80202

Email: RBUARORegulatory@chevron.com

For "Intent" 24 hour notice required,

Name:

Tel:

ECMC contact:

Email:

Type of Well Abandonment Report:

☐ Notice of Intent to Abandon☒ Subsequent Report of Abandonment

API Number 05-123-23041-00

Well Name: UHRICH

Well Number: 11-17

Location: QtrQtr: NWNW

Section: 17

Township: 6N

Range: 64W

Meridian: 6

County: WELD

Federal, Indian or State Lease Number:

Field Name: WATTENBERG

Field Number: 90750

Only Complete the Following Background Information for Intent to Abandon

Latitude: 40.491500

Longitude: -104.582030

GPS Data: GPS Quality Value: 2.5

Type of GPS Quality Value: PDOP

Date of Measurement: 05/10/2007

Reason for Abandonment:

☐ Dry☐ Production Sub-economic☐ Mechanical Problems☐ Other

Casing to be pulled:

☐ Yes☐ No

Estimated Depth:

Fish in Hole:

☐ Yes☐ No

If yes, explain details below

Wellbore has Uncemented Casing leaks:

☐ Yes☐ No

If yes, explain details below

Details:

Current and Previously Abandoned Zones

Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth
CODELL	6990	7002	02/01/2023	CEMENT	6807
NIOBRARA	6812	6902	02/01/2023	CEMENT	6807

Total: 2 zone(s)

Casing History

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top	Status
SURF	12+1/4	8+5/8	NA	24	0	456	310	456	0	VISU
1ST	7+7/8	4+1/2	I80	11.6	0	7186	670	7186	2705	CBL

Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth 3549 with 2 sacks cmt on top. CIBP #2: Depth _____ with _____ sacks cmt on top.
CIBP #3: Depth _____ with _____ sacks cmt on top. CIBP #4: Depth _____ with _____ sacks cmt on top.
CIBP #5: Depth _____ with _____ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set 35 sks cmt from 2351 ft. to 1951 ft. Plug Type: CASING Plug Tagged: ☐
Set 116 sks cmt from 373 ft. to 0 ft. Plug Type: CASING Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐

Perforate and squeeze at 2451 ft. with 155 sacks. Leave at least 100 ft. in casing 2351 CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

(Cast Iron Cement Retainer Depth)

Set 160 sacks half in. half out surface casing from 695 ft. to 373 ft. Plug Tagged: ☒

Set _____ sacks at surface

Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker: ☐ Yes ☐ No

Set _____ sacks in rat hole Set _____ sacks in mouse hole

Additional Plugging Information for Subsequent Report Only

Casing Recovered: 695 ft. of 4+1/2 inch casing Number of Days from Setting Surface Plug
Surface Plug Setting Date: 11/22/2023 Cut and Cap Date: 02/05/2024 to Capping or Sealing the Well: 75

*Wireline Contractor: A-Plus

*Cementing Contractor: A-Plus

Type of Cement and Additives Used: Class G

Flowline/Pipeline has been abandoned per Rule 1105 ☐ Yes ☒ No

Technical Detail/Comments:

ECMC Correspondence with updated plugging procedure attached.

Form 17 DocNum: 403605618

Form 27 DocNum: 403553134

Form 42 DocNum: 403589569

Form 44 DocNum: Flowline will be abandoned

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____

Print Name: Julie Webb

Title: Senior Regulatory Analyst

Date: _____

Email: DenverRegulatory@chevron.onmicrosoft.com

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with COGCC Rules and applicable orders and is hereby approved.

ECMC Approved: _____

Date: _____

CONDITIONS OF APPROVAL, IF ANY:

<u>COA Type</u>	<u>Description</u>
0 COA	

Attachment List

<u>Att Doc Num</u>	<u>Name</u>
403707135	OTHER
403708343	CEMENT JOB SUMMARY
403708344	WIRELINER JOB SUMMARY
403708403	OPERATIONS SUMMARY
403710873	WELLBORE DIAGRAM

Total Attach: 5 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)