

FORM  
5A

Rev  
09/20

State of Colorado

Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

403666554

Date Received:

02/05/2024

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 96850

2. Name of Operator: TEP ROCKY MOUNTAIN LLC

3. Address: 1058 COUNTY ROAD 215

City: PARACHUTE

State: CO

Zip: 81635

4. Contact Name: Jeff Kirtland

Phone: (970) 263-2736

Fax:

Email: jkirtland@terraep.com

5. API Number 05-045-24559-00

7. Well Name: Leverich

8. Location: QtrQtr: LOT 3

Section: 13

Township: 7S

Range: 94W

Meridian: 6

9. Field Name: RULISON

Field Code: 75400

6. County: GARFIELD

Well Number: WMC 514-18-793

## Completed Interval

FORMATION: WILLIAMS FORK - CAMEO Status: PRODUCING Treatment Type: HYDRAULIC FRACTURING  
Treatment Date: 11/29/2023 End Date: 12/10/2023 Date this Formation was Completed: 01/09/2024  
Perforations Top: 7703 Bottom: 10114 No. Holes: 312 Hole size: 35/100 Open Hole: ☐

Describe the Formation Treatment, including the following: type of fluid used (gel, slickwater, etc.), type and concentration of acid used (HCl, HF, etc.), types and amounts of proppant(s) used, depth details of multiple zones, and method used to determine flowback volume.

124,925 bbls of Slickwater; 2,407,260 of Proppant; 1,536 gals of Biocide

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 124962 Max pressure during treatment (psi): 7414  
Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.43  
Type of gas used in treatment: Min frac gradient (psi/ft): 0.70  
Total acid used in treatment (bbl): 0 Number of staged intervals: 13  
Recycled or Reused Fluids used in treatment (bbl): 124925 Flowback volume recovered (bbl): 35007  
Fresh water used in treatment (bbl): 37 Disposition method for flowback: RECYCLE  
Total proppant used (lbs): 2407260

Fracture stimulations must be reported on [FracFocus.org](https://www.fracfocus.org)

### Test Information:

01/09/2024 Hours: 24 Bbl oil: 0 Mcf Gas: 1276 Bbl H2O: 0  
Date Calculated 24 hour rate: Bbl oil: 0 Mcf Gas: 1276 Bbl H2O: 0 GOR:   
Test Method: FLOWING Casing PSI: 1585 Tubing PSI: 1198 Choke Size: 24/64  
Gas Disposition: SOLD Gas Type: DRY Btu Gas: 1078 API Gravity Oil: 0  
Tubing Size: 2 + 3/8 Tubing Setting Depth: 9879 Tbg setting date: 12/12/2023 Packer Depth:   
Reason for Non-Production:   
Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt   
\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Ashley Noonan  
Title: Sr. Regulatory Analyst Date: 2/5/2024 Email: anoonan@terraep.com

## Attachment List

Att Doc Num	Name
403666554	FORM 5A SUBMITTED
403667232	WELLBORE DIAGRAM

Total Attach: 2 Files

### General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Passed Completion review	03/08/2024

Total: 1 comment(s)