

State of Colorado
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:
403737008

Date Received:
03/30/2024

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

2 of 3 CAs from the FIR responded to on this Form

2 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

ECMC Operator Number: 100322

Name of Operator: NOBLE ENERGY INC

Address: 1099 18TH STREET SUITE 1500

City: DENVER State: CO Zip: 80202

Contact Name and Telephone:

Name: _____

Phone: () Fax: ()

Email: _____

Additional Operator Contact:

Contact Name

Phone

Email

Binschus, Chris

chris.binschus@state.co.us

rbucogccinspectionreports@chevron.onmicrosoft.com

ECMC INSPECTION SUMMARY:

FIR Document Number: 713900199

Inspection Date: 12/06/2023

FIR Submit Date: 12/22/2023

FIR Status: _____

Inspected Operator Information:

Company Name: NOBLE ENERGY INC

Company Number: 100322

Address: 2001 16TH STREET SUITE 900

City: DENVER State: CO Zip: 80202

LOCATION - Location ID: 302903

Location Name: STROH O-64N67W Number: 2SWNE County: WELD

Qtrqtr: SWNE Sec: 2 Twp: 4N Range: 67W Meridian: 6

Latitude: 40.342610 Longitude: -104.856320

FACILITY - API Number: 05-123- -00 Facility ID: 285321

Facility Name: STROH O Number: 2-17

Qtrqtr: SWNE Sec: 2 Twp: 4N Range: 67W Meridian: 6

Latitude: 40.342610 Longitude: -104.856320

CORRECTIVE ACTIONS:

2 ☒ CA# 189486

Corrective Action: Comply with Rule 1004. Reseed disturbance areas using a seed mixture requested by the surface owner, or a mixture prescribed by the local county NRCS. Establish vegetation with total perennial, non-invasive uniform plant cover of at least eighty (80) percent of reference area levels. Ensure erosion controls are implemented to stabilize the seeded soil. Operator shall continue to monitor and manage this site until the location meets Rule 1004 standards, including stormwater and weed management.

Date: 12/06/2023

Response: CA COMPLETED

Date of Completion: 03/05/2024

complied with Rule 1004

Approved via an AMI

Approved via an AMI of this FIR resolution acknowledges the document and attachments were received. Based on the attached photos, Operator has completed the corrective action. A field inspection will be conducted at a future date to evaluate compliance with ECMC standards.



Comply with Rule 1002.f.

Date: 12/06/2023

CA COMPLETED

Date of Completion: 03/05/2024

Complied with Rule 1002.f.

Approved via an AMI

Approved via an AMI of this FIR resolution acknowledges the document and attachments were received. Based on the attached photos, Operator has completed the corrective action. A field inspection will be conducted at a future date to evaluate compliance with ECMC standards.

OPERATOR COMMENT AND SUBMITTAL

Completed remaining corrective actions
--

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Jeff White

Signed:

HSE

Date: 3/30/2024 3:22:12 PM

ATTACHMENT LIST

View Attachments in Imaged Documents on ECMC website (<http://ecmcweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
403737008	FIR RESOLUTION SUBMITTED
403737009	photo
403737010	photo
403737011	photo
403737012	photo
403737014	photo
403737015	photo
403737016	photo
403737018	photo
403737019	photo
403737020	photo

Total Attach: 11 Files