


FORM 6 Rev 11/20	State of Colorado Energy & Carbon Management Commission				DE	ET	OE	ES																																	
	1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109				Document Number: 403765378 Date Received:																																				
WELL ABANDONMENT REPORT																																									
<p>This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set. A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.</p>																																									
ECMC Operator Number: 10539					Contact Name: T.J. Shelton T.J. Shelton																																				
Name of Operator: UTAH GAS OP LTD DBA UTAH GAS CORP					Phone: (970) 6291222																																				
Address: 760 HORIZON DRIVE STE 400					Fax:																																				
City: GRAND JUNCTION State: CO Zip: 81506					Email: tshelton@utahgascorp.com																																				
For "Intent" 24 hour notice required,					Name: Burchett, Kirby		Tel: (970) 852-9642																																		
ECMC contact:					Email: kirby.burchett@state.co.us																																				
Type of Well Abandonment Report: <input checked="" type="checkbox"/> Notice of Intent to Abandon <input type="checkbox"/> Subsequent Report of Abandonment																																									
API Number 05-103-07832-00																																									
Well Name: FEDERAL Well Number: 31-1																																									
Location: QtrQtr: SWNE Section: 31 Township: 2S Range: 100W Meridian: 6																																									
County: RIO BLANCO Federal, Indian or State Lease Number: 44405																																									
Field Name: CATHEDRAL Field Number: 10330																																									
Only Complete the Following Background Information for Intent to Abandon																																									
Latitude: 39.834675 Longitude: -108.656970																																									
GPS Data: GPS Quality Value: 3.6 Type of GPS Quality Value: Date of Measurement: 02/19/2007																																									
Reason for Abandonment: <input type="checkbox"/> Dry <input checked="" type="checkbox"/> Production Sub-economic <input type="checkbox"/> Mechanical Problems																																									
<input type="checkbox"/> Other																																									
Casing to be pulled: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Estimated Depth:																																									
Fish in Hole: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, explain details below																																									
Wellbore has Uncemented Casing leaks: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If yes, explain details below																																									
Details:																																									
Current and Previously Abandoned Zones																																									
<table><tr><th>Formation</th><th>Perf. Top</th><th>Perf. Btm</th><th>Abandoned Date</th><th>Method of Isolation</th><th>Plug Depth</th></tr><tr><td>MANCOS</td><td>3376</td><td>3546</td><td></td><td>B PLUG CEMENT TOP</td><td>3326</td></tr></table>									Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth	MANCOS	3376	3546		B PLUG CEMENT TOP	3326																					
Formation	Perf. Top	Perf. Btm	Abandoned Date	Method of Isolation	Plug Depth																																				
MANCOS	3376	3546		B PLUG CEMENT TOP	3326																																				
Total: 1 zone(s)																																									
Casing History																																									
<table><tr><th>Casing Type</th><th>Size of Hole</th><th>Size of Casing</th><th>Grade</th><th>Wt/Ft</th><th>Csg/Liner Top</th><th>Setting Depth</th><th>Sacks Cmt</th><th>Cmt Btm</th><th>Cmt Top</th><th>Status</th></tr><tr><td>1ST</td><td>12+1/4</td><td>8+5/8</td><td>J-55</td><td>24</td><td>0</td><td>162</td><td>90</td><td>162</td><td>9</td><td>CALC</td></tr><tr><td>2ND</td><td>7+7/8</td><td>4+1/2</td><td>J-55</td><td>10.5</td><td>0</td><td>3733</td><td>105</td><td>3733</td><td>3290</td><td>CALC</td></tr></table>									Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top	Status	1ST	12+1/4	8+5/8	J-55	24	0	162	90	162	9	CALC	2ND	7+7/8	4+1/2	J-55	10.5	0	3733	105	3733	3290	CALC
Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top	Status																															
1ST	12+1/4	8+5/8	J-55	24	0	162	90	162	9	CALC																															
2ND	7+7/8	4+1/2	J-55	10.5	0	3733	105	3733	3290	CALC																															

Plugging Procedure for Intent and Subsequent Report

CIBP #1: Depth 3326 with 5 sacks cmt on top. CIBP #2: Depth _____ with _____ sacks cmt on top.
CIBP #3: Depth _____ with _____ sacks cmt on top. CIBP #4: Depth _____ with _____ sacks cmt on top.
CIBP #5: Depth _____ with _____ sacks cmt on top.

NOTE: Two(2) sacks cement required on all CIBPs.

Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐
Set _____ sks cmt from _____ ft. to _____ ft. Plug Type: _____ Plug Tagged: ☐

Perforate and squeeze at 2230 ft. with 10 sacks. Leave at least 100 ft. in casing 2200 CICR Depth
Perforate and squeeze at 220 ft. with 18 sacks. Leave at least 100 ft. in casing _____ CICR Depth
Perforate and squeeze at _____ ft. with _____ sacks. Leave at least 100 ft. in casing _____ CICR Depth

(Cast Iron Cement Retainer Depth)

Set _____ sacks half in. half out surface casing from _____ ft. to _____ ft. Plug Tagged: ☐

Set _____ sacks at surface

Cut four feet below ground level, weld on plate Above Ground Dry-Hole Marker: ☐ Yes ☐ No

Set _____ sacks in rat hole Set _____ sacks in mouse hole

Additional Plugging Information for Subsequent Report Only

Casing Recovered: _____ ft. of _____ inch casing Number of Days from Setting Surface Plug to Capping or Sealing the Well: _____
Surface Plug Setting Date: _____ Cut and Cap Date: _____

*Wireline Contractor: _____ *Cementing Contractor: _____

Type of Cement and Additives Used: _____

Flowline/Pipeline has been abandoned per Rule 1105 ☐ Yes ☐ No

Technical Detail/Comments:

Our plan is to P&A this well this summer. CPW consulted on this location and their notes are attached.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: April Mestas

Title: Regulatory Manager Date: _____ Email: amestas@utahgascorp.com

Based on the information provided herein, this Well Abandonment Report (Form 6) complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: _____ Date: _____

CONDITIONS OF APPROVAL, IF ANY LIST

Expiration Date: _____

COA Type **Description**

0 COA

ATTACHMENT LIST

<u>Att Doc Num</u>	<u>Name</u>
403765460	PROPOSED PLUGGING PROCEDURE
403765461	WELLBORE DIAGRAM
403765464	WELLBORE DIAGRAM
403771806	OTHER

Total Attach: 4 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)