

State of Colorado
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:
403778205

Date Received:
05/03/2024

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

2 of 2 CAs from the FIR responded to on this Form

2 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

ECMC Operator Number: 10749

Name of Operator: SIMCOE LLC

Address: 1199 MAIN AVE SUITE 101

City: DURANGO State: CO Zip: 81301

Contact Name and Telephone:

Name: _____

Phone: () _____ Fax: () _____

Email: _____

Additional Operator Contact:

Contact Name

Phone

Email

General

sjninspections@ikavenergy.com

ECMC INSPECTION SUMMARY:

FIR Document Number: 714000707

Inspection Date: 04/23/2024

FIR Submit Date: 04/24/2024

FIR Status: _____

Inspected Operator Information:

Company Name: SIMCOE LLC

Company Number: 10749

Address: 1199 MAIN AVE SUITE 101

City: DURANGO State: CO Zip: 81301

LOCATION - Location ID: 320857

Location Name: Seibel A Number: 2 County: _____

Qtrqtr: SESE Sec: 8 Twp: 32N Range: 5W Meridian: N

Latitude: 37.027318 Longitude: -107.409487

FACILITY - API Number: 05-007- -00 Facility ID: 320857

Facility Name: Seibel A Number: 2

Qtrqtr: SESE Sec: 8 Twp: 32N Range: 5W Meridian: N

Latitude: 37.027318 Longitude: -107.409487

CORRECTIVE ACTIONS:

1 ☒ CA# 194683

Corrective Action: Maintain equipment and clean up impacted material and dispose per Rule 906 and 1002.

Date: 04/29/2024

Response: CA COMPLETED

Date of Completion: 05/01/2024

Operator Comment: Equipment repaired and impacted surface materials cleaned up and removed.

ECMC Decision: Approved pending re-inspection

Approved pending re-inspection of this FIR resolution acknowledges the document was received. It is not an

ECMC Representative:	acknowledgement that the corrective action has been passed. A field inspection will be conducted at a future date to evaluate compliance with ECMC standards.
----------------------	---

2  CA# 194684

Corrective Action: Comply with rule 606, remove and properly dispose of debris.

Date: 05/01/2024

Response: CA COMPLETED

Date of Completion: 05/01/2024

Operator Comment:	Debris removed.
-------------------	-----------------

ECMC Decision: Approved pending re-inspection

ECMC Representative:	Approved pending re-inspection of this FIR resolution acknowledges the document was received. It is not an acknowledgement that the corrective action has been passed. A field inspection will be conducted at a future date to evaluate compliance with ECMC standards.
----------------------	--

OPERATOR COMMENT AND SUBMITTAL

Comment: CA completed. See attached completion photos.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Gabby Riley

Signed:

Title: Permitting Specialist I

Date: 5/3/2024 10:27:16 AM

ATTACHMENT LIST

View Attachments in Imaged Documents on ECMC website (<http://ecmcweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
403778205	FIR RESOLUTION SUBMITTED
403778236	Seibel A1 & A2; CA completion photos

Total Attach: 2 Files