

State of Colorado
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

403788078

Date Received:

05/13/2024

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

3 of 3 CAs from the FIR responded to on this Form

3 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

ECMC Operator Number: 10749

Name of Operator: SIMCOE LLC

Address: 1199 MAIN AVE SUITE 101

City: DURANGO State: CO Zip: 81301

Contact Name and Telephone:

Name: _____

Phone: () _____ Fax: () _____

Email: _____

Additional Operator Contact:

Contact Name

Phone

Email

General

sjninspections@ikavenergy.com

ECMC INSPECTION SUMMARY:

FIR Document Number: 714000618

Inspection Date: 03/28/2024

FIR Submit Date: 04/01/2024

FIR Status: _____

Inspected Operator Information:

Company Name: SIMCOE LLC

Company Number: 10749

Address: 1199 MAIN AVE SUITE 101

City: DURANGO State: CO Zip: 81301

LOCATION - Location ID: 326108

Location Name: ELDRIDGE 30-1-N33N10W Number: 30SWNW County: _____

Qtrqtr: SWN Sec: 30 Twp: 33N Range: 10W Meridian: N
W

Latitude: 37.078138 Longitude: -107.980901

FACILITY - API Number: 05-067- -00 Facility ID: 326108

Facility Name: ELDRIDGE 30-1-N33N10W Number: 30SWNW

Qtrqtr: SWN Sec: 30 Twp: 33N Range: 10W Meridian: N
W

Latitude: 37.078138 Longitude: -107.980901

CORRECTIVE ACTIONS:

1 ☒ CA# 193798

Corrective Action: Comply with rule 606, remove and properly dispose of trash.

Date: 04/08/2024

Response: CA COMPLETED

Date of Completion: 05/09/2024

Operator
Comment: Trash removed.

ECMC Decision: Approved via an AMI

Per photo included in attachment provided by operator the trash has been removed.



Date:

Date of Completion: 05/09/2024

Weedy debris removed.

Approved pending re-inspection

Approved pending re-inspection of this FIR resolution acknowledges the document was received. It is not an acknowledgement that the corrective action has been passed. A field inspection will be conducted at a future date to evaluate compliance with ECMC standards.

Date: 04/16/2024

Date of Completion: 05/09/2024

Unused equipment removed from location.

Approved pending re-inspection

Approved pending re-inspection of this FIR resolution acknowledges the document was received. It is not an acknowledgement that the corrective action has been passed. A field inspection will be conducted at a future date to evaluate compliance with ECMC standards.

OPERATOR COMMENT AND SUBMITTAL	
Comment:	CA completed. See attached completion photos.
I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.	
Print Name: Gabby Riley	Signed: _____
Title: Permitting Specialist I	Date: 5/13/2024 11:04:35 AM

ATTACHMENT LIST

View Attachments in Imaged Documents on ECMC website (<http://ecmcweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
403788078	FIR RESOLUTION SUBMITTED
403788114	Eldridge 30-01 1; CA completion photos

Total Attach: 2 Files