

GOC

Physical Press

Location

Operator: Operator
Contractor: Contractor
Rig: Rig
Well: Well
Job: Job
Date: Date
Time: Time
Depth: Depth
Pressure: Pressure
Temperature: Temperature
Flow: Flow
Density: Density
Viscosity: Viscosity
Volume: Volume
Rate: Rate
Comments: Comments

GOC

Physical Press

Location

Operator: Operator
Contractor: Contractor
Rig: Rig
Well: Well
Job: Job
Date: Date
Time: Time
Depth: Depth
Pressure: Pressure
Temperature: Temperature
Flow: Flow
Density: Density
Viscosity: Viscosity
Volume: Volume
Rate: Rate
Comments: Comments



Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
			Cable Head-Titan_144 1 7/16" Titan Cable Head	1.03	1.44	2.00
CCL	15.29		CCL_Logging-275 Probe (Probe-275) Probe 2 3/4" Logging CCL	2.00	2.75	25.00
			CENT-Overbody	2.00	4.50	3.00
TEMP	11.56					
			PROBE-RBT-DIGITAL-RBL-DCT (140139_DD1) Probe 2 3/4" Radii Bond with Temp-Corrosion Package	9.21	2.75	105.00
WVFS8	9.27					
WVFS7	9.27					
WVFS6	9.27					
WVFS5	9.27					
WVFS4	9.27					
WVFS3	9.27					
WVFS2	9.27					
WVFS1	9.27					
WVFCAL	9.27					
WVF3FT	9.27					
WVF5FT	8.27					
CCLS2	4.20					
DCCL	4.20					
CCLS1	4.20					
GCT_TEMP	3.41					
GR	2.83		PROBE-GR/DCCL-275 Probe GCT (2107026) Probe 2 3/4" Gamma Ray/Temp/CCL 6 Pin	4.75	2.75	60.00
			CENT-Overbody	2.00	4.50	3.00
			Bullnose-PROBE Probe Go Pin Pressure Cap	0.33	1.38	1.00

Dataset: Aristocrat_H14_765_RCBL_Final.db: field/well/run1/Main.1
Total length: 17.32 ft
Total weight: 202.00 lb
O.D.: 4.50 in

Calibration Report

Database File C:\ProgramData\Warrior\Data\Aristocrat_H14_765_RCBL_Final\Aristocrat_H14_765_RCBL_Final.db
Dataset Pathname Main.1
Dataset Creation Sun Apr 21 12:28:01 2024

Gamma Ray Calibration Report

Serial Number:	2107026	
Tool Model:	275 Probe GCT	
Performed:	Wed Jul 5 11:54:45 2023	
Calibrator Value:	200.0	GAPI
Background Reading:	43.9	cps
Calibrator Reading:	269.1	cps
Sensitivity:	0.6880	GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number:	140139_DD1	
Tool Model:	RBL-DCT	
Calibration Casing Diameter:	5.500	in
Calibration Depth:	365.884	ft

Master Calibration, performed (Derived):

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	-0.000	0.551	0.500	71.921	129.630	0.532
CAL	0.742	0.740				
5'	0.003	0.551	0.500	71.921	130.195	0.126
SUM						
S1	0.002	0.647	0.000	100.000	155.157	-0.351
S2	0.005	0.612	0.000	100.000	164.915	-0.848
S3	0.009	0.571	0.000	100.000	177.890	-1.653
S4	0.007	0.549	0.000	100.000	184.481	-1.311
S5	-0.003	0.547	0.000	100.000	181.984	0.488
S6	-0.010	0.604	0.000	100.000	162.874	1.628
S7	-0.009	0.615	0.000	100.000	160.339	1.374
S8	-0.004	0.623	0.000	100.000	159.481	0.607

Air Zero Calibration, performed Sat Apr 20 10:19:53 2024:

	Raw (v)	Calibrated (v)	Results
	Zero	Zero	Offset
3'	0.011	0.000	-0.000
5'	0.014	0.000	0.003
SUM			
S1	0.007	0.000	0.002
S2	0.010	0.000	0.006
S3	0.010	0.000	0.009
S4	0.012	0.000	0.008
S5	0.019	0.000	-0.003
S6	0.021	0.000	-0.010
S7	0.019	0.000	-0.009
S8	0.015	0.000	-0.002

Temperature Calibration Report

Serial Number:	140139_DD1			
Tool Model:	RBL-DCT			
Performed:	Fri Nov 10 06:17:51 2023			
	Reference		Reading	
Low Reference:	0.00	degF	0.00	degF
High Reference:	1.00	degF	1.00	degF
Gain:	0.90			
Offset:	0.00			
Delta Spacing	1			

Company	CHEVRON
Well	Aristocrat H14-765
Field	WATTENBERG
County	WELD
State	CO

Country