

Clyncke State B36-25, Baker State B 36-12

Fac. # 447562
Rem. # 20768
40.348912 -104.50249
Fremont No. C022-187

Legend

- Impacted Soil Locations
- Proposed Monitoring Well Locations

Ex. Extent:
~30'x90'x5'deep

H2O ~5' deep on
6/14/23. Ex. depth
may vary based on
seasonal changes
influencing the
water table.




TABLE 1
SUMMARY OF VOLATILE ORGANIC SOIL CHEMISTRY DATA
NOBLE ENERGY INC.
CLYNCKE STATE B 36-25, BAKER STATE B 36-12, WELD COUNTY, COLORADO
FREMONT PROJECT NO. C022-187

Sample ID	Sample Date	Depth (ft)	Benzene (mg/kg)	Toluene (mg/kg)	Ethyl-Benzene (mg/kg)	Xylenes (mg/kg)	1,2,4- Trimethyl- Benzene (mg/kg)	1,3,5- Trimethyl- Benzene (mg/kg)	Naphthalene (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH ORO (mg/kg)
ECMC Table 915-1 Limits (Residential SSL)			1.2	490	5.8	58	30	27	2	500**		
ECMC Table 915-1 Limits (Protection of Groundwater SSL)			0.0026	0.69	0.78	9.9	0.0081	0.0087	0.0038	500**		
SB- AST E 8ft	06/14/2023	8	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	0.04	60	120	<50
SB- AST E2 9ft	06/14/2023	9	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	0.07	14	<50	<50
SB- AST E3 8ft	06/14/2023	8	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<0.50	<50	<50
SB- AST N	06/14/2023	8	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<0.50	<50	<50
SB- AST S 12ft	06/14/2023	12	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	0.012	26	<50	<50
SB- AST S 7ft	06/14/2023	7	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	0.17	54	860	220
SB- AST S2 12ft	06/14/2023	12	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<0.50	<50	<50
SB- AST S2 8ft	06/14/2023	8	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<0.50	<50	<50
SB- AST W 10ft	06/14/2023	10	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	0.5	<50	<50
SB- AST W 8ft	06/14/2023	8	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	0.14	4.4	<50	<50
SB-SEP. CEN 12ft	06/14/2023	12	<0.0020	<0.0050	0.0078	<0.010	<0.0050	<0.0050	0.024	240	590	51
SB-SEP. CEN 7ft	06/14/2023	7	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	0.029	43	1100	82
SB-SEP. E 12ft	06/14/2023	12	<0.0020	<0.0050	<0.0050	<0.010	6.900	0.024	0.077	5.9	560	140
SB-SEP. E 7ft	06/14/2023	7	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	0.16	27	300	89
SB-SEP. E2 7ft	06/14/2023	7	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	0.40	24	370	110
SB-SEP. E2 9ft	06/14/2023	9	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	0.51	34	430	130
SB-SEP. N 11ft	06/14/2023	11	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	0.07	470	320	180
SB-SEP. N 6ft	06/14/2023	6	<0.0020	<0.0050	<0.0050	<0.010	0.820	<0.0050	0.39	72	2400	680
SB-SEP. N2 11ft	06/14/2023	11	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	0.25	4	360	110
SB-SEP. N2 7ft	06/14/2023	7	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	0.20	26	280	88
SB-SEP. N3 12ft	06/14/2023	12	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<0.50	<50	<50
SB-SEP. N3 8ft	06/14/2023	8	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<0.50	<50	<50
SB-SEP. S 10ft	06/14/2023	10	<0.0020	<0.0050	<0.0050	<0.010	0.032	<0.0050	0.11	28	490	<50
SB-SEP. S 7ft	06/14/2023	7	<0.0020	<0.0050	<0.0050	<0.010	0.320	<0.0050	0.0066	20	300	<50
SB-SEP. S2 11ft	06/14/2023	11	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	0.0041	<0.50	330	<50
SB-SEP. S2 8ft	06/14/2023	8	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	<0.50	<50	<50
SB-SEP. W 11ft	06/14/2023	11	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	0.01	19	120	<50
SB-SEP. W 8ft	06/14/2023	8	<0.0020	<0.0050	<0.0050	<0.010	<0.0050	<0.0050	<0.0038	0.86	<50	<50

Bold faced values exceed the ECMC Table 915-1 concentrations

Red & blue highlighted 915-1 Limits indicate the referenced soil screening level (SSL)

* Indicates laboratory minimum detection limit in excess of SSL

** Summation of GRO+DRO+ORO must be less than 500 mg/kg

NA - Not analyzed

TABLE 2
SUMMARY OF POLYCYCLIC AROMATIC HYDROCARBON SOIL CHEMISTRY DATA
NOBLE ENERGY INC.
CLYNCKE STATE B 36-25, BAKER STATE B 36-12, WELD COUNTY, COLORADO
FREMONT PROJECT NO. C022-187

Sample ID	Sample Date	Depth (ft)	Acenaphthene (mg/kg)	Anthracene (mg/kg)	Benzo (a) Anthracene (mg/kg)	Benzo (a) Pyrene (mg/kg)	Benzo (b) Fluoranthene (mg/kg)	Benzo (k) Fluoranthene (mg/kg)	Chrysene (mg/kg)	Dibenzo (a,h) Anthracene (mg/kg)	Fluoranthene (mg/kg)	Fluorene (mg/kg)	Indeno (1,2,3- cd) Pyrene (mg/kg)	Pyrene (mg/kg)	1-Methyl - Naphthalene (mg/kg)	2-Methyl- Naphthalene (mg/kg)
ECMC Table 915-1 Limits (Residential SSL)			360	1800	1.1	0.11	1.1	11	110	0.11	240	240	1.1	180	18	24
ECMC Table 915-1 Limits (Protection of Groundwater SSL)			0.55	5.8	0.011	0.24	0.3	2.9	9	0.096	8.9	0.54	0.98	1.3	0.006	0.019
SB- AST E 8ft	06/14/2023	8	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	0.0122	0.0308
SB- AST E2 9ft	06/14/2023	9	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	0.0223	0.0619
SB- AST E3 8ft	06/14/2023	8	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SB- AST N	06/14/2023	8	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SB- AST S 12ft	06/14/2023	12	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	0.0112	<0.00500	<0.00500	0.0466	0.112
SB- AST S 7ft	06/14/2023	7	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	0.0792	<0.00500	<0.00500	0.377	0.699
SB- AST S2 12ft	06/14/2023	12	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SB- AST S2 8ft	06/14/2023	8	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SB- AST W 10ft	06/14/2023	10	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	0.0658	0.127
SB- AST W 8ft	06/14/2023	8	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	0.0204
SB-SEP. CEN 12ft	06/14/2023	12	<0.00500	<0.00500	0.010	<0.00500	<0.00500	<0.00500	0.00878	<0.00500	<0.00500	<0.00500	<0.00500	0.005	0.348	<0.00500
SB-SEP. CEN 7ft	06/14/2023	7	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	1.91	1.99
SB-SEP. E 12ft	06/14/2023	12	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	0.812	<0.100
SB-SEP. E 7ft	06/14/2023	7	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	0.0711	0.15
SB-SEP. E2 7ft	06/14/2023	7	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	0.447	1.12
SB-SEP. E2 9ft	06/14/2023	9	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	0.0753	0.152
SB-SEP. N 11ft	06/14/2023	11	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	0.483	1.16
SB-SEP. N 6ft	06/14/2023	6	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	1.93	3.45
SB-SEP. N2 11ft	06/14/2023	11	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	<0.100	0.52	1.01
SB-SEP. N2 7ft	06/14/2023	7	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	0.0599	0.074
SB-SEP. N3 12ft	06/14/2023	12	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SB-SEP. N3 8ft	06/14/2023	8	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SB-SEP. S 10ft	06/14/2023	10	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	0.56	0.563
SB-SEP. S 7ft	06/14/2023	7	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	0.0876	0.138
SB-SEP. S2 11ft	06/14/2023	11	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SB-SEP. S2 8ft	06/14/2023	8	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500
SB-SEP. W 11ft	06/14/2023	11	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	0.0557	0.0819
SB-SEP. W 8ft	06/14/2023	8	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500	<0.00500

Bold faced values exceed the ECMC Table 915-1 concentrations

Red & blue highlighted 915-1 Limits indicate the referenced soil screening level (SSL)

* Indicates laboratory minimum detection limit in excess of SSL

NA - Not analyzed

TABLE 3
SUMMARY OF SOIL SUITABILITY FOR RECLAMATION
NOBLE ENERGY INC.
CLYNCKE STATE B 36-25, BAKER STATE B 36-12, WELD COUNTY, COLORADO
FREMONT PROJECT NO. C022-187

Sample ID	Sample Date	Depth (ft)	pH	EC (mmhos/cm)	SAR	Boron (mg/L)
COGCC Table 915-1 Soil Suitability Limits			6 - 8.3	<4	<6	2
SB- AST E 8ft	06/14/2023	8	7.97	0.294	1.03	0.286
SB- AST E2 9ft	06/14/2023	9	8.59	0.278	0.701	0.384
SB- AST E3 8ft	06/14/2023	8	7.78	0.302	0.485	0.265
SB- AST N	06/14/2023	8	7.77	0.291	0.472	0.118
SB- AST S 12ft	06/14/2023	12	8.71	0.335	0.746	0.392
SB- AST S 7ft	06/14/2023	7	8.06	0.481	0.527	0.197
SB- AST S2 12ft	06/14/2023	12	8.66	0.258	0.905	0.332
SB- AST S2 8ft	06/14/2023	8	8.27	0.389	1.32	0.296
SB- AST W 10ft	06/14/2023	10	8.88	0.463	1.49	0.442
SB- AST W 8ft	06/14/2023	8	8.11	0.299	0.789	0.304
SB-SEP. CEN 12ft	06/14/2023	12	7.55	0.964	1.72	0.14
SB-SEP. CEN 7ft	06/14/2023	7	7.47	0.532	2.44	0.136
SB-SEP. E 12ft	06/14/2023	12	7.86	0.819	1.48	0.0565
SB-SEP. E 7ft	06/14/2023	7	7.97	0.33	0.408	0.0954
SB-SEP. E2 7ft	06/14/2023	7	8.45	0.336	0.892	0.166
SB-SEP. E2 9ft	06/14/2023	9	8.49	0.289	0.865	0.402
SB-SEP. N 11ft	06/14/2023	11	8.21	0.545	2.26	0.0859
SB-SEP. N 6ft	06/14/2023	6	7.66	0.362	0.977	0.109
SB-SEP. N2 11ft	06/14/2023	11	7.98	0.816	2.69	0.115
SB-SEP. N2 7ft	06/14/2023	7	8.52	0.49	2.74	0.151
SB-SEP. N3 12ft	06/14/2023	12	7.51	0.572	2.15	0.059
SB-SEP. N3 8ft	06/14/2023	8	8.02	0.388	2.07	0.158
SB-SEP. S 10ft	06/14/2023	10	8.55	0.344	1.64	0.114
SB-SEP. S 7ft	06/14/2023	7	7.79	0.499	1.89	0.167
SB-SEP. S2 11ft	06/14/2023	11	7.61	0.728	0.849	0.0492
SB-SEP. S2 8ft	06/14/2023	8	7.79	0.311	0.448	0.223
SB-SEP. W 11ft	06/14/2023	11	8.11	0.403	1.81	0.108

Sample ID	Sample Date	Depth (ft)	pH	EC (mmhos/cm)	SAR	Boron (mg/L)
COGCC Table 915-1 Soil Suitability Limits			6 - 8.3	<4	<6	2
SB-SEP. W 8ft	06/14/2023	8	7.77	0.464	1.72	0.153

Bold faced values exceed the ECMC Table 915-1 concentrations

Yellow highlighted 915-1 Limits indicate the referenced soil screening level (SSL)

NA - Not analyzed

TABLE 4
SUMMARY OF METALS IN SOIL CHEMISTRY DATA
NOBLE ENERGY INC.
CLYNCKE STATE B 36-25, BAKER STATE B 36-12, WELD COUNTY, COLORADO
FREMONT PROJECT NO. C022-187

Sample ID	Sample Date	Depth (ft)	Arsenic (mg/kg)	Barium (mg/kg)	Cadmium (mg/kg)	Chromium (VI) (mg/kg)	Copper (mg/kg)	Lead (mg/kg)	Nickel (mg/kg)	Selenium (mg/kg)	Silver (mg/kg)	Zinc (mg/kg)
ECMC Table 915-1 Limits (Residential SSL)			0.68	15000	71	0.3	3100	400	1500	390	390	23000
ECMC Table 915-1 Limits (Protection of Groundwater SSL)			0.29	82	0.38	0.00067	46	14	26	0.26	0.8	370
SB- AST E 8ft	06/14/2023	8	1.23	189	0.32	<0.30	4.05	10.6	2.18	<0.357	0.0576	11.0
SB- AST E2 9ft	06/14/2023	9	4.63	175	0.411	<0.30	10.6	14.50	6.31	<0.331	0.108	26.4
SB- AST E3 8ft	06/14/2023	8	5.23	106	0.397	<0.30	9.87	11.5	8.02	<0.336	0.0915	23.8
SB- AST N	06/14/2023	8	5.25	99.2	0.26	<0.30	7.65	9.01	6.54	<0.343	0.049	20.1
SB- AST S 12ft	06/14/2023	12	1.13	122	<0.259	<0.30	3.27	8	0.983	<0.337	0.0399	8.71
SB- AST S 7ft	06/14/2023	7	0.631	43.2	<0.226	<0.30	2.12	3.41	0.665	0.24	<0.0226	6.57
SB- AST S2 12ft	06/14/2023	12	0.979	128	0.26	<0.30	2.97	9.08	1.15	<0.322	0.0456	9.49
SB- AST S2 8ft	06/14/2023	8	1.8	104	0.28	<0.30	3.85	10.8	2.92	<0.336	0.06	10.5
SB- AST W 10ft	06/14/2023	10	1.73	241	0.538	<0.30	4.13	13.7	2.26	<0.357	0.0703	10.8
SB- AST W 8ft	06/14/2023	8	1.24	143	0.351	<0.30	3.7	11.1	1.71	<0.337	0.0617	9.43
SB-SEP. CEN 12ft	06/14/2023	12	0.638	23.3	<0.235	<0.30	0.823	2.26	<0.470	<0.305	<0.0235	4.32
SB-SEP. CEN 7ft	06/14/2023	7	0.52	33.3	<0.218	<0.30	1.41	2.8	0.513	<0.283	<0.0218	5.07
SB-SEP. E 12ft	06/14/2023	12	0.532	16.7	<0.228	<0.30	0.857	2.77	<0.457	<0.297	<0.0228	4.02
SB-SEP. E 7ft	06/14/2023	7	0.865	82.4	0.24	<0.30	4.01	12	2.1	<0.312	0.061	10.1
SB-SEP. E2 7ft	06/14/2023	7	0.479	26.5	<0.233	<0.30	1.46	3.13	<0.466	<0.303	<0.0233	6.14
SB-SEP. E2 9ft	06/14/2023	9	1.18	266	0.38	<0.30	4.39	15.8	2.53	<0.342	0.0975	12
SB-SEP. N 11ft	06/14/2023	11	0.524	16.3	<0.231	<0.30	0.853	1.95	<0.463	<0.301	<0.0231	4.47
SB-SEP. N 6ft	06/14/2023	6	0.525	23.1	<0.217	<0.30	1.21	2.67	0.437	<0.282	<0.0217	4.59
SB-SEP. N2 11ft	06/14/2023	11	1.91	38.1	<0.231	<0.30	0.979	2.84	0.548	<0.300	<0.0231	4.79
SB-SEP. N2 7ft	06/14/2023	7	1.1	83.6	<0.259	<0.30	3.26	8.73	1.78	<0.337	0.0503	9.54
SB-SEP. N3 12ft	06/14/2023	12	0.5	35.5	<0.239	<0.30	1.07	2.66	0.585	<0.311	<0.0239	5.5
SB-SEP. N3 8ft	06/14/2023	8	0.987	67.3	<0.249	<0.30	2.71	9.16	1.68	<0.324	0.0518	8.9
SB-SEP. S 10ft	06/14/2023	10	1.46	72.8	<0.228	<0.30	1.44	3.52	1.41	<0.296	0.0228	5.59
SB-SEP. S 7ft	06/14/2023	7	0.765	32.2	<0.225	<0.30	1.61	3.36	0.612	<0.293	<0.0225	5.74
SB-SEP. S2 11ft	06/14/2023	11	0.478	7.71	<0.229	<0.30	0.508	1.42	<0.459	<0.298	<0.0229	2.99
SB-SEP. S2 8ft	06/14/2023	8	0.909	159	<0.241	<0.30	3.13	9.23	1.69	<0.314	0.0492	9.3
SB-SEP. W 11ft	06/14/2023	11	1.25	79.7	<0.256	<0.30	2.76	7.99	1.74	<0.333	0.0359	8.68
SB-SEP. W 8ft	06/14/2023	8	0.76	53.2	<0.231	<0.30	2.57	4.72	1.23	<0.300	0.0263	8.46

Bold faced values exceed the ECMC Table 915-1 concentrations

Red & blue highlighted 915-1 Limits indicate the referenced soil screening level (SSL)

* Indicates laboratory minimum detection limit in excess of SSL

NA - Not analyzed

TABLE 5
SUMMARY OF GROUNDWATER ELEVATION DATA AND ORGANIC CHEMISTRY DATA
NOBLE ENERGY INC.
CLYNCKE STATE B 36-25, BAKER STATE B 36-12, WELD COUNTY, COLORADO
FREMONT PROJECT NO. C022-187

Sample ID	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethyl-Benzene (µg/L)	Xylenes (µg/L)	Naphthalene (µg/L)	1,2,4- Trimethyl- Benzene (µg/L)	1,3,5- Trimethyl- Benzene (µg/L)	TOC Elevation (ft)	Depth to Groundwater (ft)	Groundwater Elevation (ft)	LNAPL Thickness (ft)
ECMC Table 915-1 Limits		5.0	560	700	1400	140	67	67				
EAST	06/14/2023	<1.0	<1.0	<1.0	<2.0	25	<1.0	<1.0	NM	~5	NM	NP
WEST	06/14/2023	1.2	<1.0	<1.0	<2.0	28	1.3	<1.0	NM	~5	NM	NP

Bold face values exceed the ECMC concentration limits

Red highlighted 915-1 Limits indicate the referenced groundwater screening level

NP - No measurable LNAPL, NA - Not Analyzed, INA - Inaccessible, IW - Insufficient Water, DES - Destroyed