

**State of Colorado**  
**Energy & Carbon Management Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <u>403799278</u>			
Date Received: <u>06/18/2024</u>			

**SUNDRY NOTICE**

This form is required for reports, updates, and requests as specified in the ECMC rules. It is also used to request changes to some aspects of approved permits for Wells and Oil and Gas Locations.

ECMC Operator Number: <u>10456</u>	Contact Name <u>Reed Haddock</u>
Name of Operator: <u>CAERUS PICEANCE LLC</u>	Phone: <u>(720) 880-6369</u>
Address: <u>1001 17TH STREET #1600</u>	Fax: <u>(303) 565-4606</u>
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u>	Email: <u>rhaddock@caerusoilandgas.com</u>

**FORM 4 SUBMITTED FOR:**

Facility Type: WELL

API Number : 05- 103 12626 00 ID Number: 484066

Name: ELU A18 FED Number: 15C-7-495

Location QtrQtr: 3 Section: 18 Township: 4S Range: 95W Meridian: 6

County: RIO BLANCO Field Name: GRAND VALLEY

**Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information**

**Location(s)**

Location ID	Location Name and Number
483521	ELU A18-495 Pad

**OGDP(s)**

OGDP ID	OGDP Name
482776	ELU A18-495

**WELL LOCATION CHANGE OR AS-BUILT GPS REPORT**

Change of Location for Well \*     As-Built GPS Location Report     As-Built GPS Location Report with Survey

\* Well Location Change requires a new Plat.

**SURFACE LOCATION GPS DATA**      Data must be provided for Change of Surface Location and As Built Reports.

Latitude 39.709054      Longitude -108.104832

GPS Quality Value: 1.4    Type of GPS Quality Value: PDOP    Measurement Date: 05/06/2022

Well Ground Elevation: 8036 feet (Required for change of Surface Location.)

**WELL LOCATION CHANGE**

Well plan is: DIRECTIONAL (Vertical, Directional, Horizontal)

Change of **Surface** Footage **From:**

Change of **Surface** Footage **To:**

Current <b>Surface</b> Location <b>From</b>	QtrQtr	<u>3</u>	Sec	<u>18</u>	Twp	<u>4S</u>	Range	<u>95W</u>	Meridian	<u>6</u>
New <b>Surface</b> Location <b>To</b>	QtrQtr	<u>3</u>	Sec	<u>18</u>	Twp	<u>4S</u>	Range	<u>95W</u>	Meridian	<u>6</u>

FNL/FSL		FEL/FWL	
<u>236</u>	<u>FNL</u>	<u>833</u>	<u>FWL</u>
<u>224</u>	<u>FNL</u>	<u>799</u>	<u>FWL</u>

Change of **Top of Productive Zone** Footage **From:**

446 FSL

2441 FEL

Change of **Top of Productive Zone** Footage **To:**

149 FSL

1678 FEL

\*\*

Current **Top of Productive Zone** Location

Sec 7

Twp 4S

Range 95W

New **Top of Productive Zone** Location

Sec 7

Twp 4S

Range 95W

Change of **Base of Productive Zone** Footage **From:**

FSL

FEL

Change of **Base of Productive Zone** Footage **To:**

\*\*

Current **Base of Productive Zone** Location

Sec

Twp

Range

New **Base of Productive Zone** Location

Sec

Twp

Range

Change of **Bottomhole** Footage **From:**

396 FSL

2527 FEL

Change of **Bottomhole** Footage **To:**

99 FSL

1764 FEL

\*\*

Current **Bottomhole** Location

Sec 7

Twp 4S

Range 95W

\*\* attach deviated drilling plan

New **Bottomhole** Location

Sec 7

Twp 4S

Range 95W

### SAFETY SETBACK INFORMATION

Required for change of Surface Location.

Distance from Well to nearest:

Building: 4452 Feet  
 Building Unit: 5280 Feet  
 Public Road: 3104 Feet  
 Above Ground Utility: 5280 Feet  
 Railroad: 5280 Feet  
 Property Line: 4460 Feet

#### INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

### SUBSURFACE MINERAL SETBACKS

Required for change of Top and/or Base of Productive Zone. Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? Yes

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: 5280 Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: 350 Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: \_\_\_\_\_ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: \_\_\_\_\_ Feet

### Exception Location

If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. \_\_\_\_\_

### LOCATION CHANGE COMMENTS

\_\_\_\_\_



Final reclamation complete, site ready for inspection. Per Rule 1004.c(4) describe final reclamation procedure in Comments below or provide as an attachment.

**Field inspection will be conducted to document Rule 1004.c. compliance**

Comments:

**ENGINEERING AND ENVIRONMENTAL WORK**

REPORT OF TEMPORARY ABANDONMENT

Describe the method used to ensure that the Well is closed to the atmosphere and the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(1).

REQUEST FOR TEMPORARY ABANDONMENT EXCEEDING 6 MONTHS

State the reason for the extension request and explain the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(3).

Date well temporarily abandoned \_\_\_\_\_

Has Production Equipment been removed from site? \_\_\_\_\_

Mechanical Integrity Test (MIT) required. Date of last MIT \_\_\_\_\_

**TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK**

Details of work must be described in full in the COMMENTS below or provided as an attachment.

NOTICE OF INTENT/REQUEST FOR APPROVAL      Approximate Start Date    09/01/2024

SUBSEQUENT REPORT      Date of Activity \_\_\_\_\_

- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Bradenhead Plan  | <input type="checkbox"/> Venting or Flaring (Rule 903) | <input type="checkbox"/> E&P Waste Mangement           |
| <input checked="" type="checkbox"/> Change Drilling Plan  | <input type="checkbox"/> Repair Well                   | <input type="checkbox"/> Beneficial Reuse of E&P Waste |
| <input type="checkbox"/> Gross Interval Change  |  |  |
| <input type="checkbox"/> Underground Injection Control  |  |  |
| <input type="checkbox"/> Request approval of Reuse and Recycling Plan per Rule 905.a.(3). (Reuse and Recycling Plan must be attached.)                    |  |  |
| <input type="checkbox"/> Request approval of Alternative Sampling Plan per Rule 909.j.(6). for this Pit. (Alternative Sampling Program must be attached.) |  |  |
| <input type="checkbox"/> Other  |  |  |

Request that an existing produced water sample from the same formation be used per Rule 909.j.(6) to meet the requirements of Rule 909.j.(1)-(5) for this Well.

Pit ID \_\_\_\_\_ Pit Name \_\_\_\_\_

(No Sample Provided)

Subsequent well operations with heavy equipment (Rule 312)

(No Well Provided)

COMMENTS:

The directional plan, data, casing and cement, and Location Survey Plat have been revised.

**GAS CAPTURE**

VENTING AND FLARING:

Operation type: \_\_\_\_\_ Operational phase requiring venting/flaring: \_\_\_\_\_

Reason for venting/flaring: \_\_\_\_\_

Describe Other reason for venting/flaring:

\_\_\_\_\_

Describe why venting or flaring is necessary. If reporting per Rule 903.b.(2), 903.c.(3).C, or 903.d.(2), include the explanation, rationale, and cause of the event:

\_\_\_\_\_

Describe how the operation will protect and minimize adverse impacts to public health, safety, welfare, the environment, and wildlife resources. If reporting per Rule 903.d.(2), include BMPs used to minimize venting on the BMP Tab:

\_\_\_\_\_

Total volume of gas vented or flared: \_\_\_\_\_ mcf  estimated  measured

Total duration of emission event: \_\_\_\_\_ hours  consecutive  cumulative

Submit a single representative gas analysis via Form 43 to create a Sample Site Facility ID# for this Location. Reference the Form 43 document number on the Related Forms tab.

Sample Site Facility ID#: \_\_\_\_\_

**GAS CAPTURE PLAN**

Describe the plan to connect to a gathering line or beneficially use the gas; include anticipated timeline:

\_\_\_\_\_

A Gas Capture Plan that meets the requirements of Rule 903.e is attached.

**CASING PROGRAM**

Casing Type	Size of Hole	Size of Casing	Grade	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
CONDUCTOR	30	20	A53B	94#	0	140	258	140	0
SURF	14+3/4	9+5/8	J55	36#	0	3000	711	3000	900
1ST	8+3/4	4+1/2	HCP110	13.5#	0	14029	1739	14029	4000
		9+5/8	StageTool	Stage Tool	0	900	201	900	0

**POTENTIAL FLOW AND CONFINING FORMATIONS**

Zone Type	Formation /Hazard	Top M.D.	Top T.V.D.	Bottom M.D.	Bottom T.V.D.	TDS (mg/L)	Data Source	Comment
Groundwater	Green River	0	0	4100	3914	501-1000	CGS	
Confining Layer	Wasatch	4189	3998	6893	6548			
Hydrocarbon	Wasatch G	6893	6548	7328	6958			The Wasatch G is a nonproductive zone in the referenced area of the basin.
Confining Layer	Fort Union	7328	6958	9478	9010			
Hydrocarbon	Ohio Creek	9478	9010	10128	9660	>10000	Produced Water Sample	
Hydrocarbon	Williams Fork	10128	9660	13029	12560	>10000	Produced Water Sample	
Hydrocarbon	Cameo	13029	12560	13529	13060	>10000	Produced Water Sample	
Hydrocarbon	Rollins	13529	13060	14029	13560	>10000	Produced Water Sample	

**H2S REPORTING**

- Intentional release of H2S gas due to Upset Condition or malfunction.
- Intent to temporarily abandon well with potential H2S concentration >100 ppm.

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

**Gas Analysis Report must be attached.**

H2S Concentration: \_\_\_\_\_ in ppm (parts per million)

Date of Measurement or Sample Collection \_\_\_\_\_

Description of Sample Point:

Absolute Open Flow Potential \_\_\_\_\_ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: \_\_\_\_\_

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: \_\_\_\_\_

COMMENTS:

**OIL & GAS LOCATION UPDATES**

OGDP ID \_\_\_\_\_ OGDP Name \_\_\_\_\_

**SITE EQUIPMENT LIST UPDATES**

Indicate the number and type of major equipment components planned for use on this Oil and Gas Location:

Wells _____	Oil Tanks _____	Condensate Tanks _____	Water Tanks _____	Buried Produced Water Vaults _____
Drilling Pits _____	Production Pits _____	Special Purpose Pits _____	Multi-Well Pits _____	Modular Large Volume Tank _____
Pump Jacks _____	Separators _____	Injection Pumps _____	Heater-Treaters _____	Gas Compressors _____
Gas or Diesel Motors _____	Electric Motors _____	Electric Generators _____	Fuel Tanks _____	LACT Unit _____
Dehydrator Units _____	Vapor Recovery Unit _____	VOC Combustor _____	Flare _____	Enclosed Combustion Devices _____
Meter/Sales Building _____	Pigging Station _____		Vapor Recovery Towers _____	

**OTHER PERMANENT EQUIPMENT UPDATES**

**OTHER TEMPORARY EQUIPMENT UPDATES**

**CULTURAL AND SAFETY SETBACK UPDATES**

**OTHER LOCATION CHANGES AND UPDATES**

Provide a description of other changes or updates to technical information for this Location:



## CONDITIONS OF APPROVAL, IF ANY LIST

<u>COA Type</u>	<u>Description</u>
1 COA	<p>1) Operator shall comply with the most current revision of the Northwest Notification Policy.</p> <p>2) During stimulation, operator shall monitor the bradenhead, casing, and tubing pressure of the proposed well and all offset wells under Operator's control which penetrate the stimulated formation and have a treated interval separation of 300 feet or less. Operator shall notify COGCC Engineering staff if bradenhead pressures increase by more than 200 psig.</p> <p>3) Operator shall provide cement coverage from the production casing shoe 4 1/2" FIRST STRING to a minimum of 200' above all Mesaverde Group (and Ohio Creek Formation, if present) oil, gas, and water-bearing sandstone and coalbed formations. Verify production casing cement coverage with a cement bond log.</p>

### General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Engineer	<p>Offset water well check: COGCC evaluated offset water wells within one mile of this proposed well's surface hole location. This information in addition to locally-available geophysical logs and hydrogeologic information was used to evaluate the adequacy of the operator's proposed surface casing setting depth. None of the water wells within one mile are for domestic use.</p> <p>Offset Well Evaluation: Existing offset oil and gas wells within 1,500 feet of this wellbore meet standards. No mitigation required.</p> <p>There is no offset Wasatch G production within 1 mile</p>	06/26/2024

Total: 1 comment(s)

### ATTACHMENT LIST

<u>Att Doc Num</u>	<u>Name</u>
403799278	SUNDRY NOTICE APPROVED-LOC-SFTY-STBK-MNRL-STBK-OBJ-DRLG-CSG
403822646	DIRECTIONAL SURVEY
403822648	DIRECTIONAL DATA
403828362	WELL LOCATION PLAT
403836570	FORM 4 SUBMITTED

Total Attach: 5 Files