

TABLE 2
COOK DONALD GU TRUE 1 WELLHEAD
SOIL VAPOR SAMPLE ANALYTICAL RESULTS SUMMARY TABLE
KERR-McGEE OIL AND GAS ONSHORE LP

SVP Sample Location	SVP Sample Date	He (%)	H ₂ (%)	Ar (%)	O ₂ (%)	CO ₂ (%)	N ₂ (%)	CO (%)	C ₁ (%)	C ₂ (%)	C ₂ H ₄ (%)	C ₃ (%)	C ₃ H ₆ (%)	iC ₄ (%)	nC ₄ (%)	iC ₅ (%)	nC ₅ (%)	C ₆ + (%)	Specific Gravity	BTU
SVP01	8/22/2022	ND	ND	0.915	20.86	0.085	78.14	ND	0.0003	ND	ND	ND	ND	ND	ND	ND	ND	0.0001	1.000	0
SVP02	8/22/2022	ND	ND	0.915	20.87	0.084	78.13	ND	0.0004	ND	ND	ND	ND	ND	ND	ND	ND	0.0002	1.000	0
SVP03	8/22/2022	ND	ND	0.917	20.92	0.083	78.08	ND	0.0004	ND	ND	0.0001	ND	ND	0.0001	ND	0.0001	0.0002	1.000	0
SVP04	8/22/2022	ND	ND	0.919	20.96	0.085	78.04	ND	0.0004	ND	ND	ND	ND	ND	0.0001	ND	0.0001	0.0002	1.000	0
SVP05	8/22/2022	ND	ND	0.922	20.96	0.086	78.03	ND	0.0002	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.000	0
SVP03	12/18/2022	ND	ND	0.877	19.66	0.14	79.32	ND	0.0003	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	0.999	0
SVP05	12/18/2022	ND	ND	0.855	19.06	0.71	79.37	ND	0.0011	0.0003	ND	0.0002	ND	ND	0.0001	ND	ND	0.0004	1.001	0
SVP06	12/18/2022	ND	ND	0.871	19.34	1.61	78.18	ND	0.0005	0.0002	ND	0.0001	ND	ND	ND	ND	ND	0.0003	1.006	0
SVP07	12/18/2022	ND	ND	0.858	19.24	0.58	79.32	ND	0.0002	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	1.000	0
SVP08	12/18/2022	ND	ND	0.817	18.37	0.97	79.84	ND	0.0007	0.0002	ND	ND	ND	ND	ND	ND	ND	0.0002	1.001	0
SVP09	12/18/2022	ND	ND	0.839	18.73	0.90	79.53	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0002	1.001	0
SVP10	12/18/2022	ND	ND	0.810	18.27	0.49	80.43	ND	0.0012	0.0004	ND	0.0002	ND	ND	ND	ND	ND	0.0002	0.998	0
SVP11	12/18/2022	ND	ND	0.852	19.10	0.29	79.76	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0001	0.999	0
SVP12	12/18/2022	ND	ND	0.850	19.07	0.77	79.31	ND	0.0002	ND	ND	ND	ND	ND	ND	ND	ND	0.0002	1.001	0
SVP13	12/18/2022	ND	ND	0.850	19.08	0.50	79.57	ND	0.0006	0.0003	ND	0.0002	ND	ND	ND	ND	ND	ND	1.000	0
SVP14	12/19/2022	ND	ND	0.830	18.33	2.08	78.76	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	1.007	0
SVP15	12/19/2022	ND	ND	0.936	20.84	0.49	77.73	ND	0.0002	ND	ND	ND	ND	ND	ND	ND	ND	0.0010	1.002	0
SVP16	12/19/2022	ND	ND	0.936	20.91	0.51	77.64	ND	0.0002	ND	ND	ND	ND	ND	ND	ND	ND	0.0008	1.003	0
SVP17	12/19/2022	ND	ND	0.936	20.87	0.59	77.60	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	1.003	0
SVP18	12/19/2022	ND	ND	0.937	20.95	0.43	77.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0006	1.002	0
SVP19	12/19/2022	ND	ND	0.934	20.79	0.99	77.29	ND	0.0003	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.005	0
SVP20	12/19/2022	ND	ND	0.939	20.97	0.38	77.71	ND	0.0003	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.002	0
SVP21	12/19/2022	ND	ND	0.925	20.28	2.14	76.65	ND	0.0003	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.011	0
SVP22	12/19/2022	ND	ND	0.937	20.88	0.69	77.49	ND	0.0004	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.004	0
SVP23	12/19/2022	ND	ND	0.924	20.16	2.39	76.52	ND	0.0011	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	1.012	0
SVP24	12/19/2022	ND	ND	0.923	20.22	2.29	76.56	ND	0.0021	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	1.011	0
SVP03	3/17/2023	ND	ND	0.956	21.52	0.041	77.48	ND	0.0026	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	1.001	0
SVP05	3/17/2023	ND	ND	0.945	20.88	0.73	77.44	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	1.004	0
SVP06	3/17/2023	ND	ND	0.941	20.36	1.54	77.16	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0004	1.008	0
SVP07	3/17/2023	ND	ND	0.944	20.60	1.06	77.40	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0004	1.005	0
SVP08	3/17/2023	ND	ND	0.944	20.64	1.06	77.36	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	1.005	0
SVP09	3/17/2023	ND	ND	0.943	20.58	1.16	77.32	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0004	1.006	0
SVP11	3/17/2023	ND	ND	0.946	21.03	0.55	77.47	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0004	1.003	0
SVP12	3/17/2023	ND	ND	0.936	20.90	0.051	78.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0004	1.000	0
SVP13	3/17/2023	ND	ND	0.948	21.29	0.11	77.65	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0004	1.001	0
SVP14	3/17/2023	ND	ND	0.941	20.21	1.75	77.10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0002	1.009	0
SVP15	3/17/2023	ND	ND	0.946	21.00	0.57	77.48	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	1.003	0
SVP16	3/17/2023	ND	ND	0.945	20.88	0.78	77.39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	1.004	0
SVP17	3/17/2023	ND	ND	0.944	20.82	0.83	77.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0004	1.004	0
SVP18	3/17/2023	ND	ND	0.945	20.77	0.84	77.44	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0002	1.004	0
SVP19	3/17/2023	ND	ND	0.943	20.81	0.92	77.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0004	1.005	0
SVP20	3/17/2023	ND	ND	0.947	20.96	0.55	77.54	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	1.003	0
SVP21	3/17/2023	ND	ND	0.942	19.79	2.16	77.11	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	1.010	0

TABLE 2
COOK DONALD GU TRUE 1 WELLHEAD
SOIL VAPOR SAMPLE ANALYTICAL RESULTS SUMMARY TABLE
KERR-McGEE OIL AND GAS ONSHORE LP

SVP Sample Location	SVP Sample Date	He (%)	H ₂ (%)	Ar (%)	O ₂ (%)	CO ₂ (%)	N ₂ (%)	CO (%)	C ₁ (%)	C ₂ (%)	C ₂ H ₄ (%)	C ₃ (%)	C ₃ H ₆ (%)	iC ₄ (%)	nC ₄ (%)	iC ₅ (%)	nC ₅ (%)	C ₆ + (%)	Specific Gravity	BTU	
SVP22	3/17/2023	ND	ND	0.948	21.16	0.34	77.55	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	1.002	0
SVP23	3/17/2023	ND	ND	0.941	19.93	2.10	77.03	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	1.010	0
SVP24	3/17/2023	ND	ND	0.941	20.34	1.50	77.22	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	1.007	0
SVP07	5/19/2023	ND	ND	0.980	14.26	5.27	79.49	ND	0.0019	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0008	1.020	0
SVP08	5/19/2023	ND	ND	0.992	14.23	4.39	80.39	ND	0.0008	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0006	1.015	0
SVP09	5/19/2023	ND	ND	0.981	16.80	2.87	79.35	ND	0.0005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.010	0
SPV14	5/19/2023	ND	ND	0.990	13.02	5.31	80.68	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	1.019	0
SVP16	5/19/2023	ND	ND	0.959	20.01	0.94	78.09	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	1.004	0
SVP17	5/19/2023	ND	ND	0.969	17.87	2.26	78.90	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0004	1.008	0
SVP18	5/19/2023	ND	ND	0.954	20.79	0.60	77.66	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0004	1.003	0
SVP24	5/19/2023	ND	ND	0.956	21.06	0.31	77.67	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0004	1.002	0
SVP21	5/19/2023	ND	ND	0.983	16.94	2.17	79.91	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	1.007	0
SVP22	5/19/2023	ND	ND	0.962	19.21	1.44	78.39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	1.006	0
SVP01	9/14/2023	ND	ND	0.923	20.45	0.13	78.50	ND	0.0003	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0002	1.000	0
SVP02	9/14/2023	ND	ND	0.920	19.17	2.29	77.62	ND	0.0002	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	1.010	0
SVP04	9/14/2023	ND	ND	0.925	20.19	0.62	78.26	ND	0.0004	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0002	1.002	0
SVP06	9/14/2023	ND	ND	1.020	20.53	0.32	78.13	ND	0.0005	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	1.001	0
SVP07	9/14/2023	ND	ND	1.010	20.13	1.13	77.73	ND	0.0004	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0002	1.005	0
SVP08	9/14/2023	ND	ND	0.921	19.41	1.91	77.76	ND	0.0003	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0002	1.008	0
SVP09	9/14/2023	ND	ND	0.914	18.78	3.06	77.24	ND	0.0008	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	1.014	0
SVP10	9/14/2023	ND	ND	0.922	19.38	1.94	77.76	ND	0.0002	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0002	1.008	0
SVP11	9/14/2023	ND	ND	0.929	18.51	3.00	77.56	ND	0.0004	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	1.013	0
SVP13	9/14/2023	ND	ND	1.010	20.06	1.24	77.69	ND	0.0004	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	1.006	0
SVP15	9/14/2023	ND	ND	1.010	19.01	2.50	77.48	ND	0.0004	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	1.011	0
SVP16	9/14/2023	ND	ND	0.916	18.98	2.43	77.67	ND	0.0002	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0001	1.011	0
SVP17	9/14/2023	ND	ND	0.924	20.17	0.68	78.23	ND	0.0003	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0002	1.003	0
SVP18	9/14/2023	ND	ND	0.921	19.04	2.39	77.65	ND	0.0003	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0004	1.010	0
SVP20	9/14/2023	ND	ND	0.916	19.53	1.95	77.60	ND	0.0003	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0004	1.009	0
SVP21	9/14/2023	ND	ND	1.010	20.21	0.92	77.86	ND	0.0003	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	1.004	0
SVP22	9/14/2023	ND	ND	1.020	19.55	1.96	77.47	ND	0.0004	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	1.009	0
SVP23	9/14/2023	ND	ND	0.917	19.12	2.21	77.75	ND	0.0003	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	1.010	0
SVP24	9/14/2023	ND	ND	0.922	19.10	2.18	77.80	ND	0.0003	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0002	1.009	0
SVP26	9/14/2023	ND	ND	1.000	17.65	4.39	76.96	ND	0.0003	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	1.020	0
SVP27	9/14/2023	ND	ND	1.010	19.13	2.48	77.38	ND	0.0002	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	1.011	0
SVP28	9/14/2023	ND	ND	0.999	20.55	0.34	78.11	ND	0.0004	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	1.002	0
SVP30	9/14/2023	ND	ND	1.020	19.20	1.99	77.79	ND	0.0003	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0002	1.009	0

TABLE 2
COOK DONALD GU TRUE 1 WELLHEAD
SOIL VAPOR SAMPLE ANALYTICAL RESULTS SUMMARY TABLE
KERR-McGEE OIL AND GAS ONSHORE LP

SVP Sample Location	SVP Sample Date	He (%)	H ₂ (%)	Ar (%)	O ₂ (%)	CO ₂ (%)	N ₂ (%)	CO (%)	C ₁ (%)	C ₂ (%)	C ₂ H ₄ (%)	C ₃ (%)	C ₃ H ₆ (%)	iC ₄ (%)	nC ₄ (%)	iC ₅ (%)	nC ₅ (%)	C ₆ + (%)	Specific Gravity	BTU
SVP-01	2/14/2024	ND	ND	0.941	20.76	0.32	77.98	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0002	1.001	0
SVP-02	2/14/2024	ND	ND	0.940	20.70	0.52	77.84	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0011	1.003	0
SVP-03	2/14/2024	ND	ND	0.942	20.58	0.55	77.93	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0010	1.003	0
SVP-04	2/14/2024	ND	ND	0.939	20.78	0.64	77.64	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	1.003	0
SVP-06	2/14/2024	ND	ND	0.938	20.94	0.22	77.90	ND	0.0002	ND	ND	ND	ND	ND	ND	ND	ND	0.0002	1.001	0
SVP-07	2/14/2024	ND	ND	0.941	20.80	0.37	77.89	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0002	1.002	0
SVP-08	2/14/2024	ND	ND	0.941	20.81	0.42	77.83	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0002	1.002	0
SVP-09	2/14/2024	ND	ND	0.940	20.44	0.76	77.86	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0002	1.003	0
SVP-11	2/14/2024	ND	ND	0.941	20.71	0.43	77.92	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0002	1.002	0
SVP-15	2/14/2024	ND	ND	0.938	20.69	0.47	77.90	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0002	1.002	0
SVP-16	2/14/2024	ND	ND	0.942	20.71	0.54	77.81	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	1.003	0
SVP-17	2/14/2024	ND	ND	0.943	20.96	0.34	77.76	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	1.002	0
SVP-18	2/14/2024	ND	ND	0.941	20.78	0.50	77.78	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0009	1.003	0
SVP-20	2/14/2024	ND	ND	0.939	20.77	0.46	77.83	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0002	1.002	0
SVP-21	2/14/2024	ND	ND	0.938	20.63	0.42	78.01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0001	1.002	0
SVP-22	2/14/2024	ND	ND	0.937	20.60	0.55	77.91	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0002	1.002	0
SVP-23	2/14/2024	ND	ND	0.941	20.86	0.33	77.87	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0002	1.002	0
SVP-24	2/14/2024	ND	ND	0.941	20.70	0.46	77.90	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0003	1.002	0
SVP-25	2/14/2024	ND	ND	0.938	20.51	0.60	77.95	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0002	1.003	0
SVP-26	2/14/2024	ND	ND	0.937	20.48	0.79	77.79	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0002	1.004	0
SVP-27	2/14/2024	ND	ND	0.937	20.56	0.70	77.80	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0005	1.003	0
SVP-28	2/14/2024	ND	ND	0.941	21.02	0.18	77.86	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0002	1.001	0
SVP-30	2/14/2024	ND	ND	0.938	20.83	0.32	77.91	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0001	1.002	0

Notes:

% = Percent Volume

He = Helium

H₂ = Hydrogen

Ar = Argon

O₂ = Oxygen

CO₂ = Carbon Dioxide

N₂ = Nitrogen

CO = Carbon Monoxide

C₁ = Methane

C₂ = Ethane

C₂H₄ = Ethylene

C₃ = Propane

C₃H₆ = Propylene

iC₄ = Iso-butane

nC₄ = N-butane

iC₅ = Iso-pentane

nC₅ = N-Pentane

C₆+ = Hexanes +

BTU = British Thermal Unit

ND = Not detected above laboratory detection limits

BOLD = Constituent detected above laboratory detection limits