

FORM  
4  
Rev  
03/22

State of Colorado

Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109

Document Number:  
  
403950978  
  
Date Received:

SUNDRY NOTICE

This form is required for reports, updates, and requests as specified in the ECMC rules. It is also used to request changes to some aspects of approved permits for Wells and Oil and Gas Locations.

ECMC Operator Number: 47120

Contact Name Greg Hamilton

Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP

Phone: (970) 515-1698

Address: P O BOX 173779

Fax: ( )

City: DENVER State: CO Zip: 80217-3779

Email: Gregory\_hamilton@oxy.com

FORM 4 SUBMITTED FOR:

Facility Type: LOCATION

API Number : 05- 123 00 ID Number: 431891

Name: USA FED TANK BATTERY Number: 26C-36HZ

Location QtrQtr: SESE Section: 36 Township: 3N Range: 66W Meridian: 6

County: WELD Field Name: WATTENBERG

Oil & Gas Location(s) and Oil & Gas Development Plan (OGDP) Information

Location(s)

Location ID	Location Name and Number
431891	USA FED TANK BATTERY 26C-36HZ

OGDP(s)

No OGDP

WELL LOCATION CHANGE OR AS-BUILT GPS REPORT

☐ Change of Location for Well \*

☐ As-Built GPS Location Report

☐ As-Built GPS Location Report with Survey

\* Well Location Change requires a new Plat.

SURFACE LOCATION GPS DATA Data must be provided for Change of Surface Location and As Built Reports.

Latitude Longitude

GPS Quality Value: Type of GPS Quality Value: Measurement Date:

Well Ground Elevation: feet (Required for change of Surface Location.)

WELL LOCATION CHANGE

Well plan is: (Vertical, Directional, Horizontal)

Change of Surface Footage From:

Change of Surface Footage To:

Current Surface Location From

New Surface Location To

QtrQtr SESE

Sec 36

Twp 3N

Range 66W

Meridian 6

QtrQtr

Sec

Twp

Range

Meridian

FNL/FSL

FEL/FWL

1102 FSL 1298 FEL

Change of **Top of Productive Zone** Footage **From:**

Change of **Top of Productive Zone** Footage **To:**

\*\*

Current **Top of Productive Zone** Location

Sec

Twp

Range

New **Top of Productive Zone** Location

Sec

Twp

Range

Change of **Base of Productive Zone** Footage **From:**

Change of **Base of Productive Zone** Footage **To:**

\*\*

Current **Base of Productive Zone** Location

Sec

Twp

Range

New **Base of Productive Zone** Location

Sec

Twp

Range

Change of **Bottomhole** Footage **From:**

Change of **Bottomhole** Footage **To:**

\*\*

Current **Bottomhole** Location

Sec

Twp

Range

\*\* attach deviated drilling plan

New **Bottomhole** Location

Sec

Twp

Range

## SAFETY SETBACK INFORMATION

Required for change of Surface Location.

Distance from Well to nearest:

Building:  Feet

Building Unit:  Feet

Public Road:  Feet

Above Ground Utility:  Feet

Railroad:  Feet

Property Line:  Feet

### INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit – as defined in 100 Series Rules.

## SUBSURFACE MINERAL SETBACKS

Required for change of Top and/or Base of Productive Zone. Enter 5280 for distance greater than 1 mile.

Is this Well within a unit?

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary:  Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation:  Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease:  Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation:  Feet

## Exception Location

- ☐ If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers.

## LOCATION CHANGE COMMENTS

## OTHER

### ☐ RULE 502 VARIANCE

Order Number: \_\_\_\_\_

Description: \_\_\_\_\_

### ☐ REMOVE FROM SURFACE BOND      Signed surface use agreement is a required attachment

### ☐ CHANGE NAME OR NUMBER OF WELL, FACILITY, OIL & GAS LOCATION, OR OGD

From:    Name    USA FED TANK BATTERY                      Number    26C-36HZ                      Effective Date: \_\_\_\_\_

To:        Name    \_\_\_\_\_                      Number    \_\_\_\_\_

### ☐ ABANDON PERMIT: Permit can only be abandoned if the permitted operation has NOT been conducted. Field inspection will be conducted to verify site status.

☐ WELL: Abandon Application for Permit-to-Drill (Form2) – Well API Number \_\_\_\_\_ has not been drilled.

☐ PIT: Abandon Earthen Pit Permit (Form 15) – ECMC Pit Facility ID Number \_\_\_\_\_ has not been constructed (Permitted and constructed pit requires closure per Rule 911)

☐ CENTRALIZED E&P WASTE MANAGEMENT FACILITY: Abandon Centralized E&P Waste Management Facility Permit (Form 28) – Facility ID Number \_\_\_\_\_ has not been constructed (Constructed facility requires closure per Rule 907)

OIL & GAS LOCATION ID Number: \_\_\_\_\_

☐ Abandon Oil & Gas Location Assessment (Form 2A) – Location has not been constructed and site will not be used in the future.

☐ Keep Oil & Gas Location Assessment (Form 2A) active until expiration date. This site will be used in the future.

**Surface disturbance from Oil and Gas Operations must be reclaimed per Rule 1003 and Rule 1004.**

### ☐ REQUEST FOR WELL RECORDS CONFIDENTIALITY (Rule 206.c.(1))

### ☐ DIGITAL WELL LOG UPLOAD

☒ DOCUMENTS SUBMITTED      Purpose of Submission: Installation of permanent instrument air skid

☐ COMPLIANCE with CONDITION OF APPROVAL (COA) on    Form NO: \_\_\_\_\_    Document Number: \_\_\_\_\_

## RECLAMATION

### INTERIM RECLAMATION

☐ Interim Reclamation will commence approximately \_\_\_\_\_

Per Rule 1003.e.(3) operator shall submit Sundry Notice reporting interim reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Interim reclamation complete, site ready for inspection.  
Per Rule 1003.e(3) describe interim reclamation procedure in Comments below or provide as an attachment and attach required location photographs.

**Field inspection will be conducted to document Rule 1003.e. compliance**

### FINAL RECLAMATION

☐ Final Reclamation will commence approximately \_\_\_\_\_

Per Rule 1004.c.(4) operator shall submit Sundry Notice reporting final reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Final reclamation complete, site ready for inspection. Per Rule 1004.c(4) describe final reclamation procedure in Comments below or provide as an attachment.

**Field inspection will be conducted to document Rule 1004.c. compliance**

Comments:

## ENGINEERING AND ENVIRONMENTAL WORK

### ☐ REPORT OF TEMPORARY ABANDONMENT

Describe the method used to ensure that the Well is closed to the atmosphere and the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(1).

### ☐ REQUEST FOR TEMPORARY ABANDONMENT EXCEEDING 6 MONTHS

State the reason for the extension request and explain the Operator's plans for future operation of the Well in the COMMENTS box below as required by Rule 434.b.(3).

Date well temporarily abandoned \_\_\_\_\_

Has Production Equipment been removed from site? \_\_\_\_\_

Mechanical Integrity Test (MIT) required. Date of last MIT \_\_\_\_\_

## TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK

Details of work must be described in full in the COMMENTS below or provided as an attachment.

☐ NOTICE OF INTENT/REQUEST FOR APPROVAL      Approximate Start Date \_\_\_\_\_

☐ SUBSEQUENT REPORT      Date of Activity \_\_\_\_\_

- |   |  |  |
|---|--|--|
| <input type="checkbox"/> Bradenhead Plan  | <input type="checkbox"/> Venting or Flaring (Rule 903) | <input type="checkbox"/> E&P Waste Mangement           |
| <input type="checkbox"/> Change Drilling Plan   | <input type="checkbox"/> Repair Well                   | <input type="checkbox"/> Beneficial Reuse of E&P Waste |
| <input type="checkbox"/> Gross Interval Change  |  |  |
| <input type="checkbox"/> Underground Injection Control  |  |  |
| <input type="checkbox"/> Request approval of Reuse and Recycling Plan per Rule 905.a.(3). (Reuse and Recycling Plan must be attached.)                    |  |  |
| <input type="checkbox"/> Request approval of Alternative Sampling Plan per Rule 909.j.(6). for this Pit. (Alternative Sampling Program must be attached.) |  |  |
| <input type="checkbox"/> Other  |  |  |

- ☐ Request that an existing produced water sample from the same formation be used per Rule 909.j.(6) to meet the requirements of Rule 909.j.(1)-(5) for this Well.

Pit ID \_\_\_\_\_ Pit Name \_\_\_\_\_

(No Sample Provided)

- ☐ Subsequent well operations with heavy equipment (Rule 312)

(No Well Provided)

COMMENTS:

## GAS CAPTURE

VENTING AND FLARING:

Operation type: \_\_\_\_\_ Operational phase requiring venting/flaring: \_\_\_\_\_

Reason for venting/flaring: \_\_\_\_\_

Describe Other reason for venting/flaring:

Describe why venting or flaring is necessary. If reporting per Rule 903.b.(2), 903.c.(3).C, or 903.d.(2), include the explanation, rationale, and cause of the event:

Describe how the operation will protect and minimize adverse impacts to public health, safety, welfare, the environment, and wildlife resources. If reporting per Rule 903.d.(2), include BMPs used to minimize venting on the BMP Tab:

Total volume of gas vented or flared: \_\_\_\_\_ mcf ☐ estimated ☐ measured

Total duration of emission event: \_\_\_\_\_ hours ☐ consecutive ☐ cumulative

Submit a single representative gas analysis via Form 43 to create a Sample Site Facility ID# for this Location. Reference the Form 43 document number on the Related Forms tab.

Sample Site Facility ID#: \_\_\_\_\_

#### GAS CAPTURE PLAN

Describe the plan to connect to a gathering line or beneficially use the gas; include anticipated timeline:

A Gas Capture Plan that meets the requirements of Rule 903.e is attached. ☐

#### H2S REPORTING

☐ Intentional release of H2S gas due to Upset Condition or malfunction.

☐ Intent to temporarily abandon well with potential H2S concentration >100 ppm.

**Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.**

**Gas Analysis Report must be attached.**

H2S Concentration: \_\_\_\_\_ in ppm (parts per million) Date of Measurement or Sample Collection \_\_\_\_\_

Description of Sample Point:

Absolute Open Flow Potential \_\_\_\_\_ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: \_\_\_\_\_

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: \_\_\_\_\_

COMMENTS:

#### OIL & GAS LOCATION UPDATES

SITE EQUIPMENT LIST UPDATES

Indicate the number and type of major equipment components planned for use on this Oil and Gas Location:

Wells	Oil Tanks	Condensate Tanks	1	Water Tanks	2	Buried Produced Water Vaults
Drilling Pits	Production Pits	Special Purpose Pits		Multi-Well Pits		Modular Large Volume Tank
Pump Jacks	Separators	5	Injection Pumps	Heater-Treaters		Gas Compressors
Gas or Diesel Motors	Electric Motors	Electric Generators		Fuel Tanks		LACT Unit
Dehydrator Units	Vapor Recovery Unit	1	VOC Combustor	Flare		Enclosed Combustion Devices
Meter/Sales Building	1	Pigging Station		Vapor Recovery Towers	1	

OTHER PERMANENT EQUIPMENT UPDATES

Permanent Equipment Type	Number
Fuel Gas Scrubber/Knockout Pot	3
Air Compressor	1
Electrical Panel	5
Transformer	1

OTHER TEMPORARY EQUIPMENT UPDATES

CULTURAL AND SAFETY SETBACK UPDATES

OTHER LOCATION CHANGES AND UPDATES

Provide a description of other changes or updates to technical information for this Location:

POTENTIAL OGDG UPDATES

PROPOSED CHANGES TO AN APPROVED OGDG

☐ This Sundry Form 4 is being submitted pursuant to Rule 301.c to propose changes to an approved Oil and Gas Development Plan.

Check all boxes that pertain to the type(s) of changes being proposed for this OGDG:

- ☐ Add Oil and Gas Location(s)
- ☐ Add Drilling and Spacing Unit(s)
- ☐ Amend Oil and Gas Location(s)
- ☐ Amend Drilling and Spacing Unit(s)
- ☐ Remove Oil and Gas Location(s)
- ☐ Remove Drilling and Spacing Unit(s)
- ☐ Oil and Gas Location attachment or plan updates
- ☐ Amend the lands subject to the OGDG
- ☐ Other

Provide a detailed description of the changes being proposed for this OGDG. Attach supporting documentation such as maps if necessary.

Best Management Practices

No	BMP/COA Type	Description

Operator Comments:

KMOG is requesting approval to install a permanent instrument air skid at USA Fed Tank Battery 26C-36HZ (location 431891) to reduce the environmental impact of the facility by using air instead of natural gas to operator pneumatically controlled valves.

A 15hp instrument air compressor skid will be placed on this location. The instrument air skid will serve the facility equipment for the following wells: USA Fed 02C-36HZ, 02N-36HZ, 27N West-36HZ (location 336303) and the USA Fed 01N-36HZ, and 27N East-36HZ (location 336117). These are two separate well pads, the USA Fed 02N-36HZ well pad is located southwest of the facility, while the USA Fed 26C-36HZ is located southeast of the facility.

KMOG will utilize an existing flowline from the facility to USA Fed 02N-36HZ (location 336303) well pad to supply instrument air instead of natural gas to operate the wellhead equipment for the USA Fed 02C-36HZ, 02N-36HZ, 27N West-36H wells.

Additionally, KMOG is requesting approval to install small, permanent micro instrument air skid mounted in a cabinet measuring approximately 3'x5' on the USA Fed 26C-36HZ well pad (location 336117). This will supply instrument air instead of natural gas to operate the wellhead equipment for the USA Fed 01N-36HZ and USA Fed 27N East-36HZ wells.

No additional flowlines will be trenched to the USA Fed 26C-36HZ well pad due to this compressor being set at the facility and the micro instrument air skid being set at the well pad.

This sundry is associated with sundry 403951156.

This equipment is not expected to result in additional traffic, light, or noise impacts to surrounding stakeholders.

Please see attached plot plan for details.

KMOG plans to install the new equipment on December 1, 2024.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Greg Hamilton  
Title: Sr Regulatory Consultant Email: Gregory\_hamilton@oxy.com Date: \_\_\_\_\_

Based on the information provided herein, this Sundry Notice (Form 4) complies with ECMC Rules and applicable orders and is hereby approved.

ECMC Approved: \_\_\_\_\_ Date: \_\_\_\_\_

### **CONDITIONS OF APPROVAL, IF ANY LIST**

<b><u>COA Type</u></b>	<b><u>Description</u></b>
0 COA	

### **General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>
		Stamp Upon Approval

Total: 0 comment(s)

### **ATTACHMENT LIST**

<b><u>Att Doc Num</u></b>	<b><u>Name</u></b>
403951284	LAYOUT DRAWINGS

Total Attach: 1 Files