

**Caerus Oil and Gas**

Sample Delivery Group: L1739939


Samples Received: 05/24/2024

Project Number:

Description: A03 Vault Valve Backgrounds

Report To: Jake J. / Brett M. / Blair R. / Andy V.  
143 Diamond Avenue  
Parachute, CO 81635

Entire Report Reviewed By:



Chris Ward  
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

**Pace Analytical National**12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 [mydata.pacelabs.com](https://mydata.pacelabs.com)

# TABLE OF CONTENTS

Cp: Cover Page	1	<sup>1</sup> Cp
Tc: Table of Contents	2	
Ss: Sample Summary	3	<sup>2</sup> Tc
Cn: Case Narrative	4	
Sr: Sample Results	5	<sup>3</sup> Ss
20240522-NPRBG-(A03 VALVE-W02)@0.5 L1739939-01	5	<sup>4</sup> Cn
Qc: Quality Control Summary	6	
Wet Chemistry by Method 7199	6	<sup>5</sup> Sr
Wet Chemistry by Method 9045D	8	
Wet Chemistry by Method 9050AMod	9	<sup>6</sup> Qc
Metals (ICP) by Method 6010B-NE493 Ch 2	10	
Metals (ICPMS) by Method 6020	11	<sup>7</sup> Gl
Gl: Glossary of Terms	12	<sup>8</sup> Al
Al: Accreditations & Locations	13	
Sc: Sample Chain of Custody	14	<sup>9</sup> Sc

SAMPLE SUMMARY

20240522-NPRBG-(A03 VALVE-W02)@0.5 L1739939-01 Solid				Collected by Alex Slorby	Collected date/time 05/22/24 12:25	Received date/time 05/24/24 09:00	
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location	
Calculated Results	WG2294933	1	05/30/24 16:20	05/30/24 16:20	JTM	Mt. Juliet, TN	<div>1Cp</div>
Wet Chemistry by Method 7199	WG2293835	1	05/31/24 09:47	06/03/24 07:39	SET	Mt. Juliet, TN	<div>2Tc</div>
Wet Chemistry by Method 9045D	WG2295736	1	05/30/24 16:34	05/30/24 20:10	KRB	Mt. Juliet, TN	<div>3Ss</div>
Wet Chemistry by Method 9050AMod	WG2295750	1	05/30/24 16:33	05/30/24 16:50	KRB	Mt. Juliet, TN	
Metals (ICP) by Method 6010B-NE493 Ch 2	WG2299986	1	06/07/24 10:47	06/09/24 21:30	DJS	Mt. Juliet, TN	<div>4Cn</div>
Metals (ICPMS) by Method 6020	WG2293690	5	05/30/24 16:59	05/30/24 21:37	LD	Mt. Juliet, TN	<div>5Sr</div>

5Sr

6Qc

7Gl

8Al

9Sc

# CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Chris Ward  
Project Manager



Calculated Results

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
Sodium Adsorption Ratio	0.110		1	05/30/2024 16:20	WG2294933

Wet Chemistry by Method 7199

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Hexavalent Chromium	ND		1.00	1	06/03/2024 07:39	<a href="#">WG2293835</a>

Wet Chemistry by Method 9045D

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
pH	6.67	<a href="#">T8</a>	1	05/30/2024 20:10	<a href="#">WG2295736</a>

Sample Narrative:  
L1739939-01 WG2295736: 6.67 at 21.8C

Wet Chemistry by Method 9050AMod

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Specific Conductance	266		10.0	1	05/30/2024 16:50	<a href="#">WG2295750</a>

Sample Narrative:  
L1739939-01 WG2295750: at 25C

Metals (ICP) by Method 6010B-NE493 Ch 2

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Hot Water Sol. Boron	ND		0.200	1	06/09/2024 21:30	<a href="#">WG2299986</a>

Metals (ICPMS) by Method 6020

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Arsenic	4.36		1.00	5	05/30/2024 21:37	<a href="#">WG2293690</a>
Barium	153		2.50	5	05/30/2024 21:37	<a href="#">WG2293690</a>
Cadmium	ND		1.00	5	05/30/2024 21:37	<a href="#">WG2293690</a>
Copper	11.8		5.00	5	05/30/2024 21:37	<a href="#">WG2293690</a>
Lead	9.34		2.00	5	05/30/2024 21:37	<a href="#">WG2293690</a>
Nickel	9.65		2.50	5	05/30/2024 21:37	<a href="#">WG2293690</a>
Selenium	ND		2.50	5	05/30/2024 21:37	<a href="#">WG2293690</a>
Silver	ND		0.500	5	05/30/2024 21:37	<a href="#">WG2293690</a>
Zinc	107		25.0	5	05/30/2024 21:37	<a href="#">WG2293690</a>

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Method Blank (MB)

(MB) R4076424-1 06/03/24 03:47

	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	mg/kg		mg/kg	mg/kg
Hexavalent Chromium	U		0.255	1.00

L1739769-05 Original Sample (OS) • Duplicate (DUP)

(OS) L1739769-05 06/03/24 05:43 • (DUP) R4076424-7 06/03/24 05:52

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	mg/kg	mg/kg		%		%
Hexavalent Chromium	ND	ND	1	0.000		20

L1741067-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1741067-01 06/03/24 09:09 • (DUP) R4076424-12 06/03/24 09:18

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	mg/kg	mg/kg		%		%
Hexavalent Chromium	ND	ND	1	0.000		20

Laboratory Control Sample (LCS)

(LCS) R4076424-2 06/03/24 03:56

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	mg/kg	mg/kg	%	%	
Hexavalent Chromium	10.0	10.6	106	80.0-120	

L1739726-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1739726-01 06/03/24 04:05 • (MS) R4076424-4 06/03/24 04:22 • (MSD) R4076424-5 06/03/24 04:31

	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Analyte	mg/kg	mg/kg	mg/kg	mg/kg	%	%		%			%	%
Hexavalent Chromium	20.0	ND	15.9	14.4	78.3	70.6	1	75.0-125		J6	10.0	20

L1739934-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1739934-01 06/03/24 06:37 • (MS) R4076424-9 06/03/24 06:55 • (MSD) R4076424-10 06/03/24 07:21

	Spike Amount	Original Result	MS Result	MSD Result	MS Rec.	MSD Rec.	Dilution	Rec. Limits	MS Qualifier	MSD Qualifier	RPD	RPD Limits
Analyte	mg/kg	mg/kg	mg/kg	mg/kg	%	%		%			%	%
Hexavalent Chromium	20.0	ND	6.16	5.09	30.8	25.4	1	75.0-125	J6	J6	19.1	20

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

L1739726-01 Original Sample (OS) • Matrix Spike (MS)

(OS) L1739726-01 06/03/24 04:05 • (MS) R4076424-6 06/03/24 04:40

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>
Hexavalent Chromium	636	ND	560	88.0	50	75.0-125	

L1739934-01 Original Sample (OS) • Matrix Spike (MS)

(OS) L1739934-01 06/03/24 06:37 • (MS) R4076424-11 06/03/24 07:30

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>
Hexavalent Chromium	633	ND	557	87.9	50	75.0-125	

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Qc

<sup>7</sup>Gl

<sup>8</sup>Al

<sup>9</sup>Sc

L1739239-06 Original Sample (OS) • Duplicate (DUP)

(OS) L1739239-06 05/30/24 20:10 • (DUP) R4075532-2 05/30/24 20:10

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	pH	su		%		%
pH	7.38	7.33	1	0.680		1

Sample Narrative:

OS: 7.38 at 22.6C

DUP: 7.33 at 22.7C

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Qc

<sup>7</sup>Gl

<sup>8</sup>Al

<sup>9</sup>Sc

L1740045-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1740045-01 05/30/24 20:10 • (DUP) R4075532-3 05/30/24 20:10

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	su	su		%		%
pH	7.88	7.90	1	0.253		1

Sample Narrative:

OS: 7.88 at 21.9C

DUP: 7.9 at 21.8C

Laboratory Control Sample (LCS)

(LCS) R4075532-1 05/30/24 20:10

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	su	su	%	%	
pH	10.0	10.0	100	99.0-101	

Sample Narrative:

LCS: 10 at 22.1C



Method Blank (MB)

(MB) R4075502-1 05/30/24 16:50

Analyte	MB Result umhos/cm	MB Qualifier	MB MDL umhos/cm	MB RDL umhos/cm
Specific Conductance	U		10.0	10.0

Sample Narrative:

BLANK: at 25C

L1739239-06 Original Sample (OS) • Duplicate (DUP)

(OS) L1739239-06 05/30/24 16:50 • (DUP) R4075502-3 05/30/24 16:50

Analyte	Original Result umhos/cm	DUP Result umhos/cm	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Specific Conductance	50.4	50.3	1	0.199		20

Sample Narrative:

OS: at 25C

DUP: at 25C

L1740045-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1740045-01 05/30/24 16:50 • (DUP) R4075502-4 05/30/24 16:50

Analyte	Original Result umhos/cm	DUP Result umhos/cm	Dilution	DUP RPD %	DUP Qualifier	DUP RPD Limits %
Specific Conductance	8880	8890	1	0.113		20

Sample Narrative:

OS: at 25C

DUP: at 25C

Laboratory Control Sample (LCS)

(LCS) R4075502-2 05/30/24 16:50

Analyte	Spike Amount umhos/cm	LCS Result umhos/cm	LCS Rec. %	Rec. Limits %	LCS Qualifier
Specific Conductance	733	741	101	85.0-115	

Sample Narrative:

LCS: at 25C

1

Cp

2

Tc

3

Ss

4

Cn

5

Sr

6

Qc

7

Gl

8

Al

9

Sc

Method Blank (MB)

(MB) R4079382-1 06/09/24 20:49

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Hot Water Sol. Boron	U		0.0167	0.200

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R4079382-2 06/09/24 20:53 • (LCSD) R4079382-3 06/09/24 20:56

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Hot Water Sol. Boron	1.00	1.01	0.994	101	99.4	80.0-120			1.99	20

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Qc

<sup>7</sup>Gl

<sup>8</sup>Al

<sup>9</sup>Sc

Method Blank (MB)

(MB) R4075536-1 05/30/24 20:16

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Arsenic	U		0.100	1.00
Barium	U		0.152	2.50
Cadmium	U		0.0855	1.00
Copper	U		0.133	5.00
Lead	U		0.0990	2.00
Nickel	U		0.197	2.50
Selenium	U		0.180	2.50
Silver	U		0.0865	0.500
Zinc	U		0.740	25.0

Laboratory Control Sample (LCS)

(LCS) R4075536-2 05/30/24 20:19

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Arsenic	100	94.0	94.0	80.0-120	
Barium	100	95.1	95.1	80.0-120	
Cadmium	100	101	101	80.0-120	
Copper	100	97.0	97.0	80.0-120	
Lead	100	98.5	98.5	80.0-120	
Nickel	100	100	100	80.0-120	
Selenium	100	90.9	90.9	80.0-120	
Silver	20.0	19.9	99.3	80.0-120	
Zinc	100	94.4	94.4	80.0-120	

L1739853-42 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1739853-42 05/30/24 20:22 • (MS) R4075536-5 05/30/24 20:32 • (MSD) R4075536-6 05/30/24 20:36

Analyte	Spike Amount mg/kg	Original Result mg/kg	MS Result mg/kg	MSD Result mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Arsenic	99.9	5.78	97.8	90.7	92.0	84.9	5	75.0-125			7.56	20
Barium	99.9	113	218	218	105	105	5	75.0-125			0.149	20
Cadmium	99.9	ND	101	96.7	101	96.6	5	75.0-125			4.72	20
Copper	99.9	11.5	110	103	98.4	91.6	5	75.0-125			6.46	20
Lead	99.9	9.52	107	100	97.6	90.9	5	75.0-125			6.47	20
Nickel	99.9	15.2	115	106	99.8	90.8	5	75.0-125			8.18	20
Selenium	99.9	ND	90.1	82.6	89.7	82.2	5	75.0-125			8.67	20
Silver	20.0	ND	19.8	18.8	99.0	93.9	5	75.0-125			5.27	20
Zinc	99.9	31.0	129	118	97.6	86.8	5	75.0-125			8.81	20

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

# GLOSSARY OF TERMS

## Guide to Reading and Understanding Your Laboratory Report


The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

## Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier	Description
J6	The sample matrix interfered with the ability to make any accurate determination; spike value is low.
T8	Sample(s) received past/too close to holding time expiration.



# ACCREDITATIONS & LOCATIONS

## Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey--NELAP	TN002
California	2932	New Mexico <sup>1</sup>	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina <sup>1</sup>	DW21704
Georgia	NELAP	North Carolina <sup>3</sup>	41
Georgia <sup>1</sup>	923	North Dakota	R-140
Idaho	TN00003	Ohio--VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky <sup>1 6</sup>	KY90010	South Carolina	84004002
Kentucky <sup>2</sup>	16	South Dakota	n/a
Louisiana	AI30792	Tennessee <sup>1 4</sup>	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas <sup>5</sup>	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA -- ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA -- ISO 17025 <sup>5</sup>	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA--Crypto	TN00003		

<sup>1</sup> Drinking Water <sup>2</sup> Underground Storage Tanks <sup>3</sup> Aquatic Toxicity <sup>4</sup> Chemical/Microbiological <sup>5</sup> Mold <sup>6</sup> Wastewater n/a Accreditation not applicable

\* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

\* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.





Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: <https://info.pacelabs.com/hubfs/pas-standard-terms.pdf>  
Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

CQC Seal Present/Intact: Y N If Applicable  
 CQC Signed/Accurate: Y N VOA Zero Headspace: Y N  
 Bottles arrive intact: Y N Pres. Correct/Check: Y N  
 Correct bottles used: Y N  
 Sufficient volume sent: Y N  
 RA Screen <0.5 mR/hr: Y N

Container Preservative Type **										Lab Project Manager:

\*\* Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Analyses						Lab Profile/Line:
						Lab Sample Receipt Checklist:
						Custody Seals Present/Intact Y N NA
						Custody Signatures Present Y N NA
						Collector Signature Present Y N NA
						Bottles Intact Y N NA
						Correct Bottles Y N NA
						Sufficient Volume Y N NA
						Samples Received on Ice Y N NA
						VOA - Headspace Acceptable Y N NA
						USDA Regulated Soils X N NA
						Samples in Holding Time Y N NA
						Residual Chlorine Present Y N NA
						Cl Strips: _____
						Sample pH Acceptable Y N NA
						pH Strips: _____
						Sulfide Present Y N NA
						Lead Acetate Strips: _____
						LAB USE ONLY:
						Lab Sample # / Comments:
						L739939 -01

SHORT HOLDS PRESENT (<72 hours) : Y N N/A		LAB Sample Temperature Info:	
Lab Tracking #:		Temp Blank Received: Y N NA	
Samples received via:		Therm ID#: _____	
FEDEX UPS Client Courier Pace Courier		Cooler 1 Temp Upon Receipt: _____ °C	
		Cooler 1 Therm Corr. Factor: _____ °C	
		Cooler 1 Corrected Temp: _____ °C	
		Comments:	
Date/Time:		MTJL LAB USE ONLY	
		Table #:	
Date/Time:		Accnum:	
5/21/21 09M		Template:	
		Preglin:	
Date/Time:		PM:	
		PB:	
		Trip Blank Received: Y N NA	
		HCL MeOH TSP Other	
		Non Conformance(s):	
		YES / NO	
		Page: 1	
		of: 1	