



P&A Wellbore For State

Well Name: UPRC 35-06F

Original Hole [Land]		Well Header									
MD (ftK B)	Vertical schematic (actual)	Surface UWI 0512316345				Business Unit Rockies		Gov Auth Dist		Prod Tree Loc Land	
		Orig. KB to Gnd (ft) 9.00		Original Spud Date 12/30/1992		Abandon Date 9/19/2024		Well Sub-Status PA		High... N	
		Comment									
		Surface Location (Congressional)									
		Qtr 3 SE	Qtr 4 NW	Section 35	Twonshp 4	Twonsh... N	Range 66	Rng E/... W	Latitude (°) 40.27010120 6	Longitude (°) -104.747389571	
Wellbore Sections											
Section Des		Hole Size (in)		Top Depth (ftKB)		Btm Depth (ftKB)					
SURFACE		12 1/4		9.0		515.0					
PRODUCTION		7 7/8		515.0		7,400.0					
Casing Strings											
Csg Des		Run Date		OD (in)		Wt/Len (lb/ft)		Grade		Top Depth (MD) (ftKB)	
Surface		1/17/1993		8 5/8		24.00				9	
Production Casing		1/21/1993		4 1/2		11.60		M-75		9	
Cement											
Des		Start Date		Top (ftKB)		Btm (ftKB)					
SURFACE CASING CEMENT		1/17/1993		9.0		515.0					
PRODUCTION CASING CEMENT		1/21/1993		3,789.0		4,978.0					
PRODUCTION CASING CEMENT		1/21/1993		6,427.0		7,396.0					
CEMENT SQUEEZE SUSSEX		12/14/2001		4,204.0		4,500.0					
Cement Plug		8/12/2024		2,067.0		2,367.0					
Surface Plug #1		8/12/2024		529.0		1,426.0					
Cement Plug		8/13/2024		9.0		529.0					
Zone Statuses											
Zone Name		Status Date		Status		Fluid Type		Job		Prod Method	
SUSSEX		12/14/2001		AB		Gas		RE-FRAC, 12/13/2001 00:00		Flowing	
SUSSEX		8/8/2024		Closed		Gas		Abandon Well - Permanent, 8/5/2024 06:00			
NIOBRARA		5/9/2017		SI				Abandon Well - Permanent, 8/5/2024 06:00			
NIOBRARA		8/6/2024		Closed							
CODELL		3/10/2010		PR		Water		Abandon Well - Permanent, 8/5/2024 06:00			
CODELL		8/6/2024		Closed		Water					
Perforation Data											
Linked Zone		Explosive Type		Entered Shot Total		Top (ftKB)		Btm (ftKB)		Date	
SUSSEX, Original Hole		A		56		4,458.0		4,486.0		11/18/1994	
NIOBRARA, Original Hole		A		12		6,966.0		6,997.0		1/29/1993	
NIOBRARA, Original Hole		B		12		7,042.0		7,051.0		1/29/1993	
CODELL, Original Hole				56		7,261.0		7,275.0		12/19/2001	
CODELL, Original Hole				20		7,261.0		7,271.0		1/25/1993	
Stim/Frac Stage											
Zone		Start Date		Top (ftKB)		Btm (ftKB)					
SUSSEX, Original Hole		11/25/1994		4,458.0		4,486.0					
NIOBRARA, Original Hole		1/30/1993		6,966.0		7,051.0					
CODELL, Original Hole		1/26/1993		7,261.0		7,271.0					
CODELL, Original Hole		12/27/2001		7,261.0		7,275.0					
CODELL, Original Hole		1/27/2010		7,261.0		7,275.0					
Other In Hole											
Run Date		Des		Make		OD (in)		Top (ftKB)		Btm (ftKB)	
8/6/2024		Cast Iron Bridge Plug w/ 2 SX Cement				3.99		6,890.0		6,918.0	
8/8/2024		Cast Iron Bridge Plug w/ 2 SX Cement				3.99		4,382.0		4,410.0	
Logs											
Date		Type		Depth Top (MD) (ftKB)		Btm (ftKB)					
1/21/1993		COMPENSATED DENSITY		4,340		7,390.0					
1/21/1993		DIFL/DENS/GR/GRD/CAL		515		7,391.0					
1/25/1993		CEMENT BOND		3,600		7,335.0					
3/15/2013		GYRO		9		7,200.0					
Wellbore Plug Back Total Depths											
Date		Type		Com		PBSD (ftKB)					
1/21/1993		LOGGER DEPTH		CBL		7,346					
1/29/2010		FILL		C/O, TBG TALLY MEASUREMENT.		7,328					