















# SHOP CALIBRATION

## SHORT GUARD(NORMAL) SHOP CALIBRATION

PERFORMED 11/ 19/ 84 LAST SHOP CALIB 11/ 19/ 84  
 PROGRAM VERSION V1.81

	MEASURED	CALIBRATED	UNITS
SHOP CAL LOW	2.8885	2.	OHM
SHOP CAL HIGH	288.65	288.	OHM
INTERNAL CAL LOW	2.8888	2.8883	OHM
INTERNAL CAL HIGH	288.17	288.12	OHM

SER ♦ 67332 MOD. ♦ 141 SRC. ♦ 0 FLD CAL. ♦ 0

## SHOP CALIBRATION SUMMARY

PERFORMED 11/ 22/ 84 LAST SHOP CALIB 11/ 19/ 84  
 PROGRAM VERSION V1.81

ITEM	DEEP INDUCTION		MEDIUM INDUCTION	
	MEASURED	CALIBRATED	MEASURED	CALIBRATED
TOOL ZERO	-0.288	0	-0.626	0
INT. CALIB.	495.75	495.69	532.44	511.32
MODEL	588.2	588.15	491.64	588.33
MODEL ERROR		-1.372		3.8217

SER ♦ 91886 MOD. ♦ 288 SRC. ♦ 0 FLD CAL. ♦ 0

# BEFORE SURVEY CALIBRATION

## SHORT GUARD(NORMAL) BEFORE SURVEY CALIBRATION SUMMARY

PERFORMED 11/ 22/ 84 LAST SHOP CALIB 11/ 19/ 84  
 PROGRAM VERSION V1.81

	MEASURED	CALIBRATED	UNITS
LOW INT CAL	1.9549	2.8883	OHM
HIGH INT CAL	284.34	288.12	OHM

SER ♦ 67332 MOD. ♦ 141 SRC. ♦ 0 FLD CAL. ♦ 0

## BEFORE LOG FIELD CALIBRATION SUMMARY

PERFORMED 11/ 22/ 84 LAST SHOP CALIB 11/ 19/ 84  
 PROGRAM VERSION V1.81

ITEM	DEEP INDUCTION		MEDIUM INDUCTION	
	FIELD	SHOP	FIELD	SHOP
TOOL ZERO	-0.836	0	-0.781	0
INT. CALIB.	495.81	495.69	539.97	511.32
MODEL ERROR	-1.372		3.8217	

SER ♦ 91886 MOD. ♦ 288 SRC. ♦ 0 FLD CAL. ♦ 0

# AFTER SURVEY CALIBRATION

## SHORT GUARD(NORMAL) AFTER SURVEY CALIBRATION

PERFORMED 11/ 22/ 84 LAST SHOP CALIB 11/ 19/ 84  
 PROGRAM VERSION V1.81

	BEFORE	AFTER	UNITS
LOW INT CAL	1.9549	1.9911	OHM
HIGH INT CAL	284.34	195.85	OHM

SER ♦ 67332 MOD. ♦ 141 SRC. ♦ 0 FLD CAL. ♦ 0

## AFTER LOG FIELD CALIBRATION SUMMARY

PERFORMED 11/ 27/ 84 LAST SHOP CALIB 11/ 19/ 84  
 PROGRAM VERSION V1.81

ITEM	DEEP INDUCTION		MEDIUM INDUCTION	
	AFTER	BEFORE	AFTER	BEFORE
TOOL ZERO	-0.488	-0.488	-1.21	-1.21
INT. CALIB.	499.69	495.69	517.48	511.32
MODEL ERROR	-1.372		3.8217	

SER ♦ 91886 MOD. ♦ 288 SRC. ♦ 0 FLD CAL. ♦ 0