

Federal 20-3

Stormwater and Reclamation Map
August 15, 2019

Rio Blanco County, CO
NENW, Sec. 20, 2S, 101W
39.866300 -108.758884
Douglas Creek Arch SWMP
COR404836
Revision Dates:

Utah Gas Op. Ltd. (dba Utah Gas Corp)
1125 Escalante Dr.
Rangely, CO 81648
Inspector: Steve Hale

Immediate Receiving Water, Distance: Douglas Creek, 2.11 miles; Little Bull Draw (intermittent) 0.1 mile
Pre-disturbance Vegetation Cover: 15-20% surrounding natural cover (Pinon-Juniper shrubland)
Current Vegetation Cover: 0%
Current Disturbance (acres): 2.1

Seed Mix: WRFO BLM Mix #3, prescribed mix

Legend

Installations: Black Dates

Removals: Red Dates

Construction Area Boundary 

Wattle 

Erosion Control Blanket 

Slash 

Flow

Reclamation Area: includes Surface Roughening, Landforming; Mulching.

Soils: Rentsac-Moyerson-Rock outcrop, 5-65%. See soils report for more detail.

VTC: Tracking does not apply to this location. Parking is on existing dirt road adjacent to disturbance.

Notes: All areas within LIMITS OF DISTURBANCE (Construction Area Boundary) will be disturbed unless otherwise noted.

