

From: [Burns - DNR, Adam](#)
To: [Brittany Grasmick](#)
Cc: [Justin Gale](#)
Subject: Re: COGCC FIELD INSPECTION REPORT [Doc#717700639, Loc Id: 458676 Name: Silverton 4 North] SUBMITTED NOTICE
Date: Tuesday, November 12, 2024 8:29:43 AM
Attachments: [image001.png](#)

Yes that would be fine and I'll clear it up on my end soon as well

Adam Burns
Engineering/Physical Science Technician II
C: 970-218-4885



1120 Lincoln Street, Suite 801, Denver, CO 80203
Adam.M.Burns@state.co.us | www.colorado.gov/ecmc

On Tue, Nov 12, 2024 at 8:27 AM Brittany Grasmick <bgrasmick@confluencelp.com> wrote:

Good morning, Adam,

Thank you for the response. We're happy to resubmit the name change sundries once the Form 5/5As have been approved. In the meantime, should I submit an FIRR to this inspection stating what we've discussed?

Thanks,

Brittany

From: Burns - DNR, Adam <adam.m.burns@state.co.us>
Sent: Tuesday, November 12, 2024 10:09 AM
To: Brittany Grasmick <bgrasmick@confluencelp.com>; Justin Gale <jgale@confluencelp.com>
Subject: Re: COGCC FIELD INSPECTION REPORT [Doc#717700639, Loc Id: 458676 Name: Silverton 4 North] SUBMITTED NOTICE

Good Morning Brittany,

Thanks for the Info. I got with our permitting team and you will need to resubmit name change sundry's once the Form 5/5A's have been passed. That should keep the name from reverting back. They did mention that they do have a backlog currently and permitting and engineering are trying to get through them quickly, They will try to elevate this one. I was informed that you have done the proper steps to adjust the well name.

Adam Burns
Engineering/Physical Science Technician II
C: 970-218-4885

1120 Lincoln Street, Suite 801, Denver, CO 80203
Adam.M.Burns@state.co.us | www.colorado.gov/ecmc

On Mon, Nov 11, 2024 at 11:14 AM Brittany Grasmick <bgrasmick@confluencelp.com> wrote:

Hi Adam,

This is a follow up to Insp 403986847, Doc 717700639.

Your comment was 'Well name sign at the well does not reflect what is in the ECMC data base.'

Please see below for a brief summary of what's happened with this and other wells on the Silverton 4 North location re: name changes:

- The Form 2's for wells on the Silverton 4 North location were originally approved in 2018
- Confluence adjusted the original plan of development from 10 wellbores down to 7, necessitating name changes
- The name change from Silverton 5-7-3L to 5-4-2L (along with multiple others) was approved by Missti Mason on 12/30/2020 (attached).
- The CECMC had questions on our Form 5/5A submittals in late 2022, and when they sent them back to draft, the well name reverted back to the prior name.
- This well's Form 5/5A were resubmitted in early 2023 (also attached), and are awaiting approval.
- The plan is to resubmit the already-approved name change once the Form 5/5As are approved.

Old Well Name	New Well Name	API	Form 4 Sundry Doc #	Approval Date
Silverton 5-2-2L	Silverton 5-1-3L	05-123-48437	402516415	12/30/2020
Silverton 5-3-1L	Silverton 5-2-2L	05-123-48444	402516416	12/30/2020
Silverton 5-5-2L	Silverton 5-3-3L	05-123-48434	402516417	12/30/2020
Silverton 5-7-3L	Silverton 5-4-2L	05-123-48435	402516418	12/30/2020
Silverton 5-3-4L	Silverton 5-2-4L	05-123-48441	402516420	12/31/2020

Please advise on how we should proceed and thank you!

Brittany

Brittany Grasmick

Engineering Manager

C: 303-994-3064



Confluence
DJ LLC

From: COGCC Field Inspection Report <dnr_eform.helpdesk@state.co.us>
Sent: Thursday, November 7, 2024 3:50 PM
To: Justin Gale <jgale@confluencelp.com>; Brittany Grasmick <bgrasmick@confluencelp.com>
Cc: adam.m.burns@state.co.us
Subject: COGCC FIELD INSPECTION REPORT [Doc#717700639, Loc Id: 458676 Name: Silverton 4 North] SUBMITTED
NOTICE
Importance: High



Colorado
Energy and Carbon
Management
Commission
Department of Natural Resources

1120 Lincoln St. Suite 801
Denver, CO 80203

Phone: (303) 894-2100

FAX: (303) 894-2109

ECMC.state.co.us

COGCC Field Inspection Report

ATTACHED REPORT HAS BEEN SUBMITTED TO ECMC DATABASE BASED ON FIELD INSPECTION RESULTS. OPERATORS HAVE SEVEN (7) DAYS TO REVIEW BEFORE THE INSPECTION FORM IS POSTED TO THE WEBSITE.

PLEASE REVIEW ENTIRE REPORT. **COMMENTS** ARE HIGHLIGHTED IN **BLUE**, **CORRECTIVE ACTION ITEMS** ARE HIGHLIGHTED IN **RED**.