

State of Colorado
Energy & Carbon Management Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

404210610

Date Received:

05/20/2025

FIR RESOLUTION FORM

Overall Status:

CA Summary:

3 of 4 CAs from the FIR responded to on this Form

3 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

ECMC Operator Number: 10417
Name of Operator: INCREMENTAL OIL & GAS (FLORENCE) LLC
Address: 113 N SANTA FE AVE
City: FLORENCE State: CO Zip: 81226
Contact Name and Telephone:
Name: _____
Phone: () _____ Fax: () _____
Email: _____

Additional Operator Contact:

Contact Name	Phone	Email
<u>Sanchez, Chris</u>		<u>chris.sanchez@state.co.us</u>
<u>Hart, Tim</u>	<u>309-999-5420</u>	<u>thart@fremontpetroleum.com</u>
<u>Harkins, Liz</u>	<u>719-429-4513</u>	<u>lharkins@fremontpetroleum.com</u>

ECMC INSPECTION SUMMARY:

FIR Document Number: 713600848
Inspection Date: 03/20/2024 FIR Submit Date: 03/22/2024 FIR Status: _____

Inspected Operator Information:

Company Name: INCREMENTAL OIL & GAS (FLORENCE) LLC Company Number: 10417
Address: 113 N SANTA FE AVE
City: FLORENCE State: CO Zip: 81226

LOCATION - Location ID: 322234

Location Name: RAINBOW-619S69W Number: 20NESW County: FREMONT
Qtrqtr: NESW Sec: 20 Twp: 19S Range: 69W Meridian: 6
Latitude: 38.379071 Longitude: -105.137589

FACILITY - API Number: 05-043- -00 Facility ID: 295254

Facility Name: RAINBOW Number: 23-20
Qtrqtr: NESW Sec: 20 Twp: 19S Range: 69W Meridian: 6
Latitude: 38.379071 Longitude: -105.137589

CORRECTIVE ACTIONS:

1 CA# 193489

Corrective Action: Control and contain spills/releases and clean up per Rule 912.a. Date: _____

Response: CA COMPLETED Date of Completion: 10/25/2024

Operator Comment: On October 25, 2024, Form 271 (Doc No. 403806208) was filed to notify ECMC of remediation work completed on the Rainbow 23-30 location, API 05-043-06150; it was approved on October 30, 2024. Form 27S, Doc No. 404073761, was filed to ECMC on January 29, 2025, in compliance with ECMC Rule 913.e. Sampling was conducted on February 14, 2025, and another quarterly Form 27S update was submitted to ECMC, Doc

404117701, on March 20, 2025. Both Form 27S documents (404073761 & 404117701) remain "In Process" with ECMC Staff. On May 3, 2025, an application for request for 502.b. variance from ECMC reclamation requirements in Rules 1004.a., 1004.c.(1), 1004.d., and 1004.e. for the Rainbow 23-30 location was filed.

ECMC Decision: _____

ECMC
Representative:

2 CA# 193490

Corrective Action: Comply with Rule 913.c.(9). Contact EPS Staff for Directives.

Date: 03/26/2024

Response: CA COMPLETED

Date of Completion: 10/25/2024

Operator
Comment: On October 25, 2024, Form 27I (Doc No. 403806208) was filed to notify ECMC of remediation work completed on the Rainbow 23-30 location, API 05-043-06150; it was approved on October 30, 2024. Form 27S, Doc No. 404073761, was filed to ECMC on January 29, 2025, in compliance with ECMC Rule 913.e. Sampling was conducted on February 14, 2025, and another quarterly Form 27S update was submitted to ECMC, Doc 404117701, on March 20, 2025. Both Form 27S documents (404073761 & 404117701) remain "In Process" with ECMC Staff. On May 3, 2025, an application for request for 502.b. variance from ECMC reclamation requirements in Rules 1004.a., 1004.c.(1), 1004.d., and 1004.e. for the Rainbow 23-30 location was filed.

ECMC Decision: _____

ECMC
Representative:

3 CA# 193491

Corrective Action: Comply with 1004 Rules

Date: _____

Response: CA COMPLETED

Date of Completion: 10/25/2024

Operator
Comment: On October 25, 2024, Form 27I (Doc No. 403806208) was filed to notify ECMC of remediation work completed on the Rainbow 23-30 location, API 05-043-06150; it was approved on October 30, 2024. Form 27S, Doc No. 404073761, was filed to ECMC on January 29, 2025, in compliance with ECMC Rule 913.e. Sampling was conducted on February 14, 2025, and another quarterly Form 27S update was submitted to ECMC, Doc 404117701, on March 20, 2025. Both Form 27S documents (404073761 & 404117701) remain "In Process" with ECMC Staff. On May 3, 2025, an application for request for 502.b. variance from ECMC reclamation requirements in Rules 1004.a., 1004.c.(1), 1004.d., and 1004.e. for the Rainbow 23-30 location was filed.

ECMC Decision: _____

ECMC
Representative:

OPERATOR COMMENT AND SUBMITTAL

Comment:

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Mackenzie Smith

Signed: _____

Title: Staff Engineer

Date: 5/20/2025 10:49:32 AM

ATTACHMENT LIST

View Attachments in Imaged Documents on ECMC website (<http://ecmcweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
------------------------	--------------------

404210610	FIR RESOLUTION SUBMITTED
-----------	--------------------------

Total Attach: 1 Files