

Huerfano County Area, Colorado

71—Ring cobbly loam, 20 to 45 percent slopes

Map Unit Setting

Elevation: 7,200 to 8,500 feet
Mean annual precipitation: 18 to 22 inches
Mean annual air temperature: 38 to 44 degrees F
Frost-free period: 70 to 100 days

Map Unit Composition

Ring and similar soils: 85 percent
Minor components: 15 percent

Description of Ring

Setting

Landform: Terraces
Landform position (three-dimensional): Riser
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Cobbly clayey slope alluvium and/or alluvium

Properties and qualities

Slope: 20 to 45 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Well drained
Capacity of the most limiting layer to transmit water
(Ksat): Moderately low to moderately high (0.06 to 0.20 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Maximum salinity: Nonsaline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 4.0
Available water capacity: Low (about 5.9 inches)

Interpretive groups

Farmland classification: Not prime farmland
Land capability (nonirrigated): 7e
Hydrologic Soil Group: C
Other vegetative classification: Ponderosa pine/Gambel oak (PIPO/
QUGA) (C1121)

Typical profile

0 to 1 inches: Slightly decomposed plant material
1 to 6 inches: Cobbly loam
6 to 16 inches: Cobbly clay loam
16 to 41 inches: Very cobbly clay
41 to 60 inches: Very cobbly sandy clay loam

Minor Components

Wahotoya

Percent of map unit: 10 percent

Landform: Terraces

Landform position (three-dimensional): Riser

Down-slope shape: Convex

Across-slope shape: Linear

Maitland

Percent of map unit: 5 percent

Landform: Terraces

Landform position (three-dimensional): Riser

Down-slope shape: Linear

Across-slope shape: Linear

Data Source Information

Soil Survey Area: Huerfano County Area, Colorado

Survey Area Data: Version 9, Dec 30, 2013

Huerfano County Area, Colorado

75—Rubble land-Rock outcrop complex

Map Unit Setting

Elevation: 9,000 to 12,000 feet
Mean annual precipitation: 20 to 25 inches
Mean annual air temperature: 36 to 42 degrees F
Frost-free period: 30 to 60 days

Map Unit Composition

Rubble land: 50 percent
Rock outcrop: 45 percent
Minor components: 5 percent

Description of Rubble Land

Setting

Landform: Mountainsides
Landform position (two-dimensional): Summit
Landform position (three-dimensional): Mountainflank
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Accumulated angular rocks derived from colluvium

Interpretive groups

Farmland classification: Not prime farmland
Land capability (nonirrigated): 8s
Hydrologic Soil Group: A

Typical profile

0 to 60 inches: Fragmental material

Description of Rock Outcrop

Interpretive groups

Farmland classification: Not prime farmland
Land capability (nonirrigated): 8s
Hydrologic Soil Group: D

Typical profile

0 to 60 inches: Unweathered bedrock

Minor Components

Soils in crevices

Percent of map unit: 5 percent

Data Source Information

Soil Survey Area: Huerfano County Area, Colorado
Survey Area Data: Version 9, Dec 30, 2013