

State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

402598353

Receive Date:

02/18/2021

Report taken by:

Candice (Nikki) Graber

Site Investigation and Remediation Workplan (Supplemental Form)

This form shall be submitted to the Director for approval prior to the initiation of site investigation and remediation activities. However, this shall not preclude the Operator from taking immediate action to protect public health or safety, the environment, wildlife, or livestock.

This Form 27 describes site conditions as currently understood by the Operator; approval of this Form 27 by COGCC is based on the site conditions accurately described herein; any changes in site conditions identified during or subsequent to the performance of the approved workplan may necessitate additional investigation or remediation which shall be described on a supplemental Form 27. This Form 27 is intended to provide basic information regarding the proposed site investigation and remediation actions, but the workplan may be more fully described in attached documentation.

Refer to Rules 340, 905, 906, 907, 908, 909, and 910

OPERATOR INFORMATION

Name of Operator: <u>KERR MCGEE OIL & GAS ONSHORE LP</u>	Operator No: <u>47120</u>	Phone Numbers
Address: <u>P O BOX 173779</u>		Phone: <u>(970) 336-3500</u>
City: <u>DENVER</u>	State: <u>CO</u>	Zip: <u>80217-3779</u>
Contact Person: <u>Phillip Hamlin</u>	Email: <u>Phillip_Hamlin@oxy.com</u>	Mobile: <u>(970) 515-1161</u>

PROJECT, PURPOSE & SITE INFORMATION

PROJECT INFORMATION

Remediation Project #: 9675 Initial Form 27 Document #: 200439575

PURPOSE INFORMATION

- | | |
|--|--|
| <input type="checkbox"/> 901.e. Sensitive Area Determination | <input checked="" type="checkbox"/> 909.c.(5), Rule 910.b.(4): Remediation of impacted ground water |
| <input type="checkbox"/> 909.c.(1), Rule 905: Pit or PW vessel closure | <input type="checkbox"/> Rule 909.e.(2)A.: Notice completion of remediation in accordance with Rule 909.b. |
| <input checked="" type="checkbox"/> 909.c.(2), Rule 906: Spill/Release Remediation | <input type="checkbox"/> Rule 909.e.(2)B.: Closure of remediation project |
| <input type="checkbox"/> 909.c.(3), Rule 907.e.: Land treatment of oily waste | <input type="checkbox"/> Rule 906.c.: Director request |
| <input type="checkbox"/> 909.c.(4), Rule 908.g.: Centralized E&P Waste Management Facility closure | <input type="checkbox"/> Other _____ |

SITE INFORMATION

N Multiple Facilities (in accordance with Rule 909.c.)

Facility Type: <u>TANK BATTERY</u>	Facility ID: <u>440852</u>	API #: _____	County Name: <u>WELD</u>
Facility Name: <u>SPILL/RELEASE POINT</u>	Latitude: <u>40.268799</u>	Longitude: <u>-104.723004</u>	
** correct Lat/Long if needed: Latitude: _____		Longitude: _____	
QtrQtr: <u>NWNE</u>	Sec: <u>36</u>	Twp: <u>4N</u>	Range: <u>66W</u>
Meridian: <u>6</u>	Sensitive Area? <u>Yes</u>		

SITE CONDITIONS

General soil type - USCS Classifications SM Most Sensitive Adjacent Land Use Non-Crop Land

Is domestic water well within 1/4 mile? Yes Is surface water within 1/4 mile? No

Is groundwater less than 20 feet below ground surface? Yes

Other Potential Receptors within 1/4 mile

A livestock pasture is located approximately 100 feet southwest of the release location. An industrial-use building is located approximately 150 feet northeast of the release location.

SITE INVESTIGATION PLAN

TYPE OF WASTE:

- ☒ E&P Waste ☐ Other E&P Waste ☐ Non-E&P Waste
- ☒ Produced Water ☐ Workover Fluids
- ☒ Oil ☐ Tank Bottoms
- ☐ Condensate ☐ Pigging Waste
- ☐ Drilling Fluids ☐ Rig Wash
- ☐ Drill Cuttings ☐ Spent Filters
- ☐ Pit Bottoms
- ☐ Other (as described by EPA)

DESCRIPTION OF IMPACT

Impacted?	Impacted Media	Extent of Impact	How Determined
Yes	GROUNDWATER	See attached data	Groundwater sampling and laboratory analysis
Yes	SOILS	100' (N-S) x 80' (E-W) x 19' bgs	Soil boring, excavation, soil sampling, and laboratory analysis

INITIAL ACTION SUMMARY

Description of initial action or emergency response measures take to abate, investigate, and/or remediate impacts associated with E&P Waste.

On February 9, 2015, historical hydrocarbon impacts were discovered during abandonment activities at the HSR-Corvi 64N66W36NWNNE production facility, and excavation activities were initiated. Groundwater was not encountered during excavation activities. The COGCC issued Spill/Release Point ID 440852 for this release.

PROPOSED SAMPLING PLAN

Proposed Soil Sampling

- ☒ Will soil samples be collected as part of this investigation? (Number, type (grab/composite), analyses, and locations of samples):

Soil samples were collected as described in the Initial Form 27 (COGCC Document No. 200439575). Due to the presence of multiple active subsurface lines, impacted soil was left in-place in the vicinity of excavation soil samples N01@15', S01@15', W01@15', and B01@18'. Between March 5 and 10, 2015, multiple soil borings were advanced around the excavation area, in order to complete the delineation of soil impacts. These borings were advanced to the limit of the soil impacts observed during drilling; soil samples collected from borings W-BH02 and NW-BH06 exhibited constituent concentrations out of compliance with the COGCC Table 910-1 standards.

Proposed Groundwater Sampling

- ☒ Will groundwater samples be collected as part of this investigation? (Number, analyses, and locations of samples):

The soil borings advanced between March 5 and 10, 2015 yielded groundwater, and as such borings S-BH01, W-BH02, N-BH03, N-BH04, W-BH05, and NW-BH06 were converted to temporary groundwater monitoring wells BH01 - BH06. Samples collected from these locations indicated that groundwater impacts above the COGCC Table 910-1 standards were present at the site. Between August 17 and 25, 2015, 5 additional temporary monitoring wells (BH07 - BH11) were installed to further assess the extent of groundwater impacts. Quarterly groundwater monitoring was initiated on March 11, 2015, and is ongoing at the eleven (11) temporary monitoring wells on site. Groundwater samples are collected from the temporary monitoring wells on a quarterly basis and analyzed for BTEX. Groundwater analytical data is presented in Table 1, and the groundwater sample locations are illustrated on Figure 1. Laboratory analytical reports for the previous four quarters of groundwater monitoring are provided as Attachment A.

Proposed Surface Water Sampling

- ☐ Will surface water samples be collected as part of this investigation? (Number, analyses, and locations of samples):

Additional Investigative Actions

- ☒ Additional alternative investigative actions described in attached Site Investigation Plan (summary):

Groundwater samples have been intermittently collected from select site remediation wells, as needed, for remediation system monitoring and optimization purposes. Groundwater analytical results for the remediation wells are included in Table 1.

SITE INVESTIGATION REPORT

SAMPLE SUMMARY

Soil

Number of soil samples collected 14
Number of soil samples exceeding 910-1 7
Was the areal and vertical extent of soil contamination delineated? Yes
Approximate areal extent (square feet) 6600

NA / ND

-- Highest concentration of TPH (mg/kg) 2650
NA Highest concentration of SAR
BTEX > 910-1 Yes
Vertical Extent > 910-1 (in feet) 19

Groundwater

Number of groundwater samples collected 256
Was extent of groundwater contaminated delineated? Yes
Depth to groundwater (below ground surface, in feet) 15
Number of groundwater monitoring wells installed 30
Number of groundwater samples exceeding 910-1 96

-- Highest concentration of Benzene (µg/l) 13900
-- Highest concentration of Toluene (µg/l) 20500
-- Highest concentration of Ethylbenzene (µg/l) 760
-- Highest concentration of Xylene (µg/l) 15200
NA Highest concentration of Methane (mg/l)

Surface Water

0 Number of surface water samples collected
0 Number of surface water samples exceeding 910-1
If surface water is impacted, other agency notification may be required.

OTHER INVESTIGATION INFORMATION

☒ Were impacts to adjacent property or offsite impacts identified?

Groundwater impacts out of compliance with COGCC standards were historically detected in off-Site temporary monitoring well BH01.

☐ Were background samples collected as part of this site investigation?

☐ Was investigation derived waste (IDW) generated as part of this investigation?

Volume of solid waste (cubic yards) Volume of liquid waste (barrels)

☒ Is further site investigation required?

Hydrocarbon-impacted soil and groundwater remain at the site. The 11 temporary groundwater monitoring wells (BH01 - BH11) will continue to be sampled on a quarterly basis and submitted for laboratory analysis of BTEX, naphthalene, and 1,2,4- and 1,3,5-trimethylbenzene (TMB) until concentrations remain in full compliance with the COGCC Table 915-1 standards for four consecutive post-remediation quarters. Additional confirmation soil samples will be collected from the final extent of the impacted soil area, subsequent to the completion of soil remediation activities.

REMEDIAL ACTION PLAN

Does this Supplemental Form 27A include changes to a previously approved Remedial Action Plan? No _____

SOURCE REMOVAL SUMMARY

Describe how source is to be removed.

On February 9, 2015, approximately 150 cubic yards of impacted material were excavated and transported to the Buffalo Ridge Landfill in Keenesburg, Colorado for disposal. Remaining hydrocarbon-impacted soil that was left in place is being addressed as described below.

REMEDIATION SUMMARY

Describe how remediation of existing impacts to soil and groundwater is to be accomplished (i.e. summarize remedial action plan). Provide a brief narrative description including: technical justification, schedule for implementation, estimated time to attain NFA status, plus plans and specifications for the selected remedial action technology.

Kerr-McGee selected air sparge (AS) and soil vapor extraction (SVE) as remedial technologies to address remaining hydrocarbon impacts to soil and groundwater at the site. Between November 29, 2017 and February 26, 2018, 9 AS remediation wells (AS-01 through AS-09) and 10 SVE remediation wells (SVE-01 through SVE-10) were installed for use with an on-site remediation system. Remediation system construction and start-up activities were described in a previous Form 27-Supplemental Update (COGCC Document No. 401903958). The as-built locations of the remediation system wells are illustrated on Figure 2, and the remediation well completion logs are included in Attachment B. Additional AS/SVE remediation system details and the approved USEPA Underground Injection Control (UIC) permit for AS activities were provided in previous Form 27-Supplemental Updates (COGCC Document Nos. 401903958 and 401618615). Quarterly groundwater monitoring is ongoing, and will be continued until concentrations remain in full compliance with COGCC standards for four consecutive post-remediation quarters. Estimated time to attain NFA is TBD based on the groundwater concentrations, the extent of impacted soil and groundwater, and the efficacy of the selected remedial technologies.

Soil Remediation Summary

☒ In Situ

No _____ Bioremediation (or enhanced bioremediation)

No _____ Chemical oxidation

Yes _____ Air sparge / Soil vapor extraction

Yes _____ Natural Attenuation

No _____ Other _____

☒ Ex Situ

Yes _____ Excavate and offsite disposal

If Yes: Estimated Volume (Cubic Yards) _____ 150

Name of Licensed Disposal Facility or COGCC Facility ID # _____

No _____ Excavate and onsite remediation

_____ Land Treatment

_____ Bioremediation (or enhanced bioremediation)

_____ Chemical oxidation

_____ Other _____

Groundwater Remediation Summary

No _____ Bioremediation (or enhanced bioremediation)

No _____ Chemical oxidation

Yes _____ Air sparge / Soil vapor extraction

Yes _____ Natural Attenuation

No _____ Other _____

GROUNDWATER MONITORING

If groundwater has been impacted, describe proposed monitoring plan, including # of wells or sample points, monitoring schedule, analytical methods, points of compliance. Attach a groundwater monitoring location diagram.

Between March 5 and August 25, 2015, 11 temporary groundwater monitoring wells (BH01 - BH11) were installed to assess the extent of groundwater impacts. The 11 temporary monitoring wells will continue to be sampled on a quarterly basis and submitted for laboratory analysis of BTEX, naphthalene, 1,2,4-TMB, and 1,3,5-TMB until concentrations remain in full compliance with the COGCC Table 915-1 standards for four consecutive post-remediation quarters. Groundwater sample locations are illustrated on Figure 1, and a potentiometric surface contour map for the Fourth Quarter 2020 is presented as Figure 3. Well completion logs for the temporary monitoring wells are included in Attachment B.

REMEDIATION PROGRESS UPDATE

PERIODIC REPORTING

Frequency: ☐ Quarterly ☐ Semi-Annually ☒ Annually ☐ Other _____

Report Type: ☒ Groundwater Monitoring ☐ Land Treatment Progress Report ☐ O&M Report
☐ Other _____

WASTE DISPOSAL INFORMATION

Was E&P waste generated as part of this remediation? Yes _____

Describe beneficial use, if any, of E&P Waste derived from this remediation project:

NA

Volume of E&P Waste (solid) in cubic yards _____ 150

E&P waste (solid) description _____ Hydrocarbon-impacted soil

COGCC Disposal Facility ID #, if applicable: _____

Non-COGCC Disposal Facility: Buffalo Ridge Landfill - Keenesburg,
Colorado

Volume of E&P Waste (liquid) in barrels _____ 0

E&P waste (liquid) description _____

COGCC Disposal Facility ID #, if applicable: _____

Non-COGCC Disposal Facility: _____

REMEDIATION COMPLETION REPORT

REMEDIATION COMPLETION SUMMARY

Is this a Final Closure Request for this Remediation Project? No _____

Do all soils meet Table 910-1 standards? No _____

Does the previous reply indicate consideration of background concentrations? _____

Are the only residual soil impacts pH, SAR, or EC at depths greater than 3 feet below ground surface? No _____

Does Groundwater meet Table 910-1 standards? No _____

Is additional groundwater monitoring to be conducted? Yes _____

RECLAMATION PLAN

RECLAMATION PLANNING

Describe reclamation plan. Discuss existing and new grade recontouring; method and testing of compaction alleviation; and reseeding program, including location of new seed, seed mix and noxious weed prevention. Attach diagram or drawing.

The site has been restored to its pre-release grade. Kerr-McGee will conduct reclamation activities in accordance with COGCC 1000 Series Rules.

Is the described reclamation complete? No _____

Does the reclamation described herein constitute interim or final reclamation of the Oil and Gas Location?

☐ Interim? ☐ Final?

Did the Surface Owner approve the seed mix? _____

If NO, does the seed mix comply with local soil conservation district recommendations? _____

IMPLEMENTATION SCHEDULE

PRIOR DATES

Date of Surface Owner notification/consultation, if required. _____

Actual Spill or Release date, if known. _____

SITE INVESTIGATION DATES

Date of Initial Actions described in Site Investigation Plan (start date). 02/09/2015

Date of commencement of Site Investigation. 02/09/2015

Date of completion of Site Investigation. _____

REMEDIAL ACTION DATES

Date of commencement of Remediation. 02/09/2015

Date of completion of Remediation. _____

SITE RECLAMATION DATES

Date of commencement of Reclamation. _____

Date of completion of Reclamation. _____

OPERATOR COMMENT

Based on the previously approved reporting frequency, Kerr-McGee will continue to provide annual Form 27-Supplemental Updates for this site.

I hereby certify all statements made in this form are to the best of my knowledge true, correct, and complete.

Signed: ` Phillip Hamlin

Title: Senior Environmental Rep

Submit Date: ` 02/18/2021

Email: Phillip_Hamlin@oxy.com

Based on the information provided herein, this Application for Site Investigation and Remediation Workplan complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: Candice (Nikki) Graber

Date: 02/19/2021

Remediation Project Number: 9675

COA Type**Description**

	In addition to the proposed groundwater sampling plan Operator will conduct a minimum of one round of sampling for Table 915-1 Cleanup Concentrations for Groundwater Inorganic Parameters (total dissolved solids, chloride, sulfate). Operator shall submit a Supplemental Form 27 with a proposed groundwater monitoring plan for site specific contaminants of concerns within 60 days of the next groundwater monitoring event. Once a groundwater monitoring plan has been developed Operator may return to annual reporting.
--	---

Attachment Check List

Upon approval, the approved Form 27 and all listed attachments will be indexed to the Remediation Project file. Only the approved Form 27 will also be indexed to the related Facilities.

Att Doc Num**Name**

402598353	FORM 27-SUPPLEMENTAL-SUBMITTED
402598431	LOGS
402598433	GROUND WATER SAMPLE LOCATION
402598434	SITE MAP
402598436	GROUND WATER ELEVATION MAP
402598437	ANALYTICAL RESULTS
402598438	ANALYTICAL RESULTS

Total Attach: 7 Files

General Comments**User Group****Comment****Comment Date**

		Stamp Upon Approval
--	--	---------------------

Total: 0 comment(s)